

CONTRACT NO: 07-288204
 BID AMOUNT: \$ 2,508,000.00
 BID OPENING DATE: 7/17/16

Third Bidder

BIDDER'S NAME: Griffith Company
 DBE GOAL FROM CONTRACT %: 11% = 275,880.00

DBE PRIME CONTRACTOR CERTIFICATION¹: N/A
 TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE): 4
 TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE): 103,962.00

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
2	Construction Area Signs - Placement & Removal	C1200	Maneri Traffic Control 47423 Rainbow Cyn Temecula, CA 92592 951-695-5104 DBE 38078 DIR100011349	\$14,922.
3	Traffic Control equipment & Staff	C1201		\$20,840.
22, 23, 24	Plant Materials	C0620 F5096	Sam's Equipment & Supplies PO Box 7797 Fresno, CA 93747 559-252-0354 DBE 34479	\$133,101.99
30, 31, 32, 33 36 37	Irrigation materials	C0670 F5090		\$139,714.05
39 40 42 43 44 45 46 47 48 49 50				

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.


²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Maneri 100% DBE credit = \$35,762.00
 Sam's Equipment 60% DBE credit = \$83,689.63

Based upon 100% credits * \$199,451.63
 & 100% credits
 Total Claimed Participation
 1/8 %

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).


 Signature of Bidder

7/11/16
 Date

7149845500
 (Area Code) Tel. No.

Richard Carlson, Division Manager
 Person to Contact (Please Type or Print)

Sam's Equipment & Supplies
 P.O. Box 7797
 Fresno, CA 93747-7797
 S.B./D.V.B.E./D.B.E./U.D.B.E./S.M.B.E./S.D.V.O.S.B.C.



Estimate

Date	Estimate #
7/5/2016	2004857

Name / Address
07-288204 CAL TRANS PROJECT BID DATE 7-7-2016 LOCATION : In Los Angeles County

Gabe, Sam's equipment @ Sam's

Low Bidder

Project

Item	Description	Qty	Rate	Item #	Total
	PLANTING MATERIALS			w/ Tax	
Planting materi...	ACACIA REDOLENS" DESERT CARPET <i>ITEM # 23</i>	3,039	3.0975	10,200.50	9,413.30T
lanting materi...	CARPOBROTUS EDULIS <i>ITEM # 22</i>	734,043	0.147	117,65.71	107,904.32T
Planting materi...	EUCALYPTUS CITRIODORA	35	50.40	5,225.74	1,764.00T
Planting materi...	JACARANDA MIMOSIFOLIA	28	39.90	↑	1,117.20T
Planting materi...	LAGERSTROEMIA INDICA <i>ITEM # 24</i>	9	39.90	4,794.30	359.10T
Planting materi...	PLANTANUS RACEMOSA	20	39.90		798.00T
Planting materi...	PINUS CANARIENSIS	16	47.25		756.00T

GABE CALLISON 559-252-0354	Subtotal
	Sales Tax (9.0%)
	Total

Signature

Sam's Equipment & Supplies
P.O. Box 7797
Fresno, CA 93747-7797
S.B./D.V.B.E./D.B.E./U.D.B.E./S.M.B.E./S.D.V.O.S.B.C.



Estimate

Date	Estimate #
7/5/2016	2004857

Name / Address
07-288204 CAL TRANS PROJECT BID DATE 7-7-2016 LOCATION : In Los Angeles County

Project

Item	Description	Qty	Rate	Item #	Total
TERMS	TERMS 10TH PROX CONDITIONS: THIS IS NOT A CONTRACT.PRICES QUOTED ARE CURRENT. PRICES SUBJECT TO APPLICABLE SALES TAX,PRIOR SALES , AND / OR CHANGE WITHOUT NOTICE. PRICES QUOTED EXPIRE IN 30 DAYS AFTER BID OPENING FOR ACCEPTANCE. BID PRICES ARE FIRM FOR UP TO 120 DAYS TO TAKE DELIVERY. AGREEMENTS ARE CONTINGENT UPON STRIKES,ACCIDENTS AND OTHER CONDITIONS BEYOND OUR CONTROL.		0.00		0.00T

GABE CALLISON 559-252-0354	Subtotal
	Sales Tax (9.0%)
	Total

Signature

Sam's Equipment & Supplies
P.O. Box 7797
Fresno, CA 93747-7797
S.B./D.V.B.E./D.B.E./U.D.B.E./S.M.B.E./S.D.V.O.S.B.C.



Estimate

Date	Estimate #
7/5/2016	2004857

Name / Address
07-288204 CAL TRANS PROJECT BID DATE 7-7-2016 LOCATION : In Los Angeles County

Project

Item	Description	Qty	Rate	Item #	Total
STIPULATIO...	PRICE QUOTE ARE FIRM 30 DAYS SHIPPED IN FULL TRUCK LOAD QUANTITIES. UNLOADING IS BY OTHERS QUOTATION IS FOR SUPPLY ONLY. THE ABOVE QUANTITY IS ESTIMATED ONLY. INSTALLATION IS BY OTHERS. ADDITIONAL FREIGHT CHARGES MAY APPLY ON PARTIAL SHIPMENTS AND SUPPLEMENTAL ORDERS. IT IS THE CUSTOMER'S RESPONSIBILITY TO VERIFY THAT MATERIALS AND QUANTITIES MEET PLANS AND SPECIFICATIONS.		0.00		0.00T

GABE CALLISON 559-252-0354	Subtotal	\$122,111.92
	Sales Tax (9.0%)	\$10,990.07
	Total	\$133,101.99

Signature _____

Back To Query Form**Search Returned 1 Records**

Mon Mar 28 13:43:18 PDT 2016

Query Criteria

Firm ID: 34479

Firm Type: DBE

Firm ID	34479
Firm/DBA Name	SAM'S EQUIPMENT & SUPPLIES
Address Line1	5656 COLUMBIA DR S.
Address Line2	
City	FRESNO
State	CA
Zip Code1	93727
Zip Code2	
Mailing Address Line1	P.O. BOX 7797
Mailing Address Line2	
Mailing City	FRESNO
Mailing State	CA
Mailing Zip Code1	93747
Mailing Zip Code2	
Certification Type	DBE
EMail	samsequipment@comcast.net, dasian@comcast.net
Contact Name	SAMUEL CALLISON
Area Code	(559)
Phone Number	251-1206
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(559)
Fax Phone Number	251-1119
Agency Name	CITY OF FRESNO
Counties	00;
Districts	00;
DBE NAICS	423390; 423610; 423990;

ACDBE NAICS**Work Codes**

C0620 LANDSCAPING & NURSERY SUPPLIER; C0670 PIPE SUPPLIER; C0683 GUARD RAILINGS & BARRIERS SUPPLIER; C0686 ELECTRICAL & SIGNALS SUPPLIER; F5090 MISC DURABLE GOODS; I7380 MISC BUSINESS SERVICES;

Licenses**Trucks****Gender**

M

Ethnicity

NATIVE AMERICAN

Firm Type

DBE

Back To Query Form

Sam's Equipment & Supplies



559.252.0354

FAX: 559.251.1119

Providing Quality Construction Equipment & Supplies While Meeting S.B., D.V.B.E., D.B.E., U.D.B.E., S.M.B.E. & S.D.V.O.S.B.C. Requirements - View Certifications

Home » Certifications

CERTIFICATIONS & CLASSIFICATIONS

Sam's Equipment & Supplies meets S.B., D.V.B.E., D.B.E., U.D.B.E., S.M.B.E. and S.D.V.O.S.B.C. requirements. Click the certifications below to view classification lists and other information.



S.B./D.V.B.E.

Download S.B./D.V.B.E. Report PDF

DVBE and MB Certification # 27563

101615: Trees and shrubs

101616: Floral plants

101618: Non flowering plants

101715: Organic fertilizers and plant nutrients

Sam's Equipment & Supplies
P.O. Box 7797
Fresno, CA 93747-7797
S.B./D.V.B.E./D.B.E./U.D.B.E./S.M.B.E./S.D.V.O.S.B.C.



Estimate

Date	Estimate #
7/5/2016	2004858

Name / Address
07-288204 CAL TRANS PROJECT BID DATE 7-7-2016 LOCATION : In Los Angeles County

Line #	Item #	Item Desc	Qty	Unit Price	Extended Price
1	825HBV	825Y Reduced Pressure 2 Inline W/Bv Febco Item Note: FEBCO 825Y MODEL USED PER BIDDING PURPOSES., Product Not Specified, Manufacturer Not Specified, Item As Per Detail, H8	13	369.359	4,801.67
2	308-020D	2" 90 Galvanized Domestic	39	17.267	673.41
3	200-3000GN-DOM	2" X 30" Nipple Galvanized Domestic	26	32.067	833.74
4	NL9500D	T-580-70-2 Threaded Ball Valve	13	71.384	927.99
5	200-300GN-DOM	2X3 Galv Nipple Domestic	65	2.720	176.80
6	U-2000GT-DOM	2" Union Galvanized Domestic	26	31.307	813.98
7	2-SXL	2 Wye Strainer Lead Free Wilkins	13	74.578	969.51
8	305-020D	2" Tee Galvanized Domestic	13	24.827	322.75
9	NSI-FG-300N-D	2" CAP GALVANIZED DOMESTIC	13	10.080	131.04
10	NSI-99999996	ENCLOSURE CAGE (ENCLOSURE CAGE) Item Note: CONTRACTOR TO VERIFY MODEL TO USED. NO OPTIONS GIVEN.	13		
11	ICV201G	2" Globe Vlv Flow Control Item Note: HUNTER ICV MODEL USED PER BIDDING PURPOSES., Manufacturer Not Specified	17	80.969	1,376.47
12	270672	3M Dbr/Y-6 Bulk, 600V Direct Bury Splice Kit	34	1.257	42.74
13	ID-STD-YB	Blank Yellow Id Tag T Christy	17	1.929	32.79
14	03AMBHL01	Brooks Box W/Hinged Ci Lid Marked "Water"	17	51.765	880.01
15	FCT200	2" Sensor Body-Use W/Flow Clik & Acc Flow Sensor Item Note: HUNTER USED PER BIDDING PURPOSES. CONTRACTOR TO VERIFY, Manufacturer Not Specified, Item As Per Detail, H8	17	42.412	721.00
16	HFS	Flow Sensor For Acc Controller	17	113.742	1,933.61
17	270672	3M Dbr/Y-6 Bulk, 600V Direct Bury Splice Kit	34	1.257	42.74
18	ID-STD-YB	Blank Yellow Id Tag T Christy	17	1.929	32.79
19	03AMBHL01	Brooks Box W/Hinged Ci Lid Marked "Water"	17	51.765	880.01
20	0122927	febco 3" lead free 860 Rp less gate valves Item Note: FEBCO LF860 MODEL USED PER BIDDING PURPOSES, PVC PIPE AND PVC FITTINGS USED FOR ASSEMBLY BASED ON THE LF860 MODEL BEING USED. CONTRACTOR TO VERIFY AND ADJUST AS NEEDED., Product Not Specified, Manufacturer Not Specified	4	1,496.099	5,984.40
21	806-030	3 90 Degree Ell Soc	16	6.720	107.52
22	3PVC80PE	3" Sch80 PVC Plain End	40	2.022	80.88
23	836-030	3 Male Adapter MIPT X Soc	8	8.860	70.88
24	NL9500F	T58070 3" Thrd Ball Valve Conv Pt Brz	4	359.919	1,439.68
25	U-3000-S	3 Union Solvent Kbi	4	18.514	74.06

26	854-030	3 Flange Van Stone Style With Plastic Ring Soc	8	11.148	89.18
27	GSFFG3	3 Bolt And Gasket Set Plated	8	6.143	49.14
28	2PVCBE	Sch-40 2" PVC Pipe Be Item Note: <i>Item As Per Legend, SH40</i>	24,342	0.629	15,311.12
29	ICV101G	1" Globe Vlv Flow Control Item Note: <i>HUNTER ICV USED PER BIDDING PURPOSES., Manufacturer Not Specified, Item As Per Detail, H7</i>	46	44.340	2,039.64
30	270672	3M Dbr/Y-6 Bulk, 600V Direct Bury Splice Kit	92	1.257	115.64
31	ID-STD-YB	Blank Yellow Id Tag T Christy	46	1.929	88.73
32	03AMBHL01	Brooks Box W/Hinged Ci Lid Marked "Water"	46	51.765	2,381.19
33	ICV151G	1-1/2" Globe Vlv Flow Control Item Note: <i>HUNTER USED PER BIDDING PURPOSES, Manufacturer Not Specified, Item As Per Detail, H7</i>	118	57.835	6,824.53
34	270672	3M Dbr/Y-6 Bulk, 600V Direct Bury Splice Kit	236	1.257	296.65
35	ID-STD-YB	Blank Yellow Id Tag T Christy	118	1.929	227.62
36	03AMBHL01	Brooks Box W/Hinged Ci Lid Marked "Water"	118	51.765	6,108.27
37	ICV201G	2" Globe Vlv Flow Control Item Note: <i>HUNTER USED PER BIDDING PURPOSES., Manufacturer Not Specified, Item As Per Detail, H7</i>	12	80.969	971.63
38	270672	3M Dbr/Y-6 Bulk, 600V Direct Bury Splice Kit	24	1.257	30.17
39	ID-STD-YB	Blank Yellow Id Tag T Christy	12	1.929	23.15
40	NL9500D	T-580-70-2 Threaded Ball Valve Item Note: <i>NIBCO USED PER BIDDING PURPOSES., Product Not Specified, Manufacturer Not Specified</i>	52	71.384	3,711.97
41	01RDVBB	Brooks Round Box	52	9.412	489.42
42	01RDVBCITG	Brooks Rnd Ci Grate Only	52	18.353	954.36
43	NL0J24D	T-113-Bhw-2 125 Solid Wedge Gate Wheel Handle Item Note: <i>NIBCO T113 MODEL USED PER BIDDING PURPOSES., Product Not Specified, Manufacturer Not Specified</i>	23	99.539	2,289.40
44	01RDVBB	Brooks Round Box	23	9.412	216.48
45	01RDVBCITG	Brooks Rnd Ci Grate Only	23	18.353	422.12
46	75PVCBE	Sch-40 3/4" PVC Pipe Be Item Note: <i>Item As Per Legend, SCH40</i>	12,800	0.200	2,560.00
47	1PVCBE	Sch-40 1" PVC Pipe Be Item Note: <i>Item As Per Legend, SCH40</i>	16,043	0.290	4,652.47
48	125PVCBE	1-1/4" Sch40 PVC Pipe Be Item Note: <i>Item As Per Legend, SCH40</i>	10,546	0.392	4,134.03
49	150PVCBE	1-1/2" Sch40 PVC Pipe Be Item Note: <i>Item As Per Legend, SCH40</i>	17,083	0.471	8,046.09
50	2PVCBE	Sch-40 2" PVC Pipe Be Item Note: <i>Item As Per Legend, SH40</i>	24,017	0.629	15,106.69
51	1402P	Pres Comp Bubbler .5Gpm Rainbird Item Note: <i>HUNTER USED PER BIDDING PURPOSES., Manufacturer Not Specified, Item As Per Detail, H5/V</i>	208	2.208	459.26
52	005IPSB	1/2 IPS Black Hose Flexible PVC	416	0.693	288.29
53	ST	Subtotal Irrigation - Drip/Point Source Irrigation			101,237.71
		4 Adj Pop Up Rotor PGP Hunter			

54	PGPADJ	Item Note: HUNTER USED PER BIDDING PURPOSES. THE PGPADJ MODEL USED BASED ON RADIUS. CONTRACTOR TO VERIFY AND ADJUST AS NEEDED. Manufacturer Not Specified, Item As Per Detail, H5/IV	1,267	6.558	8,308.99
55	436	Rebar #4 X 36 Straight Mwr	1,267	1.935	2,451.65
56	TC-5748	3 1/2 Ideal Ss Clamp	2,534	0.977	2,475.72
57	PGP04	PGP Ultra 4 Pop-Up Sprinkler Item Note: HUNTER USED PER BIDDING PURPOSES. THE PGP ULTRA MODEL USED BASED ON RADIUS. CONTRACTOR TO VERIFY AND ADJUST AS NEEDED., Item As Per Detail, H5/IV	299	7.267	2,172.83
58	436	Rebar #4 X 36 Straight Mwr	299	1.935	578.57
59	TC-5748	3 1/2 Ideal Ss Clamp	598	0.977	584.25
60	0910L1GY2GYELEC	Valve Box 10 Rd Greyw/Elec	7	13.442	94.09
61	0910L1GY2GYELEC	Valve Box 10 Rd Greyw/Elec	7	13.442	94.09
62	0910L1GY2GYELEC	Valve Box 10 Rd Greyw/Elec	3	13.442	40.33
63	141WHT2500	14 Gauge 1 St 2500 Ft White Uf Wire Item Note: Item As Per Legend, 14GAUGE	27,511	0.068	1,870.75
64	141RED2500	14 Gauge 1 St 2500 Ft Red Uf Wire Item Note: Item As Per Legend, 14GAUGE	155,303	0.068	10,560.60
65	180095TH	Paige Flow Sensor Wire	6,544	0.396	2,591.42

Total Price: \$139,714.05

MANERI TRAFFIC CONTROL

CONTRACTOR LICENSE # 892008
SMALL BUSINESS CERTIFIED (OSDS REF # 53767)
DBE CERTIFIED (FIRM #38078)
DIR # 1000011349
UNION SIGNATORY



Low
B. Maneri

SIGN AND TRAFFIC QUOTE

PROJECT: 07-288204
BID DATE: 7/07/16

TO: PLANHOLDER
ATTN: ESTIMATOR

**PLEASE NOTE-CURRENT SCHEDULING FOR CONSTRUCTION AREA SIGNS IS 3 WEEKS ADVANCE NOTICE-
CONTRACTOR MUST SEND REQUEST VIA EMAIL/FAX UNTIL FURTHER NOTICE**

TO ESTIMATOR:

ITEM # 2 \$ 14,922

CONSTRUCTION AREA SIGNS: (ITEM #2)

ITEM #2 \$12,650.00 WITH USE OF MTC FOR 100% OF ITEM #3

ITEM # 3 \$ 20,840

CONSTRUCTION AREA SIGNS: (ITEM #2)

ITEM #2 \$14,922.00 WITHOUT USE OF MTC FOR 100% OF ITEM #3

TRAFFIC CONTROL: (ITEM #3)

LUMP SUM, 2 LABORERS, 1 TRUCK AND EQUIPMENT (1-8 HOURS)-\$1,490.00***YEARLY
INCREASE TO LUMP SUM TRAFFIC OF \$30.00 BEGINNING JULY 1ST, 2017***

PLEASE SEE ATTACHED QUOTE ALL OTHER PRICES.

IF YOU HAVE ANY QUESTIONS REGARDING ANY PORTION OF THIS QUOTE, PLEASE DO NOT
HESITATE TO CALL (760) 535-7881. **THANK YOU** FOR YOUR TIME AND CONSIDERATION.

SINCERELY,

Johnny Maneri

NOTE: CONSTRUCTION AREA SIGNS ESTIMATE INCLUDES DELIVERY, INSTALLATION, AND REMOVAL. THE PRICE DOES NOT INCLUDE
MAINTENANCE, CHANGES OF DATES, RELOCATION, OR REPLACEMENTS. ALL SIGNS BECOME THE PROPERTY OF MANERI TRAFFIC CONTROL
UPON COMPLETION OF THE JOB. FUNDING SIGNS ARE \$850.00, UNLESS NOTED IN THIS BID. MANERI TRAFFIC CONTROL EXCLUDES THE
COVERING OF THE G84 SIGN. MANERI TRAFFIC CONTROL EXCLUDES ALL INSTALLATION AND REMOVAL OF OVERHEAD SIGNS.

SCHEDULING FOR SIGNS MUST IN WRITING SENT BY FAX/EMAIL.

ANY ADDITIONAL LICENSE FEES WILL BE THE CONTRACTORS RESPONSIBILITY. IF CONTRACTOR REQUIRES A BOND, A SURETY RATE OF 3%
OF THE BOND AMOUNT, PLUS A SBA FEE OF .75% OF THE TOTAL BOND AMOUNT WILL BE ADDED TO THE TOTAL CONTRACT AMOUNT. ALL
MATERIALS WILL REMAIN THE PROPERTY OF MANERI TRAFFIC CONTROL ANY ITEM SOLD IS SUBJECT TO ADDITIONAL SALES TAX.

MANERI TRAFFIC CONTROL DOES NOT DO TRAFFIC CONTROL PLANS.

IF PRIME CONTRATOR CHOOSES TO ACCEPT THIS QUOTE: THIS FULL QUOTE MUST BE ATTACHED TO SUBCONTRACT PURCHASE
ORDER.

47423 RAINBOW CANYON
TEMECULA, CA 92592

OFFICE: 951-695-5104
FAX: 951-695-5105

MANERI TRAFFIC CONTROL
CONTRACTOR LICENSE # 892008
SMALL BUSINESS CERTIFIED (OSDS REF # 53767)
DBE CERTIFIED (FIRM #38078)
DIR # 1000011349
UNION SIGNATORY



BID DATE: 7/07/16
PROJECT: 07-288204

LUMP SUM, 2 LABORERS, 1 TRUCK AND EQUIPMENT (1-8 HOURS).....	\$1,490.00
FLAGGING OPERATION, 2 LABORERS (1-8 HOURS).....	\$1,490.00
FLAGGING OPERATION, 2 LABORERS (1-8 HOURS) WITH RUMBLE STRIPS.....	\$1,790.00
PILOT CAR OPERATION, 3 LABORERS (1-8 HOURS).....	\$2,150.00
PILOT CAR OPERATION, 3 LABORERS (1-8 HOURS) WITH RUMBLE STRIPS.....	\$2,450.00
ONE LABORER W/ TRUCK AND EQUIPMENT (1-8 HOURS).....	\$990.00
ADDITIONAL LABORER (1-8 HOURS).....	\$650.00
RAMP NOTIFICATION SIGN (EACH).....	\$190.00

X10 = 14,900.7

PCMS BOARDS: (UPON AVAILABILITY)

DAILY.....	\$185.00
WEEKLY.....	\$350.00
MONTHLY.....	\$890.00

LIGHT TOWERS (PORTABLE): (UPON AVAILABILITY)

DAILY.....	\$75.00	WEEKLY.....	\$200.00	MONTHLY.....	\$500.00	DELIVERY FEE.....	\$100.00
------------	---------	-------------	----------	--------------	----------	-------------------	----------

ARROW BOARDS: (UPON AVAILABILITY)

DAILY.....	\$50.00
WEEKLY.....	\$185.00
MONTHLY.....	\$550.00

EQUIPMENT:

DELIVERY (EACH).....	\$100.00
PICK-UP (EACH).....	\$100.00

THE FOLLOWING RATES ARE FOR A SCORPION 100K ATTENUATOR TRUCK USE AGREEMENT
THERE IS **NO MILEAGE CHARGE**

ATTENUATOR TRUCK W/ DRIVER (1-8 HOURS).....	\$990.00
---	----------

X 6 \$ 5,940

ATTENUATOR TRUCK W/ OUT DRIVER: (UPON AVAILABILITY)

DAILY.....	\$325.00
WEEKLY.....	\$990.00
MONTHLY.....	\$2,850.00
DELIVERY/PICK-UP FEE (TRUCK USE ONLY).....	\$200.00

20,840.00

NOTE: CONTRACTOR ASSUMES FULL RESPONSIBILITY FOR BOARD PLACEMENT AND ANY DAMAGES INCURRED (THEFT AND VANDALISM INCLUDED).

ADDITIONAL TIME AFTER 8 HOUR SHIFT WILL BE CHARGED AT THE RATE OF \$115.00 PER HOUR, PER LABORER. FIRST 8 HOURS ON A SATURDAY OR SUNDAY ADD \$295.00 PER LABORER FOR OVERTIME RATE DIFFERENCE.

CANCELLATIONS:

4 HOURS PRIOR TO SHOW UP.....	NO CHARGE
SHOW UP TIME PER LABORER.....	2 HOURS
DIRECTLY AFTER SET UP PER LABORER.....	4 HOURS

OUT OF TOWN (120 MILES FROM COMPANY ADDRESS) CANCELLATIONS REQUIRE 24 HR NOTICE OR CONTRACTOR SHALL BE SUBJECT TO ADDITIONAL CHARGE, MINIMUM OF 4 HOURS PER LABORER.

NOTE: MINIMUM OF 1 HOUR FOR SET UP AND 1 HOUR FOR PICK UP.
NO RETENTIONS ARE TO BE HELD ON TRAFFIC CONTROL.

47423 RAINBOW CANYON
TEMECULA, CA 92592

OFFICE: 951-695-5104
FAX: 951-695-5105

MANERI TRAFFIC CONTROL
CONTRACTOR LICENSE # 892008
SMALL BUSINESS CERTIFIED (OSDS REF # 53767)
DBE CERTIFIED (FIRM #38078)
DIR # 1000011349
UNION SIGNATORY



Firm ID	38078
Firm/DBA Name	MANERI TRAFFIC CONTROL
Address Line1	47423 RAINBOW CANYON
Address Line2	
City	TEMECULA
State	CA
Zip Code1	92028
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
E-Mail	mariamaneri@yahoo.com
Contact Name	MARIA MANERI
Area Code	(951)
Phone Number	695-5104
Fax Area Code	(951)
Fax Phone Number	695-5105
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 13; 19; 30; 33; 36; 37; 40; 42; 56;
Districts	04; 05; 07; 08; 11; 12;
DBE NAICS	561990;

ACDBE NAICS

Work Codes	C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1210 Traffic Count;
Licenses	C31 Construction Zone Traffic Control Contractor; D42 Sign Installation;
Trucks	
Gender	F
Ethnicity	HISPANIC
Firm Type	DBE

DBE GOOD FAITH EFFORT DOCUMENTATION

Attachment A

JOB: GRIFFITH COMPANY
 OWNER: CALTRANS
 CONTRACT: 07-288204
 TOTAL BID: \$2,508,000.00

ITEM #	ITEM OF WORK OFFERED, SERVICES OFFERED, OR MATERIALS SUPPLIED.	BIDDER NORMALLY PERFORMS ITEM		ITEM BROKEN DOWN TO FACILITATE PARTICIPATION		EST. FLEXIBLE TIMEFRAMES FOR PERFORMANCE & DELIVER SCHEDULES		AMOUNT	% OF TOTAL BID
		YES	NO	YES	NO	YES	NO		
1	Lead Compliance Plan			Yes		Yes		\$665.00	0.03%
2	Construction Area Signs			Yes		Yes		\$16,514.00	0.66%
3	Traffic Control Systems	Yes		Yes		Yes		\$41,500.00	1.65%
4	Job Site Management			Yes		Yes		\$8,300.00	0.33%
5	Prepare Storm Water Pollution Prevention Plan			Yes		Yes		\$1,550.00	0.06%
6	Rain Action Event Plan			Yes		Yes		\$332.00	0.01%
7	Storm Water Sampling And Analysis Day			Yes		Yes		\$332.00	0.01%
8	Storm Water Annual Report			Yes		Yes		\$2,214.00	0.09%
9	Temporary Hydraulic Mulch			Yes		Yes		\$21,600.00	0.86%
10	Temporary Drainage Inlet Protection			Yes		Yes		\$12,730.00	0.51%
11	Temporary Fiber Roll	Yes		Yes		Yes		\$12,220.00	0.49%
12	Street Sweeping	Yes		Yes		Yes		\$6,640.00	0.26%
13	Temporary Concrete Washout	Yes		Yes		Yes		\$1,223.00	0.05%
14	Remove Irrigation Facility	Yes		Yes		Yes		\$13,857.00	0.55%
15	Salvage Irrigation Facility	Yes		Yes		Yes		\$3,959.00	0.16%
16	Remove Concrete (Curb and Gutter) Roadway Excavation (Type Z-2) (Aerially deposited Lead)	Yes		Yes		Yes		\$7,289.80	0.29%
17	Ditch Excavation	Yes		Yes		Yes		\$8,900.00	0.35%
18	Ditch Excavation	Yes		Yes		Yes		\$7,971.50	0.32%
19	Importated Borrow (CY)	Yes		Yes		Yes		\$315.00	0.01%
20	Roadside Clearing	Yes		Yes		Yes		\$64,058.00	2.55%
21	Slow Release Fertilizer	Yes		Yes		Yes		\$10,864.00	0.43%
22	Plant Group H	Yes		Yes		Yes		\$535,893.00	21.37%
23	Plant Group A	Yes		Yes		Yes		\$22,192.00	0.88%
24	Plant Group U	Yes		Yes		Yes		\$16,848.00	0.67%
25	Maintain Existing Planted Area	Yes		Yes		Yes		\$27,807.00	1.11%
26	Plant Establishment Work	Yes		Yes		Yes		\$450,000.00	17.94%
27	Wood Mulch	Yes		Yes		Yes		\$77,192.60	3.08%
28	Check And Test Existing Irrigation Facilities	Yes		Yes		Yes		\$16,849.00	0.67%
29	Operate Existing Irrigation Facilities	Yes		Yes		Yes		\$9,899.00	0.39%
30	Control and Neutral Conductors	Yes		Yes		Yes		\$109,400.00	4.36%
31	1" Remote Control Valve	Yes		Yes		Yes		\$14,504.60	0.58%
32	1 1/2" Remote Control Valve	Yes		Yes		Yes		\$40,698.00	1.62%
33	2" Remote Control Valve	Yes		Yes		Yes		\$9,396.00	0.37%
34	16-18 Station Irrigation Controller (Wall Mounted)	Yes		Yes		Yes		\$61,712.00	2.46%
35	24-32 Station Irrigation Controller (Wall Mounted)	Yes		Yes		Yes		\$89,380.00	3.56%
36	2" Copper Pipe Supply Line	Yes		Yes		Yes		\$2,927.70	0.12%
37	4" Galvanized Steel Pipe Supply Line	Yes		Yes		Yes		\$8,670.20	0.35%
38	Irrigation Controller Enclosure Cabinet	Yes		Yes		Yes		\$19,805.00	0.79%
39	2" Backflow Preventer Assembly	Yes		Yes		Yes		\$44,707.00	1.78%
40	3" Backflow Preveter Assembly	Yes		Yes		Yes		\$12,388.00	0.49%
41	Flow Sensor	Yes		Yes		Yes		\$6,720.00	0.27%
42	Riser Sprinkler Assembly Gear Driven	Yes		Yes		Yes		\$49,219.50	1.96%
43	Riser Sprinkler Assembly	Yes		Yes		Yes		\$4,368.00	0.17%
44	2" Gate Valve	Yes		Yes		Yes		\$7,546.00	0.30%
45	3/4" Plastic Pipe Sch 40 Supply Line	Yes		Yes		Yes		\$45,740.25	1.82%
46	1" Plastic Pipe Sch 40 Supply Line	Yes		Yes		Yes		\$28,655.20	1.14%
47	1 1/4" Plastic Pipe Sch 40 Supply Line	Yes		Yes		Yes		\$41,001.90	1.63%
48	1 1/2" Plastic Pipe Sch 40 Supply Line	Yes		Yes		Yes		\$44,894.85	1.79%
49	2" Plastic Pipe Sch 40 Supply Line	Yes		Yes		Yes		\$207,270.00	8.26%
50	Ball Valve	Yes		Yes		Yes		\$20,604.00	0.82%
51	10" Welded Steel Pipe Conduit		No	Yes		Yes		\$67,800.00	2.70%
52	Compost	Yes		Yes		Yes		\$990.00	0.04%
53	Incorporate Materials	Yes		Yes		Yes		\$613.90	0.02%
54	Minor Concrete (Minor Structure)	Yes		Yes		Yes		\$1,107.40	0.04%
55	Small Rock Slope Protection	Yes		Yes		Yes		\$6,333.50	0.25%
56	Rock Slope Protection	Yes		Yes		Yes		\$1,728.00	0.07%
57	Minor Concrete (Miscellaneous Construction) Maintaining Existing Traffic Management System	Yes		Yes		Yes		\$2,214.00	0.09%
58	Elements During Construction	Yes		Yes		Yes		\$2,214.00	0.09%
59	Blank	Yes		Yes		Yes		\$0.00	0.00%
60	Mobilization	Yes		Yes		Yes		\$155,676.10	6.21%

DBE GOOD FAITH EFFORT DOCUMENTATION

Attachment B
GRIFFITH COMPANY

JOB:
OWNER:
CONTRACT:
TOTAL BID:

CALTRANS
07-288204
\$3,741,129.10

ITEM #	ITEM OF WORK OFFERED, SERVICES OFFERED, OR MATERIALS SUPPLIED.	Provided Plans/ Specifications For Work Offered		QUOTE AMOUNT	PRICE DIFFERENCE	USED & REASON
		YES	NO			
1 FIRMS	Lead Compliance Plan	YES		\$665.00		
	Whitson CM			\$600.00	-	Chosen- Lowest Price
	Global Enviormental Network, Inc.		DVBE	\$785.00	(\$185.00)	High Price
	Summit Enviormental Contractors		SBE	\$1,500.00	(\$900.00)	High Price
	Appian		DBE	\$1,900.00	(\$1,300.00)	High Price
	Adanta Inc.			\$1,300.00	(\$700.00)	High Price
	SoCal Stormwater Runoff Solution Services			\$975.00	(\$375.00)	High Price
2 FIRMS	Construction Area Signs	YES		\$16,514.00		
	Maneri Traffic Control		DBE	\$14,922.00		Chosen- Lowest Price Lump Sum
	Full Traffic Maintenance		DBE	\$20,297.00		High Price
	Statewide Traffic		Non- DBE	\$12,700.00		Didn't Bid Lump Sum
3 FIRMS	Traffic Control Systems	YES		\$41,500.00		
	Maneri Traffic Control		DBE	\$20,840.00		Chosen
	Full Traffic Maintenance		DBE	\$22,338.66		High Price
	E- Nor Innovations		DBE	\$19,300.00		Didn't Bid Item #2
	Statewide Traffic		Non DBE	\$19,900.00		Non DBE
4 FIRMS	Job Site Management	YES		\$8,300.00		
	Whitson CM		SBE	\$7,500.00	-	Chosen- Lowest Price with all Extras
	Global Enviormental Network, Inc.		DVBE	\$185.00	\$7,315.00	Does meet requiremts wanted in package
	RTC Inc.			\$33,485.00	(\$25,985.00)	High
	Alfred Civil Engineering Inc.			\$13,000.00	(\$5,500.00)	High
5 FIRMS	Prepare Storm Water Pollution Prevention Plan	YES		\$1,550.00		
	Whitson CM		SBE	\$1,400.00	-	Chosen- Lowest Price
	Global Enviormental Network, Inc.		DVBE	\$1,950.00	(\$550.00)	High
	La Firma Inc.		DBE	\$1,900.00	(\$500.00)	High
	RTC Inc.		Non DBE	\$1,500.00	(\$100.00)	High
	Alfred Civil Engineering Inc.		DBE	\$1,600.00	(\$200.00)	High
	SoCal Stormwater Runoff Solution Services		Non DBE	\$1,420.00	(\$20.00)	High

6	Rain Action Event Plan	YES		\$332.00		
FIRMS	Whitson CM		SBE	\$300.00	-	Chosen - Lowest Overall Package
	Global Enviornmental Network, Inc.		DVBE	\$125.00	\$175.00	
	Rain Action Event Plan		DBE	\$300.00	\$0.00	
	RTC Inc.		Non DBE	\$200.00	\$100.00	
	SoCal Stormwater Runoff Solution Services		Non DBE	\$220.00	\$80.00	
7	Storm Water Samplking And Analysis Day	YES		\$332.00		
FIRMS	Whitson CM		SBE	\$300.00		Chosen - Lowest Overall Package
	Global Enviornmental Network, Inc.		DVBE	\$75.00	\$225.00	
	RTC Inc.		Non Dbe	\$150.00	\$150.00	
	SoCal Stormwater Runoff Solution Services		Non Dbe	\$195.00	\$105.00	
8	Storm Water Annual Report	YES		\$2,214.00		
FIRMS	Whitson CM		SBE	\$2,000.00		Chosen - Lowest Overall Package
	Global Enviornmental Network, Inc.		DVBE	\$1,950.00	\$50.00	
	La Firma Inc.		DBE	\$2,000.00	\$0.00	
	RTC INC		Non DBE	\$600.00	\$1,400.00	
	SoCal Stormwater Runoff Solution Services		Non DBE	\$700.00	\$1,300.00	
9	Temporary Hydraulic Mulch	YES		\$21,600.00		
FIRMS	Hydrosprout		Non Dbe	\$19,500.00		Chosen- Lowest Price
	Diversified Landscape Co.		Non Dbe	\$20,400.00		
10	Temporary Drainage Inlet Protection	YES		\$12,730.00		
11	Temporary Fiber Roll	YES		\$12,220.00		
12	Street Sweeping	YES		\$6,640.00		
13	Temporary Concrete Washout	YES		\$1,223.00		
14	Remove Irrigation Facility	YES		\$13,857.00		
15	Salvage Irrigation Facility	YES		\$3,959.00		
16	Remove Concrete (Curb and Gutter)	YES		\$7,289.80		
17	Roadway Excavation (Type Z-2) (Aerially deposited Lead)	YES		\$8,900.00		
FIRMS	Global Enviornmental Network, Inc.		DVBE	\$975.00		Excavation and Transportation Plan Only
	Summit Enviornmental Contractors		SBE	\$4,740.00		High
	eWaste Disposal Inc.		DBE/DVBE	\$4,501.44		Chosen- Transportation & Plan Included
18	Ditch Excavation	YES		\$7,971.50		
19	Importated Borrow (CY)	YES		\$315.00		
20	Roadside Clearing	YES		\$64,058.00		
FIRMS	CGO Construction Company Inc.		UDBE/DBE	\$630,300.00		Services Specified , Not Needed
21	Slow Release Fertilizer	YES		\$10,864.00		
22	Plant Group H	YES		\$535,893.00		
FIRMS	Sams Equipment & Supplies		DBE	\$117,615.71		Only Quote Received

	23	Plant Group A	YES		\$22,192.00	
FIRMS		Sams Equipment & Supplies		DBE	\$10,260.50	Only Quote Received
	24	Plant Group U	YES		\$16,848.00	
FIRMS		Sams Equipment & Supplies		DBE	\$5,225.79	Only Quote Received
	25	Maintain Existing Planted Area	YES		\$27,807.00	
	26	Plant Establishment Work	YES		\$450,000.00	
	27	Wood Mulch	YES		\$77,192.60	
FIRMS		Diversified Landscape Co.			\$156,558.00	High- Will be Self Performed
	28	Check And Test Existing Irrigation Facilities	YES		\$16,849.00	
	29	Operate Existing Irrigation Facilities	YES		\$9,899.00	
	30	Control and Neutral Conductors	YES		\$109,400.00	
FIRMS		Sams Equipment & Supplies		DBE		Only Quote Received for Items 30,31,32,33,36,37,39,40,42,43,44,45,46,47,48,49,50. For a Grand Total of \$139,714.05
	31	1" Remote Control Valve	YES		\$14,504.60	
FIRMS		Sams Equipment & Supplies		DBE		
	32	1 1/2" Remote Control Valve	YES		\$40,698.00	
FIRMS		Sams Equipment & Supplies		DBE		
	33	2" Remote Control Valve	YES		\$9,396.00	
FIRMS		Sams Equipment & Supplies		DBE		
	34	16-18 Station Irrigation Controller (Wall Mounted)	YES		\$61,712.00	
		24-32 Station Irrigation Controller (Wall Mounted)	YES		\$89,380.00	
	35	2" Copper Pipe Supply Line	YES		\$2,927.70	
FIRMS		Sams Equipment & Supplies		DBE		
	37	4" Galvanized Steel Pipe Supply Line	YES		\$8,670.20	
FIRMS		Sams Equipment & Supplies		DBE		
	38	Irrigation Controller Enclosure Cabinet	YES		\$19,805.00	
	39	2" Backflow Preventer Assembly	YES		\$44,707.00	
FIRMS		Sams Equipment & Supplies		DBE		
	40	3" Backflow Preveter Assembly	YES		\$12,388.00	
FIRMS		Sams Equipment & Supplies		DBE		
	41	Flow Sensor	YES		\$6,720.00	
	42	Riser Sprinkler Assembly Gear Driven	YES		\$49,219.50	
FIRMS		Sams Equipment & Supplies		DBE		
	43	Riser Sprinkler Assembly	YES		\$4,368.00	
FIRMS		Sams Equipment & Supplies		DBE		
	44	2" Gate Valve	YES		\$7,546.00	
FIRMS		Sams Equipment & Supplies		DBE		
	45	3/4" Plastic Pipe Sch 40 Supply Line	YES		\$45,740.25	
FIRMS		Sams Equipment & Supplies		DBE		
	46	1" Plastic Pipe Sch 40 Supply Line	YES		\$28,655.20	
FIRMS		Sams Equipment & Supplies		DBE		

47	1 1/4" Plastic Pipe Sch 40 Supply Line	YES		\$41,001.90	
FIRMS	Sams Equipment & Supplies		DBE		
48	1 1/2" Plastic Pipe Sch 40 Supply Line	YES		\$44,894.85	
FIRMS	Sams Equipment & Supplies		DBE		
49	2" Plastic Pipe Sch 40 Supply Line	YES		\$207,270.00	
FIRMS	Sams Equipment & Supplies		DBE		
50	Ball Valve	YES		\$20,604.00	
FIRMS	Sams Equipment & Supplies		DBE		
51	10" Welded Steel Pipe Conduit	YES	No	\$67,800.00	
FIRMS	Bullseye Boring		Non DBE	\$28,800.00	
	Sue Corp/Cal Dorado		DBE	\$23,840.00	\$4,960.00
52	Compost	YES		\$990.00	
53	Incorporate Materials	YES		\$613.90	
54	Minor Concrete (Minor Structure)	YES		\$1,107.40	
55	Small Rock Slope Protection	YES		\$6,333.50	
56	Rock Slope Protection	YES		\$1,728.00	
57	MInor Concrete (Miscellaneous Construction)	YES		\$2,214.00	
	Maintaining Existing Traffic Management System				
58	Elements During Construction	YES		\$2,214.00	
59	Blank	YES		\$0.00	
60	Mobilization	YES		\$155,676.10	

Less Self Performed Excavation required for Pits

Whitson CM

CONTRACTING & MANAGEMENT, INC.

Low Bidder

Construction Storm Water Compliance - Bid Proposal 07-288204 Storm Water Source - Replacement Highway Planting and Irrigation

****Based upon information provided it appears that this project will be a Risk Level 2 Project**

Compliance services for the implementation of the State of California Construction General Permit No. 2009-0009-DWQ
Whitson CM will provide certified QSP and QSD personnel to manage every aspect of this permit

Whitson CM is a Certified Small Business Enterprise (SBE) - DGS (CALTRANS) #37019

ITEM #1 -Lead Compliance Plan		\$600.00	✓
ITEM #4 - Job Site Management	1 ls	\$15,000.00	
		<i>Price with Cost Reduction Option</i>	✓
		\$7,500.00	
\$300.00 per weekly inspection	Assumes 50 Wks (250 working days)	\$15,000.00	
**Price reduction option - WCM to perform bi-weekly inspections versus weekly;		(\$7,500.00)	
<i>GC responsible alternate inspections. G/C required to enroll in SWPPP Online for reporting.</i>			
ITEM #5 -Prepare SWPPP		\$1,400.00	✓
ITEM #6 - Rain Event Action Plans	1 ea	\$300.00	✓
<i>**Includes pre-storm inspection</i>			
ITEM #7 - Storm Water Sampling and Analysis Day	1 ea	\$300.00	✓
<i>**Includes during and post rain event inspections</i>			
<i>**For single rain events extending over multiple days an additional fee of \$300/day will charged</i>			
ITEM #8 - Annual Reports	2 ea	\$1,000.00	✓

**WCM will perform any portion of work without being award entire scope

Project Total	\$19,600.00
<i>With Price Reduction Option</i>	\$12,100.00

ALTERNATE SWPPP (QSP/QSD) SERVICES

SWPPP Training Services

- ~ A Qualified trainer will conduct 1 hour training course when requested by the contractor. These classes are also recommended for each different trade on the project.
- ~ Storm Water training will include an over-view of the rules and regulations of the Construction General Permit, local municipality's ordinance and detailed information on proper BMP implementation.
- ~ Classes will also discuss Regional Board and municipal site inspection procedures, local Regional Board and municipal enforcement activities, proper construction scheduling, site specific BMP installation, recommendations of long-term BMP effectiveness, site specific BMP maintenance, site specific good housekeeping practices, site specific high priority locations, site specific implementations.

1 Hour Training Class	Cost per Event	\$300.00
-----------------------	----------------	----------

****On Call Services**

- ~ Qualified Management and Inspections can be provided for On-Call services regarding sediment and erosion control, management with construction operation supervisors for improving construction BMP and BMP implementation.

Whitson CM

CONTRACTING & MANAGEMENT, INC.

Qualified SWPPP Developer (QSD)
Qualified SWPPP Practitioner (QSP)
Vendor Costs

Cost per Hour \$125.00
Cost per Hour \$90.00
Cost + 15%



Low Bidder

TO: Griffith Company	PROJECT: LA County 60 Fwy 07-288204	PHONE: 714-984-5500 FAX: 714-854-7843
ATTN: Edgar Martinez	BID DATE: 7/07/16	EMAIL:

July 6, 2016

ITEM	DESCRIPTION	UNIT	QUANTITY	PRICE	TOTAL
51	Bore and Install 10" WSP at 7 locations	L.F.	200	144.00	\$28,800.00
				TOTAL	\$28,800.00

*\$300
Insurance
Fee's*

Customer Will Need to Provide

- ⊗ Bore Pit: 3' x 15' x 1' deeper than center of pipe
- ⊗ Receiving pit 2' x 2' x 1' deeper than center of pipe
- ⊗ A Water Source
- ⊗ License & Permits
- ⊗ Supply all Dig Alert Tickets
- ⊗ Removal of Spoils
- ⊗ Traffic & Safety Control
- ⊗ Location & Depth Identification of all Existing Lines and Substructures

Proposal Conditions

- ⊗ Mobilization Fee: \$ 00.00
- ⊗ Additional Insured Fee: \$ 300.00
- ⊗ This price is for bores in good soil conditions.
- ⊗ We shall make two attempts per bore, should we encounter severe ground conditions such as: River rock, boulders, cobble, granite, severe sugar sand, or any other material which proves to be impassible, we would need to re-negotiate the project.

If you have any additional questions, please contact me at (909)795-7594.

Thank you,

Shelly Maloney

Bullseye Boring
Owner

SBA / WOSB / EDWOSB
CA LIC #926356
Dir #1000004811

915 Douglas Street, Calimesa, CA 92320 • 909.795.7594 • Fax 909.795.6984





July 6, 2016

QUOTE #: DS76161128
Includes Addendums 1 & 2

Low Bidder

Caltrans #07-288204
Los Angeles County, CA
Rtes. 5, 10, & 60

ITEM	Description	Unit	Est. Quantity	Unit Price	Item Total
9	Temp Hydraulic Mulch	SQYD	60,000	\$0.3250	\$19,500.00

CalTrans Certified SWBE, SMBE CT-08771, Union local 1184, LIC# C27-582303, DIR# 1000005171

TERMS AND CONDITIONS:

Estimate is based on prevailing wage, includes tax and three (3) uninterrupted move-ons. Each additional unscheduled move-on will be charged \$600.00. All material is guaranteed to be as specified above and all work performed will be in a workmanlike manner. Client is to provide legal access to on-site water through a 2 1/2" metered hydrant or equal connection. Arrival upon a site with no water source is subject to a move-on charge and rescheduling. This proposal is based upon full access of the job site with trucks and equipment being able to reach all areas with a maximum of 300 ft of hose. Any seed or material ordered for this project that is unused will be billed to the contractor.

EXCLUSIONS:

* Night Work • Traffic Control • Grading • Debris Removal • Soil/Site Preparation • Weeding/Weed Infestation • Watering • Re-seeding
HYDROSPROUT, INC. will not be responsible for poor or failed irrigation, acts of nature and maintenance of Hydroseeding and therefore cannot guarantee germination or growth. Items not specified in this bid are neither implied or included and does not include an addendum unless otherwise stated.

INSURANCE:

Payment/Performance bond not included unless secured by an additional cost @ 2.5%. Insurance requirement exceeding \$1 Million for Liability and WC is not included. Hydroseeding only, "completed operations" excluded. Reductions or additions of 25% of estimated quantity subject to unit price change. Stand-by and delay time charged at T&M rates. In the event of litigation relating to the subject matter of this agreement, the non-prevailing party shall reimburse the prevailing party for all reasonable attorney fees and costs resulting there from. HYDROSPROUT, INC. will accept a signed and dated sub-contract or purchase order provided that all of the terms and conditions as outlined herein are included. Based upon acceptance of this proposal HYDROSPROUT, INC. will purchase materials specifically for this project, as such the costs for any materials will be billed (including any taxes, mark-up or handling charge) whether or not the project is installed or rescheduled. All retention is due 30 days after acceptance of HYDROSPROUT'S portion of work by owner/agency. This bid is void if not accepted within 90 days.

Thank you.

Dean Sanchez
HYDROSPROUT, Inc.
dean@hydrosprout.com
www.hydrosprout.com
460 Corporate Drive, Suite A
Escondido, CA 92029
760-432-8233, 760-432-8146 fax

Written Approval Required for work to commence.

Print _____ Date _____
Signature _____



GLOBAL ENVIRONMENTAL NETWORK, INC.

ENVIRONMENTAL, SAFETY & CONSTRUCTION ENGINEERING SERVICES

Main Office; Box 8068, Fountain Valley, CA. 92728-8068

Additional Locations: Oakland / Fresno / Santa Cruz / Santa Maria / Santa Ana / Bakersfield

www.My-DVBE.com

License No. 878478 - A / Haz

Phone: 800-230-6944

email: GENI@SafetyGeni.com

Fax: 714-479-0809

Est. \$2.170M

SAFETY COURSES OFFERED BY SafetyGENI™

CA DVBE / SBE No. 24765
DIR Registration No. 1000005273

(250/1000) Working days

GENI Ref. No. 07-288204

July 7, 2016

SUBJECT: CA DVBE / SBE QUOTATION - CALTRANS # 07-288204

STORM WATER SOURCE - REPLACEMENT HIGHWAY PLANTING AND IRRIGATION

07-LA-5,60-16.0/16.8 & 0.1/R3.1

*** Acceptance of This Bid is good for 30 Days from Bid Date. ***

Item 1 > Lead Compliance Plan for ADL Impacted Soil ^{1,5,7}

Options:

- 1) Lead Plan only for ADL (Certified by CIH) \$785.00 ✓
- 2) On-Site awareness training; \$675.00
Price includes up to 10 personnel; \$12.00 for each add'l over base
- 3) Air monitoring analysis and report (day 1) \$1,200.00
Price includes air monitoring up to 4 personnel including 72 hr TAT
Consecutive daily air monitoring up to 4 personnel including 72 hr TAT \$775.00/day
with lab analysis report in above pricing.

Item 4 > Job Site Management (JSM -partial - Training Services) ^{1,7}

Lump Sum \$185.00 ✓

JSM Package - Option 1

This Job Site Management package includes a project specific JSM binder that an experienced Water Pollution Control Manager can use to assist them in meeting the project's *Job Site BMP training* / Management requirements.

Additional JSM Services:

> Water Pollution Control Manager (WPCM):

GENI can be your WPCM for this project - Option 1: QSP field work from one of GENI's seven CA offices. For bidding purposes only estimate at \$350.00/wk with Corrective Action (2035's) Sheets included in price. Price includes CEM 2040 and once per week inspection documented on CEM 2030. Pre/During/Post will be an additional cost at \$325.00/day. Additional pricing for CEM's not noted above will be at \$75.00 each completed and / or signed by our QSD.

Item 5 > Prepare Storm Water Pollution Prevention Plan (SWPPP) (Risk 2) ^{1,7} ✓

Lump Sum (Est. 22 Engineering Drawings)

Option 1.A - Includes 3 Manuals & QSD Certification for SWPPP* \$1,950.00

*Pricing is when GENI is hired as the WPCM.

See Additional SWPPP/WPCM services below.

Option 1.B - Includes 3 Manuals & QSD Certification for SWPPP** \$2,325.00

**Pricing is when GENI is not hired as the WPCM.

- Crane Training
- CCO Written Exams
- CCO Practical Exams
- Traffic Control Coning & Flagging Awareness
- Safety Orientation for Construction
- Scaffold Safety Awareness
- Fall Protection Awareness
- Trench Safety Competent Person Awareness
- Trench Rescue
- Confined Space
- Confined Space Rescue
- Urban Search & Rescue
- Respirator Training & Fit Testing
- CPR & First Aid
- Crane Operator Awareness
- Forklift Training Awareness
- Aerial Lift Awareness
- Hearing Conservation Training
- DOT HM 126F/181 Awareness
- Emergency Response Awareness / Refresher
- Operational Technician Specialist
- HAZWOPER Awareness / Refresher
- Supervisor
- Waste Site Worker
- Household Hazardous Waste
- Asbestos Training
- Lead Training
- 24 Hr SWPPP Training

GENI - PROPOSAL
PROJECT #: 07-288204
PAGE 2 OF 3

*Item 6 > REAP (Storms Generating \geq 0.10 inches)^{1,7}	
Per rain event (daily monitoring of weather report and logging as required)	\$125.00ea
<hr/>	
*Item 7 > Storm Water Sampling and Analyses^{1,7}	
For Turbidity and pH only (daily pricing as requested by prime contractor)	\$75.00ea
All other potential Pollutants will be invoiced as Time and Material.	
<u>\$75.00/location per day while on site for during storm inspections.</u>	
<hr/>	
*Item 8 > Storm Water Annual Report^{1,7}	
Contractor is to submit required material to GENI for assembly, review and submittal.	\$975.00ea
<hr/>	
Item 17 > Excavation and Transportation Plan (ETP)^{1,7}	\$975.00
Within 15 days after approval of the Contract, submit 3 copies of an excavation and transportation plan. Does not include burial survey.	

GENI - PROPOSAL
PROJECT #: 07-288204
PAGE 2 OF 3

SUPERSCRIPT NOTES

1. GENI carries the following insurance: \$2,000,000 General Liability / Pollution, \$1,000,000 Auto / Workman's Compensation insurance and an umbrella of \$2 Million over GL/Auto/WC.
 - A one time fifty dollar (\$50.00) processing fee will be added to all contracts requiring insurance endorsements for General Liability, Workman's Comp and / or Auto Insurance.
 - Insurance endorsements requiring CG2010#### or similar insurance and Primary wording will be charged an additional Two Hundred Seventy Five Dollar (\$275.00) processing fee.
2. Lease / Rentals: All items property of GENI and its Subcontractors; Sign installation excludes any cutting or coring of asphalt; Prices based on quantities noted. Customer is responsible for all vandalized, damaged or loss of equipment and completion of our indemnification agreement form. GENI shall be named as an additional insured and loss payee under the end users insurance policy. All construction area sign bids include installation and removal of signs only when noted on our bid line item.
3. Caltrans allocation of DVBE Credit 100%. Credit for participation of a DVBE subcontractor, supplier, or broker will be 100 percent provided such DVBE is performing a commercially useful function.
5. **Option 1:** Lead Compliance Plan certified by a CIH; **Option 2:** Includes option 1 and 2 hr. lead training for up to 10 personnel; **Option 3:** includes options 1 & 2 and air monitoring on same day as training, laboratory testing for up to eight 8 hour TWA samples (48 hr turn-around if required); Report Preparation by the CIH.
Additional Work: Air Monitoring for heavy metals (IH Technician @ \$75.00/Hr, CIH @ \$145.00/Hr both requiring 8 consecutive hrs min), Laboratory Analysis (at cost plus 20%); Price includes one move-in and rental of equipment. Additional move-in will be charged at \$TBD plus hourly personnel and equipment rates. **Call for published rate sheet.**
6. Price includes submittal of Three (3) copies of the Final SWPPP delivered via FedEx ground. NOTE: GENI does not provide draft copies of its SWPPP. Occasionally corrections and or additions will be necessary due to a multitude of reasons, upon the contractor becoming aware of any potential or required correction they are to provide a written request to GENI for our review and plan update if necessary. Corrections / additions to the plan due to errors or omissions on behalf of the contractor or the Agency may be billed to the contractor as time and material as noted below as T&M. Engineered designs required by a registered Civil Engineer are not part of this contract. **This bid does not include any associated filing fees or the design / layout of dewatering, recycling or batch plant BMP systems / drawings.**
 Maintenance of SWPPP billing rates will be billed as Time & Material (T&M): T&M will be billed at a standard rate of \$92.50/hour for non-Civil Engineering services and \$145.00 / hour for Registered Civil Engineering services with all services being billed in ½ hour increments. Additional manuals: billed at \$95.00 for the initial manual and \$55.00 for each consecutively assembled manual. Material / additional expenditures will be billed at cost plus \$50.00 or cost plus 20 percent whichever is greater.
7. Unless specifically stated in this bid proposal the customer will pay for all additional shipping charges at cost plus a 15% handling fee.
8. (n/a) week minimum, GENI does not hold a C-31 License and cannot place equipment on site. Delivery / pick-up are not included in base price. When contracted to deliver or pick up equipment it is to delivered / picked up at contractor's facility or project yard. Rental is time out, not time used. Delivery times cannot be guaranteed. **ALL LEASES ARE SUBJECT TO AVAILABILITY. Prices are for this project only.** Regular pricing will be \$1,375.00 (CMS) and \$585.00 (Arrow board) per month for each piece of rental equipment if the minimum weeks are not met or exceeded.
9. Unless otherwise noted price does not include Sales Tax or F.O.B. costs if applicable.
10. Please contact GENI to set up an account with our firm to lease or purchase items off our web site or listed within this bid. Accounts are due and payable within 30 days of purchase. Interest charged at the rate of 1.65% per month.

Should you have any questions about the quotation please contact the undersigned,

Marshall Bridgeford



SUMMIT
ENVIRONMENTAL CONTRACTORS

SENT VIA FAX

ITEM BID COST

July 6, 2016

Summit Environmental Contractors
Environmental Infrastructure Division
CSLB License # 929061 Class A, C-21, C-57, HAZ
Certified Small Business No. 61973
DIR Registration #1000024682

PROJECT: Caltrans Contract No. 07-288204
TO: Griffith Company
ATTN: Edgar Martinez

Summit Environmental Contractors is providing this pricing proposal to furnish supervision, labor, materials and equipment in accordance with the scope of work, plans, specifications, terms and condition provided at the time of proposal for the subject project, and as defined below:

Summit will be utilizing a second tier DBE subcontractor, the estimated value is \$2,000.00

<u>Bid #</u>	<u>Item Code</u>	<u>Bid Item</u>	<u>Unit</u>	<u>Price</u>
1	070030	Lead Compliance Plan	LS	\$1,500.00 ✓
17	190105	Roadway Excavation (Z-2)* (Aerially Deposited Lead)	TON	\$120.00

* Price includes transportation and disposal only.

NON CONTRACT ITEMS

Excavation and Transportation Plan	Plan	\$1,500.00
------------------------------------	------	------------

All work shall be performed in accordance with all Federal, State, and Local regulations in effect at the time of this proposal.

Submitted by: Cathy Partsch
Business Development
(949) 370-5799, Cell

www.summitenvcon.com
33161 Camino Capistrano, Suite E
San Juan Capistrano, CA 92675
Office 949-542-4330
Fax 949-542-4331

La Firma Inc.

CSLB 904563

DBE 39322

D.I.R. 1000005131

715 Ridge Road
Nipomo, CA 93444
Phone: 805-748-8576
Fax: 805-929-0501
E-Mail:
estimating@theswpppfirm.com

7/7/2016

Project:

07-288204

STORM WATER SOURCE - REPLACEMENT HIGHWAY PLANTING AND IRRIGATION

07-LA-5,60-16.0/16.8 & 0.1/R3.1


We are pleased to provide you with a bid for the items listed below based on plans and specifications and (2) addendum

Item	Code	Description	Unit	Quantity	Unit Price	Total
5	130300	Prepare Storm Water Pollution Prevention Plan	LS	1x	\$1,900.00	=\$1,900.00
6	130310	Rain Event Action Plan	LS	1x	\$300.00	=\$300.00
8	130330	Prepare Annual Report	LS	2x	\$1000.00	=\$2000.00

Exclusions and qualifications.

1. Special testing and permits not in contract.
2. Price includes (1) electronic copy and (5) printed copies.
3. BMP materials and supplies not in contract.
4. Final Hard Copies delivered when we receive final payment.

THANK YOU FOR YOUR TIME AND CONSIDERATION,



VICENTE BRAVO.

RTC, inc.

Stormwater & Erosion Control Professionals
 22431 Antonio Parkway # B 160-251
 Rancho Santa Margarita, CA 92688
 (714) 709-4911 p
 (877) 742-6546 f

TO: ESTIMATING

Bid Date: 7 7 2016
 Project: Caltrans 07-288204
 County: Los Angeles
 Scope: SWPPP/Erosion Control
 Duration: 1000 Work Days
 Spec: Caltrans Std.
 Plans: Caltrans

Bid Items: **ITEM 4-8**
SWPPP QSD/P Scope

DESCRIPTION	UNIT	QUANTITY	UNIT	TOTAL
4 Job Site Management <i>(181 weeks: QSD to be WPC Manager and perform the weekly and rain-event inspections and reports. The QSD will review/approve each report and perform independent site inspections)</i>	EA	181	\$ 185.00	33,485.00
5 Prepare Stormwater Pollution Prevention Plan <i>(RL = 2, 3 hard copies and one electronic file)</i>	LS	1	\$ 1,500.00	1,500.00
6 Rain Event Action Plan <i>(QSD to prepare 48 hours prior to qualifying rain event.)</i>	EA	1	\$ 200.00	200.00
7 Stormwater Sampling and Analysis Days	EA	1	\$ 150.00	150.00
8 Storm Water Annual Report	EA	2	\$ 300.00	600.00
			TOTAL \$	35,935.00

Job Site Management: Includes QSD/WPC Manager to perform weekly and rain-event (Pre-Rain, During-Rain and Post-Rain) and Quarterly non-stormwater visual inspections for 181 weeks. QSD will prepare Caltrans CEM inspection reports each week. NOAA weather monitoring and coordination with construction site Superintendent is included.
 SWPPP updating and amendments @ \$500/each. QSD will be the WPC Manager required by Caltrans. QSD to prepare REAPs 48 hours prior to Qualifying Rain Events. QSD to complete stormwater sampling and testing of pH and Turbidity and monitor rain gauges. QSD to prepare result reports and upload into SMARTS for the GC. One (1) stormwater Annual Report is included.

Training: Includes one training session for GC and Subs. QSD will provide a training packet for the GC to use for on-going weekly training.

SWPPP: Prepare SWPPP or WPCP.
 The SWPPP or WPCP will be prepared by a Qualified SWPPP Developer (QSD)
 The SWPPP or WPCP will follow the Caltrans required template format
 Includes WPC Drawings and all CEM monitoring and inspection forms
 The SWPPP or WPCP will be completed within 7 work days of the Notice to Proceed


Bid Options:
 Additional BMP Training for GC and Subcontractors: \$350.00 per session.
 QSD or QSP Inspection or Consultation: \$125 per Hour for site inspection and roundtrip travel
 Laminated Enlarged WPC Drawings: \$150.00/Sheet

Qualifications of RTC Staff Members:
 Certified/Qualified SWPPP Developer (QSD)
 Certified/Qualified SWPPP Practitioner (QSP)
 Certified Professional in Erosion and Sediment Control (CPESC)
 Certified Erosion, Sediment and Stormwater Inspector (CESSWI)
 SWPPP/WPCP Prepared by Qualified SWPPP Developer (QSD)
 GL and E and O Insured \$2 million EA/AGG

Inclusions/Exclusions
 Includes 3 hard copies in tabbed binders and one electronic .pdf file of SWPPP or WPCP
 Excludes permit fees of any type
 Full Payment due for SWPPP Upon CalTrans approval of the SWPPP

DIR #1000032860

SWPPP-WPCP-Water Pollution Control Managers-Inspections



APPIAN UDBE SWPPP

Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Business License Number 024765

Certified DBE, WBE, MBE & SBE:
BART - No. 38334
DIR # 1000005242

5780 Olinda Road
El Sobrante, CA 94803

Phone: (510) 854-9402
Fax: (510) 256-0103

Friday, July 1, 2016

ATTN: Estimator

RE: Contract : **Caltrans – 07-288204**

Storm Water Source - Replacement Highway Planting and Irrigation.

Bid Date: **July 7, 2016**

Please find below the APPIAN SWPPP quote for the referenced project.

Item #	Item Code	<u>Items bid individually</u>	Bid Price
1	070030	Lead Compliance Plan*	\$1,900.00

* Plan preparation only. Awareness Training, Monitoring or Sampling & Analysis not included.

Good luck,

A handwritten signature in black ink that reads 'Thomas Koprek'.

Thomas Koprek
Estimator
(510) 854-9402

Alfred Civil Engineering, Inc.
7604 Soquel Way
Citrus Heights, CA 95610

7/2/2016

DBE Certification # 41902
License # C 48604
QSD/P Certification # 25398
DIR Registration # 1000024191

Subject: 07-288204- STORM WATER SOURCE - REPLACEMENT HIGHWAY PLANTING AND IRRIGATION

Attn: Estimator

We submit for your consideration the following services:

BID ITEM	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
5	130300	PREPARE STORM WATER POLLUTION PREVENTION PLAN	LS	1	\$1,600	\$1,600


Scope includes the following:

1. Preparation of SWPPP
2. Three hard copies and one electronic copy

Scope does not include:

1. Amendments, revisions or addenda after Caltrans authorization.
2. WPC Manager, provision, transportation, or installation of BMP materials. Scope is good for 60 days after bid opening date.

Sincerely,



Bori A. Touray PE, QSD/QSP

touray@alfredce.com

Alfred Civil Engineering

(916) 241-5309

Alfred Civil Engineering, Inc.
7604 Soquel Way
Citrus Heights, CA 95610

7/2/2016

DBE Certification # 41902
License # C 48604
QSD/P Certification # 25398
DIR Registration # 1000024191

Subject: 07-288204:- STORM WATER SOURCE - REPLACEMENT HIGHWAY PLANTING AND IRRIGATION

Attn: Estimator

We submit for your consideration the following services:

BID ITEM	ITEM CODE	ITEM DESCRIPTION	UNIT	UNIT PRICE	WEEKS	AMOUNT
4	130100	JOB SITE MANAGEMENT	Weekly	\$650	20	\$13,000

NOTE: Number of weeks is based on Engineer's estimate and may change

Scope includes the following:

1. WPC Manager by QSD/QSP
2. Inspection, monitoring and tailgate training
3. Reports by WPC Manager

Scope does not include provision, transportation, or installation of BMP materials.

Scope is good for 60 days after bid opening date.

Sincerely,

Bori A Touray

Bori A. Touray PE, QSD/QSP

touray@alfredce.com

Alfred Civil Engineering

(916) 241-5309

[Back To Query Form](#)

Search Returned 1 Records


Tue Aug 26 16:48:33 PDT2014

Query Criteria

Firm/DBA Name: Alfred civil engineering

Firm Type: DBE

Firm ID	41902
Firm/DBA Name	ALFRED CIVIL ENGINEERING
Address Line 1	7604 SOQUEL WAY
Address Line 2	
City	CITRUS HEIGHTS
State	CA
Zip Code1	95610
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EEmail	btouray@comcast.net
Contact Name	BORI A. TOURAY
Area Code	(916)
Phone Number	235-3967
Fax Area Code	()
Fax Phone Number	
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	541330; 541340; 541620; 541690;
ACDBE NAICS	
Work Codes	C8705 DESIGN; C8710 ENGINEERING; C8713 CONSULTANT, ENVIRONMENTAL; C8715 CONSULTANT, ENGINEERING; C8720 CIVIL ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8765 DRAFTING; C8766 Computer-aided Design & DRAFTING (CADD); C8767 GIS Modeling; C8781 Engineering - Hydrology; C8794 Environmental - Water Quality; C8852 SWPPP Planning;
Licenses	EC Civil Engineer;
Trucks	
Gender	M



APPIAN UDBE SWPPP

Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Certified DBE, WBE, MBE & SBE:

BART - No. 38334
DIR # 1000005242

Business License Number 024765

5780 Olinda Road
El Sobrante, CA 94803

Phone: (510) 854-9402
Fax: (510) 256-0103

Friday, July 1, 2016

ATTN: Estimator

RE: Contract : **Caltrans – 07-288204**

Storm Water Source - Replacement Highway Planting and Irrigation.

Bid Date: **July 7, 2016**

Please find below the APPIAN SWPPP quote for the referenced project.


Item #	Item Code	<u>Items bid individually</u>	Bid Price
1	070030	Lead Compliance Plan*	\$1,900.00

* Plan preparation only. Awareness Training, Monitoring or Sampling & Analysis not included.

Good luck,

A handwritten signature in cursive script, appearing to read "Thomas Koprek".

Thomas Koprek
Estimator
(510) 854-9402



DVBE/SBE CERTIFIED CO. LIC. #931953


16213 Illinois Ave., Paramount, CA 90723 (310)513-6209 P (310) 513-6299 F

Fax Cover

To: ESTIMATING DEPT From: RENE OCAMP

Fax#: 310-513-6209 Pages: 8 Date: _____

Regarding: QUOTE FOR CALTRANS #07-288204



-NOR INNOVATIONS INC.
DVBE/SBE CERTIFIED CO. LIC. #931953
 DBA: E-nor Traffic Control

16213 Illinois Ave. Paramount, CA 90723
 (310)513-6209 Ph 310-513-6299 Fax

DVBE/SBE# 37084
 UDBE/DBE/MBE/SBE#37718
 Public Works DIR#1000007079

Date: 07/05/16 To: Bidding Estimator
 PROJECT NUMBER: 07-288204 (CALTRANS)
 Bid Date: 07/07/16 BID TIME: 2:15PM

ITEM	DESCRIPTION	COST
------	-------------	------

TRAFFIC CONTROL SYSTEM: T10 FREEWAYS AND EXPRESSWAYS

2	MEN/TRUCK 1 LANE, 1 DIRECTION	8HR SHIFT	\$1,420	x 10 14,200.00
2	MEN/TRUCK 2 LANES, 1 DIRECTION	8HR SHIFT	\$1,495	
2	MEN/TRUCK 3 LANES, 1 DIRECTION	8HR SHIFT	\$1,645	
	ADDITIONAL LANES AFTER 3 LANES	ADD	\$ 75	
DOES NOT INCLUDE CMS UNITS				

TRAFFIC CONTROL SYSTEM: T10A LANE CLOSURE AT EXIT RAMP & ENTRANCE RAMP

2	MEN/TRUCK 1 LANE, 1 DIRECTION	8HR SHIFT	\$1,420	
	ADDITIONAL LANES AFTER		\$ 75	
DOES NOT INCLUDE CMS UNITS.				

TRAFFIC CONTROL SYSTEM: T10A COMPLETE CLOSURE

2	MEN/TRUCK 1 LANE, 1 DIRECTION	8HR SHIFT	\$1,420	
2	MEN/TRUCK 2 LANES, 1 DIRECTION	8HR SHIFT	\$1,495	
2	MEN/TRUCK 3 LANES, 1 DIRECTION	8HR SHIFT	\$1,645	
	ADDITIONAL LANES	ADD	\$ 50	
	10-30 FREEWAY PORTABLE ROLL UP FREEWAY DETOURS	ADD	\$ 30	
	30-60 FREEWAY PORTABLE ROLL UP FREEWAY DETOURS	ADD	\$ 60	
DOES NOT INCLUDE CMS UNIT.				

TRAFFIC CONTROL SYSTEM: T11 LANE CONVENTIONAL HIGHWAYS

2	MEN/TRUCK 1 LANE, 1 DIRECTION	8HR SHIFT	\$1,420	
	ADDITIONAL LANES AFTER		\$ 75	
DOES NOT INCLUDE CMS UNIT.				

TRAFFIC CONTROL SYSTEM: T13 REVERSIBLE CONTROL

2	MEN/TRUCK 1 LANE, 1 DIRECTION	8HR SHIFT	\$1,450	
1	MAN/PILOT CAR/TRUCK	8HR SHIFT	\$ 800	
INCLUDES RUMBLE STRIPS.				
DOES NOT INCLUDE CMS.				

ATTENUATOR TRUCK	1 MAN	8HR SHIFT	\$ 850	x 6 = \$5,100
------------------	-------	-----------	--------	---------------

ATTENUATOR TRUCK	DAILY \$200EA, WEEKLY \$1,100, MONTHLY \$3,500EA
MILEAGE CHARGE	.45 CENTS PER MILE.
RENTAL ITEMS: CMS UNITS	DAILY \$200EA, WEEKLY \$400EA, MONTHLY \$1,000EA
RENTAL ITEMS: ARROWBOARD	DAILY \$ 40EA, WEEKLY \$200EA, MONTHLY \$ 400EA

\$ 19,300

NOTE: LABOR WILL BE INVOICED FOR 1 MAN DRIVING TRAFFIC TRUCK PORTAL TO PORTAL.

NOTE: ALL WORK OUT SIDE LA, ORANGE COUNTY, PER DEIM WILL BE BILLED AT \$100 PER DAY, PER MAN. 4 HR MINIMUM WILL APPLY FOR TRAVEL AT PW RATE.

ALL PROVISIONS: WILL BE ADDED AS PART OF CONTRACT BEFORE PROCEEDING.

- A. NO CONTRACT WILL BE SIGNED UNLESS ALL PROVISION ARE INCLUDED.
- B. ~~ADDITIONAL HOURS LABOR:~~
~~OT PER MAN, PER HOUR \$108~~
~~DT PER MAN, PER HOUR \$125~~
- C. E-NOR INNOVATIONS INC. IS A UNION CONTRACTOR.
- D. PAYMENT IS DUE WITHIN 30 DAYS FROM INVOICE DATE 1.5% MONTHLY FINANCE CHARGE AFTER 30 DAYS.
- E. IF REQUIRED ADDITIONAL EQUIPMENT (I.E. CHANGEABLE MESSAGE SIGN, ATTENUATOR TRUCK) TO BE PROVIDED BY E-NOR INNOVATIONS INC AT ADDITIONAL CHARGES.
- F. PRIME CONTRACTOR IS RESPONSIBLE TO OBTAIN ALL PERMITS REQUIRED FROM CITIES INVOLVED.
- G. PRIME CONTRACTOR IS RESPONSIBLE TO COORDINATE AND PAY FOR HIGHWAY PATROL UNIT.
- H. ADDITIONAL 3 1/2 PERCENT INCREASE ADDED EVERY YEAR ON JUNE 30TH. THIS PROPOSAL WILL BECOME PART OF ANY CONTRACT.
- I. IF SPECIAL WORKING INSURANCE IS NEEDED THE AMOUNT TO BE PAID BY CONTRACTOR ALONG WITH WAIVERS OF SUBROGATION INSURANCE THE 3 % OF PAYROLL WILL BE CHARGED TO CONTRACTOR. IF NOTARY SERVICES ARE REQUIRED, PRIME CONTRACTOR IS RESPONSIBLE FOR THOSE CHARGES.
- K. EXCLUDES SPECIAL INSURANCE REQUIREMENTS. (I.E. INCREASED GENERAL LIABILITY FOR RAILROAD INSURANCE)
- L. IF EQUIPMENT IS RENTED FOR SET UP ONLY, CONTRACTOR IS RESPONSIBLE FOR CLOSURE UNTIL E-NOR INNOVATIONS INC. PICKS UP CLOSURE.
- M. ALL SIGN AND MARKER LOCATION / MARK-OUT TO BE DONE BY OTHERS AND MUST BE COMPLETED PRIOR TO E-NOR INNOVATIONS, INC. STARTING WORK. INC. IS NOT RESPONSIBLE FOR DAMAGE TO UNDERGROUND FACILITIES, NOT SHOWN ON PLANS OR, NOT MARKED OUT BY OTHER AGENCIES. (I.E. CALTRANS)
- N. ALL CHANGE ORDER WORK MUST BE APPROVED BY AGENCY / OWNER PRIOR TO WORK BEING PERFORMED BY E-NOR INNOVATIONS INC.
- O. CONTRACTOR WILL BE CHARGED FOR ENOR INNOVATIONS INC. EMPLOYEES STAFF FOR ALL CLASSES/TRAINING FOR PROJECT.
- P. E-NOR INNOVATIONS INC. RESERVES RIGHT TO SUBCONTRACT WORK TO COMPLETE PROJECT.
- Q. NO WORK WILL BE PERFORMED UNTIL THIS PROPOSAL IS SIGNED AND FAXED/MAILED TO OUR LONG BEACH OFFICE.
- R. E-NOR INNOVATION CHARGES PORTAL TO PORTAL.
- S. E-NOR INNOVATIONS INC., IS A SUPPLIER OF NON-MANUFACTURED ITEMS
- T. K-RAIL, SALES OR RENTAL WITH INSTALLATION, IS AVAILABLE.

Should you have any questions, please contact me at (310) 513-6209. We look forward to working with you.

Sincerely,

Rene Ocampo



Department of
General Services
BUILDING GREEN · BUYING GREEN · WORKING GREEN

Welcome | [Logout](#)
Need assistance?
Contact us
or call 800-953-9228

E-NOR INNOVATIONS INC - #37084

Supplier Profile

Legal Business Name	E-NOR INNOVATIONS INC		
Doing Business As	E-NOR INNOVATIONS INC		
Address	16213 Illinois Avenue PARAMOUNT, CA 90723	Phone	(310) 513-6209
		FAX	(310) 513-6299
Email	Ronnie@enortraffic.com		
Web Page	http://www.enortraffic.com		
Business Types	Construction Service Non-Manufacturer		
Service Areas	Alameda, Alpine, Amador, Butte, Calaveras, Colusa, Contra Costa, Del Norte, El Dorado, Fresno, Glenn, Humboldt, Imperial, Inyo, Kern, Kings, Lake, Lassen, Los Angeles, Madera, Marin, Mariposa, Mendocino, Merced, Modoc, Mono, Monterey, Napa, Nevada, Orange, Placer, Plumas, Riverside, Sacramento, San Benito, San Bernardino, San Diego, San Joaquin, San Luis Obispo, San Mateo, Santa Barbara, Santa Clara, Santa Cruz, Shasta, Sierra, Siskiyou, Solano, Sonoma, Stanislaus, Sutter, Tehama, Trinity, Tulare, Tuolumne, Ventura, Yolo, Yuba,		
Keywords	PROFESSIONAL PROJECT TRAFFIC MANAGEMENT CONSULTANT DRAWING & DESIGN PLANS STRIPING ZONE CONTROL SIGN INSTALLATION RENTAL OF AIR TRAFFIC TRUCKS HEAVY SAFETY FIRST AID FIRE CONSTRUCTION EQUIPMENT SUPPLIES WHOLESALER		
Construction License Types	C-31 - Construction Zone Traffic Control Contractor D-42 - Sign Installation		
Classifications	201211 - Cementing equipment 221019 - Building construction machinery and accessories 301017 - Beams 301022 - Plate 301029 - Post 301036 - Structural products 301115 - Concrete and mortars 301217 - Road and railroad construction materials 301315 - Blocks 301519 - Finishing materials and products 321518 - Safety control devices 421717 - Emergency medical services blankets 421719 - Emergency medical services storage cases and bags 421720 - Emergency and field medical services kits 422116 - Bathroom and bathing aids for the physically challenged 461615 - Traffic control 461815 - Safety apparel 461816 - Safety footwear 461817 - Face and head protection 461818 - Vision protection and accessories		

- 461823 - Fall protection and rescue equipment
- 461824 - Decontamination aids and safety cleaning equipment
- 461825 - Personal safety devices or weapons
- 551217 - Signage
- 551219 - Signage equipment
- 721527 - Concrete installation and repair services
- 731517 - Material treatment
- 771015 - Environmental impact assessment
- 771016 - Environmental planning
- 771017 - Environmental advisory services
- 771018 - Environmental auditing
- 771115 - Environmental safety services
- 771217 - Water pollution
- 801015 - Business and corporate management consultation services
- 801315 - Lease and rental of property or building
- 801417 - Distribution
- 811022 - Transportation engineering

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Apr 4, 2012	Apr 30, 2017
DVBE	Approved	May 9, 2012	Apr 30, 2017

Certification History

TYPE	STATUS	FROM	TO
DVBE	Expired	May 4, 2010	Apr 30, 2012
SB (Micro)	Expired	Apr 28, 2010	Apr 30, 2012
DVBE	Expired	Apr 1, 2009	Apr 30, 2010
SB (Micro)	Expired	Apr 1, 2009	Apr 30, 2010
SB	Expired	Dec 11, 2007	Dec 31, 2008
DVBE	Expired	Dec 11, 2007	Dec 31, 2008
DVBE	Denied	Oct 4, 2006	Oct 4, 2006
SB	Denied	Oct 4, 2006	Oct 4, 2006
SB	Expired	Jul 22, 2004	Jul 31, 2005
DVBE	Expired	Jul 22, 2004	Jul 31, 2005


Metro

 Los Angeles County
 Metropolitan Transportation Authority

 One Gateway Plaza
 Los Angeles, CA 90012-2952

 213.922.2000 Tel
 metro.net

**CALIFORNIA UNIFIED CERTIFICATION
 PROGRAM**


August 19, 2014

 CUCP #37748
 Metro File # 5146

 Mr. Ronald Jones
 E-Nor Innovations, Inc.
 16213 Illinois Ave.
 Paramount, California 90723

RE: Disadvantaged Business Enterprise Certification

Dear Mr. Jones:

We are pleased to advise you that after careful review of your application and supporting documentation, the Los Angeles County Metropolitan Transportation Authority (Metro) has determined that your firm meets the eligibility standards to be certified as a Disadvantaged Business Enterprise (DBE) as required under the U.S. Department of Transportation (U.S. DOT) Regulation 49 CFR Part 26, as amended. This certification will be recognized by all of the U.S. DOT recipients in California. Your firm will be listed in the California Unified Certification Program (CUCP) database of certified DBEs under the following specific areas of expertise that you have identified on the NAICS codes form of the application package:

NAICS (2007)	Description
541340	Drafting Services
541620	Environmental Consulting Services
561990	All Other Support Services (Flagging (i.e. traffic control) services
423990	Other Miscellaneous Durable Goods Merchant Wholesalers (Signs (except electrical) merchant wholesalers)(Reseller)

Your DBE certification applies only for the above codes. You may review your firm's information in the CUCP DBE database which can be accessed at the CUCP's website at www.californiaucp.org. Any additions and revisions must be submitted to Metro for review and approval.


In order to ensure your continued DBE status, you are required to submit an annual No Change Declaration Form (which will be sent to you) along with supporting documentation. If no changes are noted, then your DBE status remains current. If there are changes, Metro will review to determine continued DBE eligibility. Please note, your DBE status remains in effect unless Metro notifies you otherwise.

Should any changes occur that could affect your certification status prior to receipt of the No Change Declaration Form, such as changes in your firm's name, business/mailing address, ownership, management or control, or failure to meet the applicable business size standards or personal net worth standard, please notify Metro immediately. Failure to submit forms and/or change of information will be deemed a failure to cooperate under Section 26.109 of the Regulations.

Metro reserves the right to withdraw this certification if at any time it is determined that it was knowingly obtained by false, misleading, or incorrect information. Your DBE certification is subject to review at any time. The firm thereby consents to the examination of its books, records and documents by Metro.

Congratulations, and thank you for your interest in the DBE program. Should you have any questions, please contact us at 213-922-2600. For information on Metro contracting opportunities, please visit our website at www.metro.net.

Sincerely,



Marilyn White
Certification Consultant - HSW Services
Diversity & Economic Opportunity Department

CALIFORNIA UNIFIED CERTIFICATION PROGRAM DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

E-NOR INNOVATIONS INC.

1950 E 220TH ST SUITE 100-101
LONG BEACH, CA 90810

Owner: **RONNIE JONES**
Business Structure: **CORPORATION**

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

- * 541340 Drafting Services
- 561990 All Other Support Services
- 422990 Other Miscellaneous Durable Goods Merchant Wholesalers
- 541620 Environmental Consulting Services


Work Category Code(s)

- C1200 CONSTRUCTION ARBA SIGNS
- C8700 CONSULTANT; NON ENGINEERING
- C9999 BROKER
- C1211 TRAFFIC CONTROL SYSTEM
- C8765 DRAFTING
- 19510 ENVIRONMENTAL QUALITY

Licenses

- C31 Construction Zone Traffic Control Contractor

UNIFIED CERTIFICATION PROGRAM



CERTIFYING AGENCY:

LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA)
ONE GATEWAY PLAZA
LOS ANGELES, CA 90012 0000
(213) 922-2600

UCP Firm Number: 37718

CUCP OFFICER

July 10, 2013

FULL TRAFFIC MAINTENANCE, INC.

State License #780910 (A-C31) - DBE/MBE/SB - DIR #100005561

E-mail fulltraffic@sbcglobal.net



SUB-CONTRACTOR QUOTATION

Attn: Estimator

Project: 07-288204

Date: July 5, 2016

Item	Description	Prices are good from 7/1/16-6/30/17 Amount
Option 1	One lane, one direction, two-man crew one mile only	\$ 1536.57 x 10 =
Option 3	Any add'l closures (i.e. Flip flops, opposite direction) w/ same crew	\$ 768.28
Option 4	For each additional lane add	\$ 118.77 \$15,365.7
Option 5	For each additional mile add	\$ 118.77
Option 6	On ramp closure w/lane closure 1-3 ramps add	\$ 118.77
Option 9	City street lane closure/detour	\$ 1536.57
Option 10	Ramp closure, 1- 4 ramps	\$ 1536.57
Option 11	Shoulder closures	\$ 1536.57
Option V	Attenuator truck w/driver 8-hour shift. Plus \$.65 a mile	\$ 1162.16 x 6 =
Option 1(a)	Two-man crew flagging for 8-hour shift	\$ 1536.57
Option 1(b)	Half day price lane two man crew under 4 hours.	\$ 1106.32 6972.96

We need one hour set up time and one hour pick up time. Please provide 10 working days' notice before job begins.

Additional provisions:

- A. Shift prices are for eight (8) hours. Overtime will be billed at \$112.86 per person-hour.
- B. Multiply rates by 1.5 for Saturdays and 2 for Sundays and Holidays and after 12 hours of work will be billed at \$150.46.
- C. F.T.M. is signatory with the Laborers union and certified with the State.
- D. Payment is due within thirty days from invoice date 1.5% Monthly Finance Charge after 30 days.
- E. **No retention for traffic control.**
- F. If required additional equipment (i.e. Changeable Message Sign, Attenuator Truck) to be provided by F.T.M. for an additional charge.
- G. Prime Contractor is responsible to obtain all permits required from Cities involved.
- H. Prime Contractor is responsible to coordinate and pay for Highway patrol unit.
- I. Additional 3 1/2 percent increases added every year on June 30th. This proposal will become part of any contract.
- J. If Special wording insurance is needed the amount to be paid by Contractor along with Waivers of Subrogation Insurance the % of payroll will be charged to contractor. If notary services are required, Prime Contractor is responsible for those charges.
- K. If equipment is rented for set up only, contractor is responsible for closure and equipment until FTM picks it up.
- L. **No work will be performed until this proposal is signed and faxed/mailed to our Corona office.**
If you need a bid for the signs please fax plans to 951-520-9980.

Thank you for the opportunity,

Sammy Salgado
 Full Traffic Maintenance, Inc.
 217 Lewis Court, Corona, CA 92882
 Office: (951) 520-9990
 Fax: (951) 520-9980

Signature of Acceptance

Title

Date

Full Traffic Maintenance, Inc.

217 LEWIS COURT

CORONA, CA. 92882

951-520-9990 951-520-9980 fax

QUOTE SHEET

To Estimator: Project: 07-288204 Date: 7/5/2016	
CS-1 (Construction Area Signs)	
LUMP SUM	\$ 20,297.00 (Includes post and install)
<p>Note: This quote does not include maintenance, change of dates, relocation or replacement of signs. All signs and post become property of Full Traffic Maintenance Inc. upon completion of job. Full Traffic Maintenance Inc. excludes ALL installation and removal of overhead signs.</p>	
TYPE 1 PROJECT FUNDING SIGN	\$393.75 EACH
TYPE 2 PROJECT FUNDING SIGN	\$808.50 EACH
(Does not include post or installation)	

FULL TRAFFIC MAINTANENCE INC, DBE CERTIFIED

217 Lewis Court, Corona CA 92882
Phone (951)520-9990 Fax (951)520-9980

FULLTRAFFIC@SBCGLOBAL.NET

DBE Certified # 35742

To: Estimator

Date: July 5, 2016

*Light Tower Rental \$85.00 per day - \$255.00 per week - \$765.00 per month

*Solar Arrow Board Rental \$30.00 per day - \$130.00 per week - \$400.00 per month

*Changeable Message Sign Rental \$85.00 per day - \$340.00 per week - \$915.00 per month

*Impact Attenuator Vehicle Rental \$265.00 per day - \$1040.00 per week - \$2890.00 per month (mileage fee of \$.50 per mile – portal to portal)

*Traffic Truck Vehicle Rental \$265.00 per day - \$1040.00 per week - \$2890.00 per month (mileage fee of \$.50 per mile – portal to portal)

* All equipment rentals are subject to a delivery and pick up charge

* All rentals and material are subject to availability

* See second sheet for price on sales items

Submitted by: Sammy Salgado

Date: _____

Company: _____

Accepted by: _____

217 Lewis Court
 Corona, CA 92882
 Office: 951.520.9990
 Fax: 951.520.99809



Website: www.ftminc.net
 Email: fulltraffic@sbcglobal.net

CRASH BARRELS	# 200, 400, 700, 1400 & 2100	\$ 195.00 ea.
CHANNELIZERS	36"	\$ 16.10 ea.
BUTYL PADS (8X8)		\$ 2.10 ea.
REFLECTIVE ROLL UP SIGNS	48"X48"	\$ 95.30 ea.
REFLECTIVE LEFT PATCH		\$ 18.50 ea.
STAY & BRACKET	48"	\$ 17.30 ea.
SPRING STAND		\$ 117.30 ea.
TYPE I BARRICADE		\$ 22.30 ea.
TYPE II BARRICADE		\$ 25.50 ea.
TYPE III BARRICADE W/FEET		\$ 86.90 ea.
ANSI CLASS II VEST		\$ 12.50 ea. (add \$3.00 for each X after 2XL)
ANSI CLASS III VEST		\$ 16.35 ea. (add \$3.00 for each X after 2XL)
ANSI REFLECTIVE MESH PANTS		\$ 16.00 ea. (add \$3.00 for each X after 2XL)
ANSI REFLECTIVE WATER PROOF PANTS		\$ 19.50 ea. (add \$3.00 for each X after 2XL)
ANSI CLASS II PARKA		\$ 38.25 ea. (add \$3.00 for each X after 2XL)
28" 10LB 6/4 CONE (FREEWAY)		\$ 16.10 ea.
28" 7LB 6/4 CONE		\$ 13.90 ea.
DELINEATOR W/12LB BASE		\$ 16.15 ea.
CUSTOM ALUMIUM SIGNS		CALL FOR QUOTE

ALL EQUIPMENT RENTALS AND MATERIAL ARE SUBJECT TO AVAILABILITY

**CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE**

FULL TRAFFIC MAINTENANCE, INC.

29 BRISA FRESCA
R. SANTA MARGARITA, CA 92688

Owner: SAMUEL SALGADO
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561990 All Other Support Services

Licenses

A General Engineering Contractor

CERTIFYING AGENCY:

CITY OF LOS ANGELES
1149 SOUTH BROADWAY STREET
LOS ANGELES, CA 90015 0000
(213) 847-1922

UCP Firm Number : 35742

Samuel Salgado

CUCP OFFICER

July 18, 2008

5/4/2016

Unified Certification Program

[Back To Query Form](#)**Search Returned 1 Records**

Wed May 04 14:06:59 PDT 2016

Query Criteria

Firm ID: 35742

Licenses: A General Engineering Contractor

Firm Type: DBE

Firm ID	35742
Firm/DBA Name	FULL TRAFFIC MAINTENANCE, INC.
Address Line1	217 LEWIS COURT
Address Line2	
City	CORONA
State	CA
Zip Code1	92882
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
E-Mail	sammysalgado@sbcglobal.net
Contact Name	SAMUEL J. SALGADO
Area Code	(951)
Phone Number	520-9990
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(951)
Fax Phone Number	520-9980
Agency Name	CITY OF LOS ANGELES
Counties	19; 30; 33; 36; 37;
Districts	07; 08; 11; 12;
DBE NAICS	561990;

ACDBE NAICS**Work Codes**

C0612 SAFETY SUPPLIER; C0800 Traffic Striping, Marking and Traffic Control Materials Supplier; C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION;
 A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor; C61 Limited Specialty Contractor; D42 Sign Installation;

Licenses**Trucks****Gender**

M

Ethnicity

HISPANIC


Firm Type

DBE

[Back To Query Form](#)

Adanta, Inc.

828 School Street
 Napa, California 94559
 Tel. (707) 709-8894
 Fax (707) 736-8368



A d a n t a

8(a), DBE, MBE, WBE
 CSLB #961132
 DBE Certificate #37357
 DIR Registration #1000029442

July 6, 2016

Attn: Estimator

Subject: **Caltrans Contract 07-288204**

<u>Description</u>	<u>Qty</u>	<u>Unit Cost</u>	<u>Total Cost</u>
LEAD COMPLIANCE PLAN	1	LS	\$1,300

Dear Estimator:

Adanta, Inc. is pleased to present this bid to provide environmental services for the above referenced project. This quote includes up to two revisions per plan without additional cost and all plans are delivered in PDF electronic format only.

Please send DBE Confirmation forms to Operations Manager, Cheryl Moore at cheryl.moore@adanta-inc.com and feel free to contact us at (707) 709-8894 if you have any questions.

Sincerely,

Kimberly Patz, President

eWaste Disposal, Inc
19782 Ma Arthur Blvd #250
Irvine CA 92612
www.ewastedisposal.net

A DVBE/DBE Hazardous Waste Transport and Disposal firm

Re: Transportation & Disposal of 20 CY of Class I non RCRA Z2 soil. Items17

Job Number: Number 07-288204

July 6,2016

Dear Bidders,

eWaste Disposal, Inc is committed to providing the best in environmental services and is pleased to provide ("the customer") with a proposal for the services described below as part of our full service Total Project Management Program:

• LABOR

All labor costs for the segregation, classification, and packaging of the waste materials by experienced personnel in accordance with all DOT, EPA and State regulations.

• MATERIALS AND FEES

All fees, applicable taxes and material costs for the proper packaging of the wastes for shipment by highway including drums, packing media, DOT and EPA labels and personal protective equipment.

•TRANSPORTATION

Transportation of all packaged wastes by a fully licensed and insured waste transporter, from your facility to the end disposal site.

• DISPOSAL

Proper treatment and disposal of all wastes at an authorized disposal facility.

• PAPERWORK

If necessary, a completed Hazardous Waste Manifest and Land Disposal Restriction Form for your signature at the time of shipment.

This proposal shall replace any prior oral or written proposal provided by Kleen-Solution and shall serve to memorialize the mutual understanding of our roles and responsibilities related to this proposal and the services provided. This proposal is not to be considered as a fixed price, but a project estimate, based on the Scope of Work, approximate chemical quantities and descriptions of the inventory provided by the Customer. This proposal is subject to the approval o EWDs credit department. If actual costs exceed this estimate due to an increased Scope of Work, the Customer will be notified of the revised costs and will be invoiced for the actual work completed.

eWaste Disposal, Inc Proposal

Job Number: Number 07-288204

Proposal Number: 062013

The Scope of Work and breakdown of the Cost associated with this proposal as follows:

Description	Quantity	Size	Price	Extension
Transportation & Disposal of Class I Non RCRA Soils from Boyle Avenue Undercrossing To Eastern Avenue Buttonwillow, CA 23 Ton Minimum Per Load Charge	Approx 27 Tons	minimum 22 Ton	\$4,347 per load	\$0
BOE Tax (If Applicable)			5.72/Ton	TBD
				0

Z2 non RCRA Class I facility, density conversion @ 1.35:1

Fuel Surcharge: Included

Standby Rate: \$90.00 Per Hour

No Load Charge: \$400.00 Each

Additional services requested that are not listed will be billed accordingly to our standard schedule of rates.

Health and safety plan will be responsibility of Prime Contractor.

Price does not include us supplying loader, Excavation and loading responsibility of the client.

All items must be shipped in DOT approved shipping containers. Applicable taxes or similar assessments are not included in the Prices and will be billed separately on Customer's invoices. In addition to any other terms herein, this proposal letter is subject to the following Terms and Conditions and must be executed by the Customer prior to EWD beginning any work.

4,501.44

Job Number: Number 07-2750U4

Terms and Conditions Waste Disposal Services

- 1) Price is valid for thirty (30) days from the date of this proposal letter.
- 2) Customer agrees to pay the Prices for the Services and agrees that payments hereunder are due upon Customer's receipt of an invoice. Amounts due on invoices that are not paid within 30 days are subject to an interest charge equal to the lesser of 1.5% per month (18% per annum) or the maximum rate allowed by law.
- 3) Customer shall be responsible for any additional costs incurred as a result of packaging and disposal of additional items or quantities not listed on the original inventory.
- 4) All drummed waste materials are packaged in drums that meet current DOT/UN specifications and are in good condition suitable for transportation by highway. Repackaging or over packing of drums will result in additional costs for labor and Materials, payment for which is the responsibility of the Customer.
- 5) EWD's employees or agents may refuse to package and ship any materials that are determined to contain pathological agents, biological wastes, PCB's, dioxins, radioactive wastes, explosives or that possess other hazards that make the waste unsafe for handling or shipping.
- 6) If Customer has a valid and current Universal Services Agreement or Master Services Agreement on file with EWD, the terms and conditions of said Agreement shall control in the event there is any conflict with the terms and conditions of this price quotation.
- 7) Customer will submit a separate description ("Material Profile") for each waste material tendered or delivered by Customer to EWD ("Waste"). Customer, upon request by EWD, will submit with the Material Profile a sample of the Waste described in the Material Profile. Customer acknowledges and agrees that EWD bases its testing, evaluation, collection, handling, and processing procedures on the description of the Waste contained in the Material Profile. If Customer is responsible for packaging and marking the Waste, the Waste will be described, coded, packaged and labeled in accordance with all applicable laws, will conform to the Waste Profile provided to EWD and will be produced as described in the Waste Profile. Customer agrees not to mix the Waste with any other materials (including, without limitation, materials containing PCBs) or otherwise alter the characteristics of the Waste. Customer will inform EWD of any process changes that may alter the characteristics of the Waste.
- 8) Provided the Waste Material is as described in the applicable Waste Description and the Waste Material is properly packaged, coded, marked and labeled, title, risk of loss and all other incidents of ownership with respect to the Waste Material will be transferred from Customer to EWD at either (i) the time EWD takes possession of, signs for, and removes the Waste Material from Customer's location or (ii) the time Customer's Waste Material is delivered to EWD. Any marketable or usable material EWD may recover from the Waste Material shall be the sole property of EWD.
- 9) Waste Material will be considered non conforming waste ("Non conforming Waste") if it fails to conform to the applicable Waste Description or if any packaging and/or marking provided by Customer is not in accordance with applicable Laws and requirements provided in advance to Customer by EWD. In the event Waste Material is determined to be Non conforming Waste, EWD may reject or revoke its acceptance of the Waste Material. The rejection or revocation of acceptance shall be effective immediately upon receipt of notice, verbal or written, by Customer or its agent. Customer and EWD will have 7 days to seek an alternative manner of disposition of the Non conforming Waste, unless it is necessary by reason of law, facility permit or facility operating procedure to move the Non conforming Waste in less than 7 days. If Customer and EWD cannot agree on an alternative manner of disposition within the relevant period, EWD shall either return the Nonconforming Waste to Customer or unilaterally determine and arrange for an alternative, lawful manner of disposition. Customer shall pay EWD its reasonable

expenses and charges for Services provided in relation to such Non conforming Waste, including analytical work, transportation, storage, repair, replacement, decontamination and cleaning of applicable equipment and Non conforming Waste charges.

Job Number: Number 07-288204

10) EWD agrees to indemnify, hold harmless and defend Customer, its directors, officers, employees and agents from and against any and all liabilities, claims, penalties, forfeitures, suits, and the costs and expenses incident thereto (including costs of defense, settlement and reasonable lawyers' fees, consultant or other professional fees and the reasonable costs of investigation, containment and cleanup and any remedial actions required by law, regulation or order, including the Comprehensive Environmental Response, Compensation and Liability Act of 1980 or comparable state superfund law (collectively referred to as "Damages"), which

it may hereafter incur, become responsible for, or pay out as a result of death or bodily injury to any person, destruction or damage to any property, contamination of or adverse effects on the environment, or any violation of Laws, to the extent that such Damages were caused by: (i) EWD's breach of any term or provision of this Agreement; (ii) the failure of any representation or warranty of EWD to be true, accurate and complete; or (iii) any negligent act or omission or willful misconduct of EWD or its employees or agents.

11) Customer agrees to indemnify, hold harmless and defend EWD, Inc, its directors, officers, employees and agents from and against any and all Damages, which it may hereafter incur, become responsible for, or pay out as a result of death or bodily injury to any person, destruction or damage to any property, contamination of or adverse effects on the environment, or any violation of Laws, to the extent that such Damages were caused by: (i) Customer's breach of any term or provision of this Agreement; (ii) the failure of any representation or warranty of Customer to be true, accurate and complete; or (iii) any negligent act or omission or

12) In no event shall either party be liable for any special, indirect, incidental, punitive or consequential damages, whether based in contract, warranty, indemnity or tort, negligence or strict liability.

13) Except as provided to EWD, Customer holds clear title to all Waste to be transferred hereunder and it is under no legal restraint or order which would prohibit transfer of possession or title to such Waste to EWD

14) No delay or failure in performance by either party hereto, except for the payment for Services previously performed, shall constitute default hereunder or give rise to any claim for damages, if, and to the extent, such delay or failure is caused by an occurrence beyond the reasonable control and without the fault or negligence of the party affected and which said party is unable to prevent or provide against by exercise of reasonable diligence, including, but not limited to, acts of God or the public enemy, unavoidable casualties, fires or other catastrophes, strikes or any other considered acts of employees.

15) Materials quoted on a weight basis may be subject to minimum weight charges.

16) EWD has the right to refuse any hazardous drum that exceeds it's legal DOT rating, any non-hazardous drum exceeding 950 pounds, or any pallet exceeding 2,400 pounds.

17) Except as specified in Section 6 above, the terms and conditions herein supersede and replace any previous or existing agreement, quotation for services, scope of work, purchase order or understanding, written or oral, between the parties.

18) All projects over \$2,500 require a Purchase Order for the amount of service prior to EWD scheduling the service.

Sincerely,

Thomas M Abercrombie

eWaste Disposal, Inc

Your signature below indicates your acceptance of the pricing, terms and conditions set forth in this proposal. Any changes in the Scope of Work or this proposal must be in writing and signed by Environmental Waste Disposal (AKA eWaste Disposal, Inc) and Customer. Final acceptance by eWaste Disposal, Inc, however, shall be subject to final credit approval.

Company Name

Name & Title

Job Number: Number 07-228204

July 6, 2016

Authorized Signature

Date

CGO CONSTRUCTION COMPANY, INC.

ENGINEERS & CONTRACTORS • LIC. # 532200
 3100 EAST CEDAR STREET, #14, ONTARIO, CA. 91761 • PHONE (909) 930-5501 • FAX (909) 930-5503
 (a UDBE/ DBE Firm) CUCP #4483. DIR #1000013024
 Email: cgoconst2@msn.com

TO	DATE July 7, 2016
	BID DOCUMENTS Plans and specifications from Caltrans
ATTENTION Estimating Dept.	PHONE NUMBER
60 Freeway Landscaping. Caltrans #07-288204	
Los Angeles	

PROPOSAL & CONTRACT

DESCRIPTION OF WORK	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL
20. Clearing and Grubbing(trees/vegetation only)	1	LS	\$630,300.00	\$630,300.00
<u>Other Exclusions</u> Irrigation lines. Mulch. Grading. Pesticides/herbicides				

1. Excludes Traffic control/barricades.
2. Excludes grass, pruning, and topsoil removal.
3. Excludes utilities/substructures. Asbestos/lead abatement.
4. No permits, testing, bonds, and engineering fees included.
5. Construction water to be paid for by the owner and available on site in sufficient quantity and pressure.
6. Excavating and replacing of saturated, toxic/hazardous, or unsuitable material are excluded.
7. Not responsible for any spoils or deviations caused by other contractors.
8. Bracing/shoring, dewatering, buried tanks/barrels are excluded.
9. Our Liability Insurance is \$1M/Occurrence, \$2M Aggregate, \$2M Umbrella.
10. ***Retention, if withheld, is to be released 60 Days after our work is 100% completed and accepted.***

ACCEPTED

COMPANY _____

BY: _____

CGO CONSTRUCTION COMPANY, INC.

BY: Charles Ojuri CHARLES OJURI - ESTIMATOR
 07-07-2016

Diversified Landscape Co.

21730 Bundy Canyon Road
Wildomar, CA 92595

Phone: 951-245-1686
Fax: 800-783-4197

DBE 8022 SBE 12567 Union Contractor Lic. 576183 DIR 1000009249

To: Griffith Company	Contact: Janell Carlson
Address: 12200 Bloomfield Ave. Santa Fe Springs, CA 90607	Phone: (562) 929-1128 Fax: (714) 854-7843
Project Name: 07-288204-Mulch	Bid Number: 3015
Project Location: 60,10,101,5 Junction, Los Angeles, CA	Bid Date: 7/7/2016
Addendum #: 2	

Line #	Item Description	Estimated Quantity	Unit	Unit Price	Total Price
NON DBE					
27	Wood Mulch	1,940.00	CY	\$80.70	\$156,558.00
Total Price for above NON DBE Items:					\$156,558.00

Total Bid Price: \$156,558.00

Notes:

- The above prices do not include Performance and Payment Bond. Add 2% if bond is required. Due in 30 days.
- Water meters, point of connection, cost of water and hot taps are excluded.
- Weed or debris removal is excluded.
- Traffic control is excluded.
- Excludes light towers, to be supplied by others.
- Retention to be held at the same rate as Owner to Contractor.
- 40 working day(s) required and includes 1 move-in(s). Additional move-ins=\$500 each.
- Semi-truck access is required within 200 feet for mulch work.
- Basin mulch is excluded.
- Water supply is required at jobsite for mulch work.
- All of the notes above to be made part of contract.
- Proposal good for 60 days.
- Any changes, additions, deletions to this proposal must be approved by Diversified prior to bid time.
- **We are a Disadvantaged Business Enterprise (#8022) for NAICS Codes 237110, 237310, 237990.**

Payment Terms:

Payment to be made within 7 days of progress payment to contractor.

<p>ACCEPTED: The above prices, specifications and conditions are satisfactory and are hereby accepted.</p> <p>Buyer: _____</p> <p>Signature: _____</p> <p>Date of Acceptance: _____</p>	<p>CONFIRMED: Diversified Landscape Co.</p> <p>Authorized Signature: _____</p> <p>Estimator: Juan Martinez 951-245-1686 juanm@diversifiedlandscape.com</p>
---	--

Diversified Landscape Co.

21730 Bundy Canyon Road
Wildomar, CA 92595

Phone: 951-245-1686
Fax: 800-783-4197

DBE 8022 SBE 12567 Union Contractor Lic. 576183 DIR 1000009249

To: Griffith Company	Contact: Janell Carlson
Address: 12200 Bloomfield Ave. Santa Fe Springs, CA 90607	Phone: (562) 929-1128 Fax: (714) 854-7843
Project Name: 07-288204 Revision 1	Bid Number: 3015
Project Location: 60,10,101,5 Junction, Los Angeles, CA	Bid Date: 7/7/2016
Addendum #: 2	

Line #	Item Description	Estimated Quantity	Unit	Unit Price	Total Price
NON DBE					
9	Temporary Hydraulic Mulch	60,000.00	SY	\$0.34	\$20,400.00
27	Wood Mulch	1,940.00	CY	\$80.70	\$156,558.00
Total Price for above NON DBE Items:					\$176,958.00

Total Bid Price: \$176,958.00

Notes:

- The above prices do not include Performance and Payment Bond. Add 2% if bond is required. Due in 30 days.
- Water meters, point of connection, cost of water and hot taps are excluded.
- Weed or debris removal is excluded.
- Traffic control is excluded.
- Excludes light towers, to be supplied by others.
- Retention to be held at the same rate as Owner to Contractor.
- 47 working day(s) required and includes 1 move-in(s). Additional move-ins=\$500 each.
- Maintenance of temporary erosion control is excluded.
- Removal of temporary erosion control is excluded.
- Water to be provided through a 2.5" metered hydrant or equal at jobsite for hydroseed work.
- Hydroseed truck access is required.
- Semi-truck access is required within 200 feet for mulch work.
- Basin mulch is excluded.
- Water supply is required at jobsite for mulch work.
- All of the notes above to be made part of contract.
- Proposal good for 60 days.
- Any changes, additions, deletions to this proposal must be approved by Diversified prior to bid time.
- **We are a Disadvantaged Business Enterprise (#8022) for NAICS Codes 237110, 237310, 237990.**
- Revision 1 adds Temp Hydraulic Mulch.

Payment Terms:

Payment to be made within 7 days of progress payment to contractor.

<p>ACCEPTED: The above prices, specifications and conditions are satisfactory and are hereby accepted.</p> <p>Buyer: _____</p> <p>Signature: _____</p> <p>Date of Acceptance: _____</p>	<p>CONFIRMED: Diversified Landscape Co.</p> <p>Authorized Signature: _____</p> <p>Estimator: Juan Martinez 951-245-1686 juanm@diversifiedlandscape.com</p>
---	--

FAX COVER SHEET

TO

COMPANY

FAXNUMBER 17148549754

FROM Socal Stormwater Runoff Solution Services Inc.

DATE 2016-07-06 19:46:57 GMT

RE SWPPP Development Proposal - 07-288204 Storm Water Source
Replacement Highway Planting and Irrigation Project

COVER MESSAGE

Attention:EstimatingDepartment

Please view the attached file for SWPPP proposal for:

Project Name: Storm Water Source Replacement Highway Planting and Irrigation

Project Number: 07-288204, 0700021023

Please do not hesitate to contact me if you have any questions or concerns.

Best Regards,

Mary,

Office Manager

SoCalStormwaterRunoffSolutionServicesInc.

Line 1: (310) 343-8313

Line2: (747) 444-0188

Cell: (310) 650-6791

Fax: (310)579-8413

Website: <<http://www.socalstormwatersolutions.com>>

www.socalstormwatersolutions.com



SoCal Stormwater Runoff Solution Services Inc.

PO Box# 25158, Los Angeles, CA 90025
 California License# C3483049
 Line#1: (310) 343-8313
 Line#2: (747) 444-0188
 Fax #: (310) 579-8413
 E-mail mary@socalstormwatersolutions.com
 Web Site www.socalstormwatersolutions.com

Proposal

Date	Proposal #
7/6/2016	5439

project:
Project Name: Storm Water Source Replacement Highway Planting and Irrigation Project Number: 07-288204, 0700021023

#15
 #1
 #7
 #6
 #8

Item #	Description	Qty	Rate	U/M	Total
1.1	Preparation of Stormwater Pollution Prevention Plan (SWPPP) Including Revisions as Specified in Project Documents Development and QSD Certified	1	\$1,420.00	LS	\$1,420.00
1.2	Preparation of The Lead Compliance Plan (LCP)	1	\$975.00	LS	\$975.00
1.3	Water Pollution Control Manager (WPCM)-QSP Weekly Visual Inspections- -Erosion Control, Site Monitoring (Includes quarterly non-stormwater discharge inspections)	1	\$195.00	visit	\$195.00
1.4	Pre/During/Post Rain Event Visual Inspections (Includes Preparing REAP, Stormwater Discharge Sampling and Analysis)/Varies Based on the Number of Rain Events	1	\$220.00	visit	\$220.00
1.5	Preparation of Stormwater Annual Report	1 x 2	\$350.00	EA	\$350.00
Acceptance of This Bid is good for 30 Days from Bid Date.					Total:

1. Payment terms for new customers is C.O.D. Client may receive an approval for Net 30 when Credit Card Authorization Form is reviewed and approved. (Existing clients with the active account are exempted.)
 2. Price includes electronic copy of the final SWPPP.
 NOTE: SoCal Stormwater Runoff Solution Services INC. herein called "SSRSS INC." does not provide draft or approved SWPPP hard copies. Corrections / additions to the plan due to errors or omissions on behalf of the contractor or the Agency may be billed to the contractor as time and material (T&M). T&M will be billed at a standard rate of \$90.00/hour for non-Civil Engineering services and \$120.00 / hour for Registered Civil Engineering services with all services being billed in 1/2 hour increments.
 3. Hard copy manuals: Billed at \$75.00 for additional manual unless stated otherwise. Contractor will also pay for all additional shipping charges at cost plus a 15% handling fee.
 4. Additional charges may apply pending contractor insurance requirements.
 5. This Contract constitutes the entire Contract, and the parties are not bound by any oral expression or representation including those made by any agent of either party purporting to act for or on behalf of either party or by any commitment or arrangement not specified in the Contract.
 6. No additional work shall be done without prior written authorization of Contractor. Any such authorization shall be on a change order form approved by both parties, which shall become a part of this Contract. Where such additional work is so added to this Contract, it is agreed that the total price under this Contract shall be increased by the price of such additional work, any delinquent service charge may be increased proportionately, and all terms and conditions of this Contract shall apply equally to such additional work.
 7. It is expressly stipulated and agreed that SSRSS INC. shall not be liable for any delays occasioned by the elements, labor disputes, strikes, lockouts, Acts of God, fires, inclemency of the weather, changes ordered in the work, unavoidable casualties, the acts or omissions of owners or persons or any other similar or dissimilar causes beyond the control of SSRSS INC.
 8. Contractor hereby agrees that time shall be of the essence in regard to all payments provided for herein, and if any payment is not made when due, Contractor agrees to pay all collection costs and expenses including costs of suit and any related attorney's fees and costs and also hereby waives the benefit of any statute of limitation that would prohibit an action of SSRSS INC. to enforce the terms and conditions of this Contract including but not limited to any right to recovery of attorney's fees and costs. The laws of the State of California shall control all aspects of this contract except as to lien matters, which will be governed by the laws of the state where the subject property is located.
 9. If at any time any controversy shall arise between SSRSS INC. and Contractor regarding anything pertaining to this Contract and which the parties hereto do not promptly adjust and determine, then Contractor and SSRSS INC. stipulate and agree that the controversy shall, at the election of SSRSS INC., be submitted to an arbitrator determined under the Construction Industry Arbitration Rules of the American Arbitration Association then in effect, and the parties hereto agree to be bound by the Award in such Arbitration. The Award shall be binding and final and may be entered as a final judgment in a court of competent jurisdiction.
 10. SSRSS INC. will not be responsible for Acts of God, fire, storm, flood, landslide, earthquake, theft, vandalism or other disasters or accidents. Owner will purchase insurance at his expense before any work begins that will cover fire, vandalism, malicious mischief and other perils during the course of construction. SSRSS INC. will be held harmless for any damage or outcome relating to lack of insurance, vandalism, trespassing, weather, underground services or "Mother Nature".
 11. Contractor is responsible for the labor/material for installment, maintenance and repair of the BMP's per the approved SWPPP.
 12. Contractor is required to comply with the requirements of the approved SWPPP and all the terms of the Construction General permit (CGP) ORDER NO. 2009-0009-DWQ NPDES NO. CAS000002.
 13. SSRSS INC. is not responsible for any Contractor negligence and non-compliances of the terms and requirements of the SWPPP and the CGP by the Contractor or any other parties. Contractor is required to notify the QSD and the State Water Board of any violations of the permit requirements and non-authorized discharges.
 14. SSRSS INC. may assign or subcontract all or any portion of the work to be done under this Contract.
 15. Access to the job site must be furnished by Contractor, the general contractor, lessee or other party ordering work.
 16. SSRSS INC. shall not be held responsible for any existing violations of applicable building regulations or ordinances, whether cited by the appropriate authority or not. SSRSS INC. is not held responsible for any abnormal or unusual preexisting conditions. Correction of any such violations or abnormal conditions shall not be considered part of this Contract and shall be at the Contractor's expense.
 17. Once the proposal is signed and fully executed, no cancellation would be accepted. SWPPP/WPCP plan is a project specific document and can not be utilized for any other projects. If for any reason (Contractor decision, error or the Owner/Agency change on requirement) a SWPPP/WPCP document is no longer needed, this contract shall be in effect and contractor is responsible to pay for the service in full.
 18. Price of this contract is subject to increase for projects that are not commenced for over 90 days from the date that this contract is signed and fully executed.
 19. Invoices paid after due date are subject to a finance charge computed at a monthly rate of 1.5% (annual percentage rate of 18%). Client is responsible for legal and collection costs if necessary to collect past due amount(s).

Note: Lead compliance plan proposal will be provided upon your request.
 Note: public safety plan proposal will be provided upon your request.

Authorized Customer Rep: Signature :

FAX

Date:	07/07/2016
--------------	------------

Pages including cover sheet:	4
-------------------------------------	---

To:	714-854-7843@rcfax.com
Phone	
Fax Number	+17148547843

From:	Garden Grove Sales /
	AL
Phone	(888) 511-0680 * 4
Fax Number	(888) 503-0292

NOTE:	
<p>Attn: Estimating</p>	



PW REG#1000001109
EXP. 6/30/2017

Proposal/Quote

Statewide - Garden Grove
License # 975518
13261 Garden Grove Blvd.
Garden Grove, CA 92843
Ph (714) 468-1919
Fax (562) 272-6857

BID DATE: 07/07/16

CONTRACT INFO
07-288204

07-LA-5,60-16.0/16.8 & 0.1/R3.

PROPOSAL: 107561

ESTIMATOR
Kellen Blohm

CLIENT: EST
ESTIMATING DEPARTMENT

PROJECT:
07-288204
07-LA-5,60-16.0/16.8 & 0.1/R31
LOS ANGELES, CA

ITEM #	DESCRIPTION	QUANTITY	PRICE	AMOUNT
--------	-------------	----------	-------	--------

THIS PROPOSAL MUST BECOME A BINDING PART OF ANY SUBCONTRACT

002	CONSTRUCTION AREA SIGNS	100 EA	127.000/EA	12,700.00
-----	--------------------------------	--------	------------	-----------

EXCLUSIONS:

ANY CONCRETE CORING, BREAKING OR REPAIR. ALL CORES ARE AN ADDITIONAL \$75.00 EACH

003	TRAFFIC CONTROL SYSTEM			
-----	-------------------------------	--	--	--

SPECIFICATIONS:

- 1 LANE, 1 DIRECTION, 1 MILE, 1 T.C. TRUCK, 2 MEN *\$1,450.00/8 HRS. *x10 14,500.00*
- 1 LANE, 1 DIRECTION, 1 MILE, 1 T.C. TRUCK, 1 MAN** *\$900.00/8 HRS.
- Connector/Ramp closure with Detour during lane closure *\$100.00/EACH
- Additional Lanes, Ramps, and/or Miles *\$50.00/EACH
- Additional T.C. Truck (no equipment) *\$225.00/SHIFT
- Additional T.C. Tech *\$625.00/8 HRS.
- Impact Attenuator Vehicle with Driver *\$900.00/8 HRS. *x6 = 5,400*
- FLAGGING - 2 MEN / DAY (T-13)/NO Rumble Strips *\$1,400.00/8 HRS.
- FLAGGING - 2 MEN / NIGHT (T-13)/NO Rumble Strips / 2 Light Sources *\$1,450.00/8 HRS.
- FLAGGING - 2 MEN / DAY (T-13)/INCLUDES Rumble Strips *\$1,700.00/8 HRS.
- FLAGGING - 2 MEN / NIGHT (T-13)/INCLUDES Rumble Strips / 2 Light Sources *\$1,750.00/8 HRS.

IMPACT ATTENUATOR RENTAL RATES - 20 miles included per day; no driver
\$350.00/day; \$1,200.00/1 week; \$3,000.00/4 weeks; \$150.00 delivery & \$150.00 pick up each
Surcharge \$0.75 per mile, portal to portal, after 20 miles per day credit

* Does not include 'Portable Changeable Message Sign' or 'Impact Attenuator Vehicle'
 ** Contractor to supply "qualified" help if needed for set up and pick up.
 - Overtime \$95.00/8-12 hrs/man; Doubletime \$115.00/hr over 12 hrs/man
 - Saturday closures multiply above rates by 1.4; Sunday closures multiply by 1.7
 - Time begins upon arrival at jobsite. Rates include travel time up to one (1) hour from any STSSI branch location. Additional travel time will be charged at \$30.00 per 1/2 hour/man, each direction.
 - Traffic control system is a four (4) hour minimum charge at 75% of rates. Full rate charged after four (4) hours. The minimum charge will be applied to all cancellations with less than eight (8) hours notice. Apply 30 - 60 minutes for set up and pick up.
 NO RETENTION HELD FOR TRAFFIC CONTROL.

CONTRACT INFO

07-288204

07-LA-5,60-16.0/16.8 & 0.1/R3.

Proposal/Quote

107561

Page 2

07/05/16

M #	DESCRIPTION	QUANTITY	PRICE	AMOUNT
-----	-------------	----------	-------	--------

PROPOSAL PROVISIONS**SPECIFICATIONS:**

- A signed contract and 15 working days notice must be given prior to any move in. This quote shall remain valid for 30 days from date of actual bid opening, unless otherwise agreed upon. PAYMENT TERMS ARE- 100%, NET 30 unless otherwise agreed upon.
- Unless stated on the quote, all permits and associated fees are excluded from Statewide Traffic Safety and Signs, Inc's quoted pricing.
- Lump sum items are based on "working days" listed in the Special Provisions or working days bid for this project. Additional compensation (standard rental rates) will be applied if working days are exceeded.
- Standards for 5 day work shift must be established prior to Statewide Traffic Safety and Signs, Inc. starting work on the project.
- Rental equipment furnished and installed by Statewide Traffic Safety and Signs, Inc. may not be moved by anyone other than Statewide Traffic Safety and Signs, Inc. without prior approval.
- Installed crash array barrels relocated by Contractor shall be paid for at item price or new rental period of \$3.00 a day per barrel.
- All Construction Area Signs to be installed at one time or in stages and covered if needed at installation. Contractor to uncover and recover if needed.
- Construction Area Signs include one mobilization per stage, additional mobilizations \$1,500.00 each, unless negotiated prior to work. Additional signs required due to damage, theft, or plan inadequacies will be billed as extra work.
- Traffic Control not included in installation, removal, or repair of any item. Stand-by time charged at \$175.00/hr.
- Portable equipment will be delivered and picked up from one location. Contractor to maintain. Contractor is liable for loss and or damaged equipment. Barricades do not include flashing lights or sign panels unless otherwise noted. Pallets are not included with crash cushions.
- Contractor is liable for lost or damaged equipment removed or relocated by Contractor's forces.
- Statewide Traffic Safety and Signs, Inc. does not accept charges or back charges of any kind unless agreed to in writing prior to work beginning.
- Statewide Traffic Safety and Signs, Inc. shall fully indemnify Contractor for any liability arising out of Statewide Traffic Safety and Signs, Inc. work or products, but only to the extent of Statewide Traffic Safety and Signs, Inc. liability and not that of anyone else. Statewide Traffic Safety and Signs, Inc. maintains insurance coverage for their work hereunder, including \$2,000,000.00 Products- Comp/OP Agg and a 10/93 Additional Insured Endorsement.
- If there are any issues or concerns regarding Statewide Traffic Safety and Signs, Inc. products or work, Contractor shall promptly notify and give Statewide Traffic Safety and Signs, Inc. first opportunity to correct any such problems. - All sign and marker location/ mark-out to be done prior to Statewide Traffic Safety and Signs, Inc. starting work. If necessary, Statewide Traffic Safety and Signs, Inc. will assist project inspector with location/ mark-out. Statewide Traffic Safety and Signs, Inc. will mark out it's own work area for USA if necessary, but is not responsible for damage to underground facilities not shown on plans or not marked out by other agencies.
- Sign panels for roadside sign items are supplied by others unless purchased through bid items of this quotation. Roadside sign panels will not be received by Statewide Traffic Safety and Signs, Inc. earlier to 15 working days prior to scheduled installation. No storage. 45 working days advance notice for sign panel orders. All sign plan discrepancies are to be resolved before any sign panel orders are placed.
- Permanent sign and marker installation: maximum move-ins: ONE (1). Additional move-ins \$1,500.00 each, unless negotiated prior to work. 45 working days notice for metal post orders. Mounting hardware supplied to, and installed by Contractor.
- Removal, relocate, and reset items are to be completed in whole per Special Provisions for the project, and completed in, ONE (1) move-in. Additional move-ins \$1,500.00 each, unless negotiated prior to work.
- Sign installation does not include coring or breaking.
- All change order work must be approved by agency / owner prior to work being performed by Statewide Traffic Safety and Signs, Inc.
- Acceptance of this quote is acceptance of these provisions, which shall prevail if in conflict with any other documents.
- No retention is to be held on Traffic Control and Equipment Rental.

CONTRACT INFO

07-288204

07-LA-5,60-16.0/16.8 & 0.1/R3.

Proposal/Quote

107561

Page 3

07/05/16

M #	DESCRIPTION	QUANTITY	PRICE	AMOUNT
			TOTAL BID:	\$12,700.00

Signed: _____

Print: _____

Dated: _____

Title: _____



SUE CORP (DBE/WBE/SBE) / CAL-DORADO (DBE/MBE/SBE)



www.construction-coordination.com

CONFIDENTIAL SUB-CONTRACTOR PROPOSAL

QUOTE # CADOT201610200250

TO: BIDDING PRIME

DATE: 7-7-2016

PROJECT: 07-288204

LOS ANGELES, CA

SUE/CAL-DORADO VALUE TO PROJECT:

- WE HAVE **CALIFORNIA EPA COMPLIANT** BORE EQUIPMENT
- WE HAVE **STEERING HEADS** AVAILABLE TO ENSURE LINE AND GRADE.
- **WE ARE SBE / DBE CERTIFIED** THROUGH STATE OF CALIFORNIA
- WE HAVE **OVER 25 YEARS EXPERIENCE** IN THE JACK AND BORE INDUSTRY

Item# 51 - JACK AND BORE 200 FEET OF 10" (WSP) DOMESTIC STEEL CASING .250" THICK; NO INSTALLATION CARRIER PIPE, NO ANULAR BACKFILL. CUSTOMER TO PROVIDE SUE WITH A MINIMUM OF TWO BORE PITS READY PER DAY.

SCOPE, Item #51,

- ONE BORE CREW MOBILIZATION INCLUDED IN PRICE
- 10" STEEL CASING: JACK AND BORE, APPROX. 200 FT OF 10 INCH X .250 INCH THICK STEEL CASING. DOMESTIC CASING MATERIAL INCLUDED
- INSTALLATION OF CARRIER PIPE NOT INCLUDED
- SUE HAS NOT INCLUDED ANNULAR BLOW SAND OR BULKHEADS
- PLEASE CONTACT OUR ESTIMATING OFFICE IF; CERTIFIED WELDING; OR MULTIPLE BORE CREW MOBILIZATIONS WILL BE REQUIRED.

PRICE \$109.00 PER LF (PER LINEAL FOOT) W/ SUE PROVIDING CASING MATERIAL.

MOBILIZATION & SUBMITTALS: \$2,040.00

THE **MOBILIZATION FEE** IS REQUIRED TWO WEEKS BEFORE COMMENCEMENT OF WORK ONTO THE SITE AND IS DEDUCTED FROM THE TOTAL ESTIMATE AMOUNT. IN THE EVENT THE MOBILIZATION FEE IS NOT PAID BEFORE COMMENCEMENT OF WORK, THE FEE SHALL BE ADDED TO THE FINAL AMOUNT OF THE CONTRACT.

TOTAL ESTIMATE 10" CASING/NO STEERING HEAD: \$21,800.00

EXCLUDES; LINING & COATING OF CASING; CERTIFIED WELDING; FUSION OF CARRIER PIPE; DE-WATERING; CATHODIC PROTECTION.

BORE-PIT DIMENSIONS

BORE / JACKING PIT SHALL BE 20 FEET IN LENGTH, 8 FEET IN WIDTH & 20 INCHES BELOW BOTTOM OF CASING. THE PIT SHALL BE OFFSET ONE FOOT TO THE LEFT OF CENTERLINE (STANDING AT THE REAR OF THE PIT LOOKING IN THE DIRECTION OF THE BORE). CUSTOMER IS TO PROVIDE SUITABLE BACK UP FOR SUE CORP'S EQUIPMENT TO THRUST AGAINST. ALL LABOR, MATERIAL, OR EQUIPMENT NEEDED TO PROVIDE A SUFFICIENT BACK UP SHALL BE THE CUSTOMERS EXPENSE. RECEIVING PIT SHALL BE 8 FEET IN LENGTH, 8 FEET IN WIDTH & 18 INCHES BELOW CASING.

X. *Amy Rachel Miller*

DATE: 7-7-2016

AMY RACHEL MILLER, PRESIDENT, Safe Utility Exposure, Inc. (SUE CORP)

STANDARD TERMS/CONDITIONS & EXCLUSIONS APPLY

HORIZONTAL EARTH BORING SINCE 1989

S.U.E. CA CSLB LIC# 985414, DIR. 1000013714

CAL-DORADO CA CSLB LIC #1007217, DIR. 1000029217

14728 Biola Ave. La Mirada, CA. 90638

Estimator: Robert Aguinaga 714-482-5101(PH) 562-309-8261 (FAX) raguinaga@suecorp.com



SUE CORP (DBE/WBE/SBE) / CAL-DORADO (DBE/MBE/SBE)



STANDARD TERMS/CONDITIONS & EXCLUSIONS FOR ALL PROPOSALS

TERMS & CONDITIONS

- SUE CORP SHALL SOLEY VALIDATE THIS PROPOSAL & SHALL NOT SUBMIT TO ANY OTHER CONTRACT/ PROPOSAL OR AGREEMENT!
- SUE CORP'S DAILY EQUIPMENT RATE IS \$4,200.00 AS DEFINED BY SUE CORP (CALL FOR DEFINITION)
- THE **MOBILIZATION FEE** IS REQUIRED TWO WEEKS BEFORE COMMENCEMENT OF WORK ONTO THE SITE AND IS DEDUCTED FROM THE FINAL PAYMENT AMOUNT. IN THE EVENT THE MOBILIZATION FEE IS NOT PAID BEFORE COMMENCEMENT OF WORK, THE FEE SHALL BE ADDED TO THE FINAL AMOUNT OF THE CONTRACT.
- PRICE IS BASED ON SEQUENTIAL WORK; IF DEMOBILIZATION AND RE-MOBILIZATION IS REQUIRED THEN ADDITIONAL COSTS WILL APPLY.
- SUE CORP'S PERFORMANCE OF THIS PROPOSAL IS SCHEDULE PERMITTING. SUE CORP SHALL NOT BE HELD RESPONSIBLE FOR DAMAGES DUE TO DELAYS IN SCHEDULE IN THE EVENT THAT SUE CORP CANNOT MEET THE CUSTOMER'S SCHEDULE FOR THIS PROJECT THERE SHALL NOT BE ANY OVERTIME, OR MULTIPLE SHIFTS WORKED BY SUE CORP'S BORING'S CREW TO ATTEMPT TO MAKE UP FOR LOST TIME WITHOUT PRIOR APPROVAL AND CHANGE ORDER..
- SUE CORP 'S BID DOES NOT UTILIZE ANY OF THE FOLLOWING 1) NIGHT WORK, 2) MULTIPLE SHIFTS. 3) ADDITIONAL PERSONELL FOR ANY REASON INCLUDING A HOLE WATCH. RADIO MAN. TRUCK DRIVER OR TRAFFIC CONTROL) SUE CORP'S BORING'S CREW SIZE IS SOLEY THE DISCRETION OF SUE CORP. IF ANY OF THE ABOVE ARE REQUIRED PLEASE NOTIFY SUE IN WRITING AND REQUEST A CHANGE.
- SUE CORP SHALL RESPOND TO ANY TYPE OF COMMUNICATION BETWEEN SUE CORP & CUSTOMER WITHIN 24 HOURS
- CUSTOMER IS SOLEY RESPONSIBLE FOR ALL SUE CORP'S INVOICES INCLUDING EXTRAS, 30 DAYS FROM INVOICE DATE (INTEREST 15% PER MONTH)
- THIS PROPOSAL IS BASED ON MACHINE BOREABLE CONDITIONS (DEFINED AS SUE'S DRY AUGER BORING MACHINE). THERE SHALL BE NO SCHEDULING WITHOUT THIS PROPOSAL SIGNED & FAXED TO SUE CORP'S OFFICE FIRST ALL BORES/TUNNELS 30 INCHES & LARGER ARE REQUIRED BY THE STATE OF CALIFORNIA'S OSHA MINE & TUNNEL UNIT TO HAVE A UNDERGROUND CLASSIFICATION NUMBER (UGC#) ALL BORES/TUNNELS THAT ARE 30 INCHES & LARGER WITHOUT A UGC# SHALL BE SUBJECT TO DELAYS IN SCHEDULE. THE UGC DOCUMENT MUST BE SENT TO SUE CORP'S BORING OFFICE 2 WEEKS PROIR TO SUE CORP'S MOBILIZATION, CUSTOMER TO BE CHARGED FOR SUE CORP TO OBTAIN UGC AN ADDITIONAL \$950.00 TO THIS AGREEMENT.
- ANY CHANGE IN LENGTH OF CASING TO BE INSTALLED THAT SUBTRACTS FROM THE QUANTITY QUOTED MAY BE SUBJECT TO A PRICE REVISION. SUE CORP ORDERS CASING BY SIGNED PROPOSAL ONLY. IN THE EVENT THAT THE CASING IS ORDERED / CUT IT SHALL BE THE CUSTOMER'S RESPONSIBILITY TO PAY FOR THE CASING PRECEEDING A CHANGE, SHORTENING, OR CANCELLATION OF WORK SPECIFIED IN THIS PROPOSAL CUSTOMER MAY BE BILLED DIRECT FOR CASING MATERIAL AND DEDUCT FROM SUE'S INVOICE AMOUNT IS BASED ON ACTUAL CASING INSTALLED OR ORDERED IF JOB IS CANCELLED ALL INVOICES ARE 30 CALANDER DAYS WITH NO RETENTION
- SUE CORP'S WORK DAY IS 8 HOURS, CUSTOMER, TO PREPARE AND CLOSE SUE CORP'S WORK AREA DAILY AT CUSTOMER EXPENSE BEFORE & AFTER SUE'S 8 HOUR WORK DAY. IF THE CUSTOMER REQUIRES LONGER DAYS PLEASE NOTIFY SUE CORP IN WRITING AND PROVIDE CHANGE ORDER.

STANDARD TERMS/CONDITIONS & EXCLUSIONS

INT'L ARM _____
PRIME INT'L _____

14728 Biola Ave. La Mirada, CA. 90638
FAX (562) 309-8261

1/27/16
(1)

www.construction-coordination.com



SUE CORP (DBE/WBE/SBE) / CAL-DORADO (DBE/MBE/SBE)



STANDARD TERMS/CONDITIONS & EXCLUSIONS FOR ALL PROPOSALS

- A STEERING SYSTEM WILL BE USED ON THIS PROJECT. ALL RELATED COSTS TO RETRIEVE OR REPLACE THE STEERING HEAD & CASING SHALL SOLEY BE THE CUSTOMER'S. IF THE HEAD IS UNRETRIEVABLE OR DAMAGED BEYOND REPAIR THE CUSTOMER SHALL IMMEDIATELY REIMBURSE SUE CORP FOR ALL COSTS INCURRED DUE TO THE REPLACEMENT OF THE STEERING HEAD & ALL DAMAGED EQUIPMENT.
- UNLESS A WRITTEN GUARANTEE FROM SUE CORP'S LOCAL HYDRAULIC SHOP CAN BE OBTAINED THERE SHALL BE NO INSTALLATION OF NEW ENDS CRIMPED ON THE DAMAGED HOSES OF THE STEERING HEAD.
- SUE CORP CANNOT GUARANTEE THE USE OF A STEERING SYSTEM WILL RESULT IN A USEABLE CASING INSTALLATION, AS GROUND CONDITIONS OR OBSTRUCTIONS CAN ALTER THE PATH OF THE STEERING SYSTEM BEYOND SUE'S CONTROL.
- CUSTOMER IS RESPONSIBLE TO CONTACT UNDERGROUND SERVICE ALERT & ALL KNOWN UTILITIES COMPANIES WHO HAVE ANY TYPE OF UTILITIES THAT INTERSECT WITH THE BORE CASING TO BE INSTALLED CUSTOMER SHALL POTHOLE ALL UTILITIES FROM BORE PIT TO RECEIVING PIT WITHIN 2 FEET OF EACH SIDE OF UTILITY INTERSECTION DOWN TO THE BORE CASING DEPTH SUE CORP RECOMMENDS THAT POTHOLES BE LEFT OPEN & PLATED IN ORDER TO PHYSICALLY SEE CASING CROSSING UNDER OR OVER INTERSECTING UTILITY CUSTOMER TO PROVIDE SUE CORP, WITH CUSTOMER'S DIG ALERT TICKET SO SUE CORP CAN CALL IN A DOUBLE DIG ALERT TICKET ~ PRIOR TO BORING DIG ALERT TICKET # _____ CUSTOMER SHALL HOLD SUE CORP & SUE CORP'S INSURANCE COMPANY HARMLESS FOR FAILURE TO PROPERLY LOCATE & POTHOLE ALL UTILITIES; DRAINAGE; & SUB-STRUCTURES CUSTOMER TO VERIFY DEPTHS OF ALL UTILITIES THAT INTERSECT BORE CASING & COMPARE TO PLAN PROFILE PRIOR TO SUE CORP'S MOBILIZATION SUE CORP'S STAND-BY RATE SHALL APPLY EVEN IF SUE CORP CANNOT MEET CUSTOMER'S SCHEDULE.
- CUSTOMER TO VERIFY COMPATIBILITY OF CARRIER PIPE SIZE IN CASING WITH RESPECT TO ACTUAL WORK TO BE PERFORMED.
- CUSTOMER TO VERIFY ACCURACY OF SURVEY STAKING OF BORE PRIOR TO SUE CORP'S MOVE ON. SUE CORP TO INSTALL CASING AS CUSTOMER DIRECTS SUE CORP TO SET UP BORE BASED ON SURVEY STAKING PRESENT AT TIME OF SUE CORP'S MOVE ON CUSTOMER IS SOLEY RESPONSIBLE FOR SURVEY MARKINGS.
- THERE SHALL BE NO LINE & GRADE GUARANTEES IN CASINGS UNDER 24" ID, CASING DIAMETERS SMALLER THAT 24 INCHES FOR MINIMAL DEVIATION BORES SHALL BE CHANGED TO 24" AT THE CUSTOMERS EXPENSE, INCLUDING ADDITIONAL BLOW SAND & LARGER EQUIPMENT (IF NEC).
- SUE CORP SCHEDULE/DURATION OF BORE WORK (DAYS TO COMPLETE BORE) TO BE DETERMINED. PLEASE NOTE THAT THE DURATION MAY INCREASE IF OBSTRUCTIONS ARE ENCOUNTERED, SUE CORP SHALL NOT BE RESPONSIBLE FOR DAMAGES.
- SUE CORP SHALL RESERVE THE RIGHT TO STOP WORKING DUE TO WEATHER CONDITIONS SUCH AS DRIZZLE, RAIN HAIL WINDS OR SATURATED WORKING AREA INCLUDING BUT NOT LIMITED TO UN-PAID INVOICES, CUSTOMER'S FAILURE TO SIGN SUE CORP'S EXTRA WORK OR STAND-BY DOCCUMENTS.
- ALL SPOILS ARE THE RESPONSIBILITY OF THE CUSTOMER.
- SUE CORP'S HOURLY ROCK, OBSRTUCTION, & STAND-BY RATE IS \$725.00 DOLLARS PER HOUR. (NON-NEGOTIABLE / NO BREAKDOWNS)

STANDARD TERMS/CONDITIONS & EXCLUSIONS

INT'L ARM
PRIME INT'L _____

14728 Biola Ave. La Mirada, CA. 90638
FAX (562) 309-8261

1/27/16
(2)

www.construction-coordination.com



SUE CORP (DBE/WBE/SBE) / CAL-DORADO (DBE/MBE/SBE)



STANDARD TERMS/CONDITIONS & EXCLUSIONS FOR ALL PROPOSALS

- WHEN CONDITIONS EXIST THAT PROHIBIT SUE CORP FROM STOCK PILING OR LEAVING EQUIPMENT OVERNIGHT ON THIS PROJECT, THE CUSTOMER SHALL BE RESPONSIBLE FOR SECURING A STORAGE YARD FOR SUCH IT SHALL REMAIN THE CUSTOMER'S RESPONSIBILITY TO MOVE ANY MATERIAL FROM STORAGE YARD TO SUE CORP'S BORE PIT LOCATION CUSTOMER TO MAINTAIN BORE PIT SURFACE AREA DAILY & NIGHTLY
- CUSTOMER IS RESPONSIBLE FOR ALL SUE CORP'S LEGAL FEES

EXCLUSIONS

- 1) BORE PIT & RECEIVING PIT EXCAVATION (SEE DIMENSIONS BELOW)
- 2) SHORING MATERIALS & INSTALLATION
- 3) Additional or Outside CERTIFIED WELDERS/ We can provide a Laborer Class 5 that has a welding certification to perform certified welding on casings.
- 4) ALL SPOILS ARE THE CUSTOMERS RESPONSIBILITY
- 5) LOCATING & POT-HOLING ALL UTILITIES BORE CROSSES (SUE CAN PROVIDE AT ADDITIONAL FEE)
- 6) ALL SURVEY FEES
- 7) INSPECTION FEES INCLUDING OVERTIME
- 8) ANY & ALL PERMITTS INCLUDING RIGHTS OF ENTRY FROM ANY PROPERTY OWNER
- 9) FLAGMAN, AND ENCROACHMENT PERMITTS FOR WORK WITHIN ACTIVE RAILROAD ROW.
- 10) CUSTOMER TO MAINTAIN AND PROTECT BORE & RECEIVING PIT AROUND THE CLOCK AT ALL TIMES. INCLUDING DE-WATERING AT CUSTOMER EXPENSE
- 11) ALL TESTING OF CARRIER PIPE
- 12) ROCK OR OBSTRUCTION CONDITIONS (SUE CORP'S HOURLY RATE IS \$725.00 PER HOUR, PORTAL TO PORTAL)
- 13) ADDITIONAL INSURANCES OR LIMITS THAT EXCEED THE CURRENT SUE CORP LEVELS OF INSURANCE.
 1. SUE, Inc. carries the following insurance:
 - A. Commercial General Liability: \$1,000,000 each occurrence limit/ \$2,000,000 general aggregate per project, \$2,000,000 products/completed operations aggregate/ \$1,000,000 personal and advertising injury aggregate.
 - B. Automobile Liability: \$1,000,000 combined single limit bodily injury and property damage liability for owned, non-owned and hired vehicles.
 - C. E&O: \$1,000,000
 - D. Umbrella Liability: \$4,000,000/ \$1,000,000 aggregate.
 - E. Worker's Compensation: \$1,000,000 Accident (Each Accident)/ \$1,000,000 by Disease Policy Limit/ \$1,000,000 by Disease (Each Employee).
 2. If additional insurance is required, SUE, Inc. reserves the right to transfer these additional insurance costs to the Prime or Contractor.
- 14) (BONDING) IF REQUIRED, CUSTOMER SHALL BE CHARGED AN ADDITIONAL 3-5% AT ACTUAL COST.

STANDARD TERMS/CONDITIONS & EXCLUSIONS

INT'L ARM
PRIME INT'L _____

14728 Biola Ave. La Mirada, CA. 90638
FAX (562) 309-8261

www.construction-coordination.com

1/27/16
(3)



**SUE CORP (DBE/WBE/SBE) / CAL-DORADO (DBE/MBE/SBE)
STANDARD TERMS/CONDITIONS & EXCLUSIONS FOR ALL PROPOSALS**

BORE-PIT DIMENSIONS

BORE / JACKING PIT SHALL BE 36 FEET IN LENGTH, 12 FEET IN WIDTH & 20 INCHES BELOW BOTTOM OF CASING. THE PIT SHALL BE OFFSET ONE FOOT TO THE LEFT OF CENTERLINE (STANDING AT THE REAR OF THE PIT LOOKING IN THE DIRECTION OF THE BORE). CUSTOMER IS TO PROVIDE SUITABLE BACK UP FOR SUE CORP'S EQUIPMENT TO THRUST AGAINST. ALL LABOR, MATERIAL, OR EQUIPMENT NEEDED TO PROVIDE A SUFFICIENT BACK UP SHALL BE THE CUSTOMERS EXPENSE. RECEIVING PIT SHALL BE 8 FEET IN LENGTH, 8 FEET IN WIDTH & 18 INCHES BELOW CASING.

PAYMENT 30 CALANDER DAYS, REGARDLESS IF CUSTOMER HAS BEEN PAID OR NOT. **NO** RETENTION TO BE HELD. IF PAYMENT IS LATE AN ADDITIONAL 4% MAY BE APPLIED AFTER 60 DAYS.

BY ACCEPTING THIS PROPOSAL OR LISTING SUE CORP (Formerly known as TRI-BORING INC.) ON THIS PROJECT, CUSTOMER AGREES TO ALL CONDITIONS & EXCLUSIONS WRITTEN ABOVE. THIS PROPOSAL IS VALID FOR 60 DAYS UNLESS SIGNED.

SIGNATURE,

X, _____ FIRM, _____ TITLE _____

PRINT NAME _____ DATE _____

X. Amy Rachel Miller DATE: 1-27-2016
AMY RACHEL MILLER, PRESIDENT, Safe Utility Exposure, Inc. (SUE CORP)

STANDARD TERMS/CONDITIONS & EXCLUSIONS

INT'L ARM
PRIME INT'L _____

14728 Biola Ave. La Mirada, CA. 90638
FAX (562) 309-8261

1/27/16
(4)

www.construction-coordination.com

4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents.

Description of Outreach	Dates	Location (if applicable)	Results
Online Ad	6/23/16 - Present	Caltrans	
Online Ad	6/23/16 - Present	Compliance News	
Faxed Invitations to bid to 200 Firms	6/23/16	N/A	See tab 4 for Fax Log
Online Ad	6/23/16	Construction update & Minority Business	Bulletin
Printed Ad	6/23/16 & 6/27/16	Construction update & Minority Business	Bulletin

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contracts. Provide copies of supporting documents.

Please see Tab 2

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.

Please see Tab 2

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

Please see Tab 2

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

SAM 6/23/16
 OSDC 6/23/16
 CUCP 6/23/16
 under tab 3

9. Include additional data to support a demonstration of good faith efforts.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

Home ➔ Construction Contract Awards ➔ **Advertised Projects This Week**

Listing for all primes seeking assistance with project 07-288204. 4 results found.

Contractor: Pacific Restoration Group, Inc. **Contact:** John Richards

Address: 325 E. Ellis Avenue, Perris, CA 92570

Phone: 951-940-6069 **Fax:** 951-940-6501 **Email:** jrichards@prgconst.com

Services needed: Pacific Restoration Group, Inc. (PRG) is seeking DBE participation for all trades; subcontractors and suppliers may quote the following: lead compliance plan, construction area signs, traffic control, job site management, prepared storm water pollution prevention plan (SWPPP), rain event action plan, storm water sampling and analysis day, storm water annual report, temporary hydraulic mulch, temporary drainage inlet protection, temporary fiber rolls, street sweeping, temporary concrete washout, irrigation facility removal, salvage irrigation facility, concrete curb and gutter removal, roadway excavation (20 CY) (type Z-2, aerially deposited lead), ditch excavation (74.5 CY), imported borrow (CY), roadside clearing, slow-release fertilizer, container plants, wood mulch, check and test irrigation, control and neutral conductors, remote control valves, wall-mounted irrigation controllers, 2" copper pipe (supply line) (90 LF), galvanized steel pipe, irrigation controller enclosure cabinet, backflow preventer assemblies, flow sensors, riser sprinkler assemblies, gate valves, schedule 40 plastic pipe, ball valves, 10" welded steel pipe conduit, compost, incorporate materials, minor concrete (1.4 CY), small-rock slope protection, rock slope protection fabric, traffic management system, electric service, landscaping (materials and/or installation), irrigation system materials and/or installation, plant establishment and maintenance. PRG will accept installation and/ or material/equipment quotes for each item of work.

Requirements: PRG is signatory with the Operating Engineers, Laborers, and Pipefitter unions. 100% performance and payment bonds may be required for the full amount of contract price. PRG will pay for bond premium up to 1.5%. Subcontractors must possess a current Contractor's License, and insurance and workers' compensation coverage meeting Caltrans requirements. Please call if you need assistance in obtaining bonding, insurance, equipment, materials, and/ or supplies. PRG intends to work cooperatively with all qualified firms seeking work on this project. PRG is an Equal Opportunity Employer.

Date posted: 06/08/2016

Contractor: Martinez Landscape Co., Inc **Contact:** Diana Martinez

Address: 12357 San Fernando Road Sylmar, CA 91342

Phone: 818-364-9188 **Fax:** 818-364-9958 **Email:** diana@martinezlandscape.com

Services needed: Subcontractors and suppliers may quote the following: lead compliance plan, construction area signs, prepared storm water pollution prevention plan (SWPPP), 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY

Requirements:

Date posted: 06/09/2016

Contractor: Griffith Company -- **Contact:** Janell Carlson

Address: 3050 E. Birch St. Brea, CA 92821

Phone: 714-984-5500 **Fax:** 714-854-7843 **Email:** jcarlson@griffithcompany.net

Services needed: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM JOB SITE MANAGEMENT PREPARE STORM WATER POLLUTION PREVENTION PLAN RAIN EVENT ACTION PLAN STORM WATER SAMPLING AND ANALYSIS STORM WATER ANNUAL REPORT TEMPORARY HYDRAULIC MULCH TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL STREET SWEEPING LS LUMP SUM TEMPORARY CONCRETE WASHOUT REMOVE IRRIGATION FACILITY SALVAGE IRRIGATION FACILITY REMOVE CONCRETE (CURB AND GUTTER) ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD) DITCH EXCAVATION IMPORTED BORROW ROADSIDE CLEARING SLOW-RELEASE FERTILIZER PLANT (GROUP H) PLANT (GROUP A) PLANT (GROUP U) MAINTAIN

EXISTING PLANTED AREAS PLANT ESTABLISHMENT WORK WOOD MULCH CHECK AND TEST EXISTING IRRIGATION FACILITIES OPERATE EXISTING IRRIGATION FACILITIES CONTROL AND NEUTRAL CONDUCTORS 1" REMOTE CONTROL VALVE 1 1/2" REMOTE CONTROL VALVE 2" REMOTE CONTROL VALVE 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED) 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED) 2" COPPER PIPE (SUPPLY LINE) 4" GALVANIZED STEEL PIPE (SUPPLY LINE) IRRIGATION CONTROLLER ENCLOSURE CABINET 2" BACKFLOW PREVENTER ASSEMBLY 3" BACKFLOW PREVENTER ASSEMBLY FLOW SENSOR RISER SPRINKLER ASSEMBLY (GEAR DRIVEN) RISER SPRINKLER ASSEMBLY 2" GATE VALVE 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) BALL VALVE 10" WELDED STEEL PIPE CONDUIT COMPOST INCORPORATE MATERIALS MINOR CONCRETE (MINOR STRUCTURE) SMALL-ROCK SLOPE PROTECTION ROCK SLOPE PROTECTION FABRIC (CLASS 8) MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION) MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION ELECTRIC SERVICE FOR IRRIGATION

Requirements: Bid Due Date: 7/7/16 2PM Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement. Griffith Company is an equal opportunity employer. If you have any questions or if you are interested in bidding this project please contact: Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

Date posted: 06/14/2016

Contractor: Marina Landscape, Inc. **Contact:** Rick Reynolds

Address: 3707 W. Garden Grove Blvd Orange, CA 92868

Phone: (714) 704-0459 **Fax:** (714) 935-0797 **Email:** rreynolds@marinaco.com

Services needed: Marina Landscape is seeking Qualified DBE Contractors/Vendors participation and quotes for the following items of work that have been broken down and can be broken down further into economical feasible elements to assist the participation of DBE CONTRACTORS/VENDORS: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Job site Management, Prepare Storm Water Pollution Prevention Plan, Rain Event Action Plan, Storm Water Sampling And Analysis Day, Storm Water Annual Report, Temporary Hydraulic Mulch, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Street Sweeping, Temporary Concrete Washout, Remove Concrete (Curb and Gutter), Roadway Excavation (Type Z-2)(Aerially Deposited Lead), Ditch Excavation, Imported Borrow (CY), Roadside Clearing, Plant Establishment Work, Plant Material, Irrigation Materials, Wood Mulch, Compost, Minor Concrete (Minor Structure), Small Rock Slope Protection, Rock Slope Protection Fabric (Class 8), Minor Concrete (Miscellaneous Construction), Maintaining Existing Traffic Management System Elements During Construction, Electric Service Irrigation,

Requirements: Marina Landscape is an equal opportunity employer and encourages the participation of all DBE subcontractors/vendors. Items listed above may be broken into feasible items to allow subcontractors/vendor a viable bid item. Subcontractors must possess a current active contractor's license, general liability insurance, and workers compensation insurance. Payment and performance bond may be required for the full contract amount. Marina Landscape is signatory with the operating engineers and laborers, and pipefitters unions. Please contact us if you need assistance in obtaining bonding, insurance, necessary equipment, supplies, and/or materials. Plans and specifications may be viewed at our office at 3707 W. Garden Grove Blvd, Orange, CA 92868 or available at Caltrans website www.dot.ca.gov/hq/esc/oe/weekly_ads

Date posted: 06/22/2016

Gault, Heather

From: Gault, Heather
Sent: Wednesday, June 22, 2016 4:55 PM
To: 'Saul D'Mark'
Subject: 07-288204 GFE Order
Attachments: Compliance News Order Form 07-288204.pdf; GFE Ad 07-288204.docx

Importance: High

Please see attached.



Heather Gault

Contract Administrator/Sub Compliance
Structures Division/Underground Division/Landscape Division
Griffith Company | www.griffithcompany.net
3050 E. Birch St. | Brea, CA 92821
Phone: 714.984.5500 ext 5595 | Fax: 714.854.0227
Email: hgault@griffithcompany.net

"The Griffith Way: Honesty, Integrity, and the commitment to deliver on our promises."

PLEASE NOTE THAT ONLY GRIFFITH COMPANY RELEASE FORMS WILL BE ACCEPTED.

**All compliance documents must be received by 4:00pm every Tuesday
to be included in the following Monday check run.**

Anything received after Tuesday will be processed a week following the Monday check run.



Good-Faith Effort Fax Form 4.0

Please print clearly in black ink with accurate information.

Company Info

Company Name Griffith Company
Your Name (for questions about this form) Heather Gault
Address 3050 E. Birch St.
City Brea State CA Zip 92821
Phone 714-984-5500 Fax 714-854-7843
Email jcarlson@griffithcompany.net Web Site www.griffithcompany.net
Contact Name to appear in Ads and/or Letters Janell Carlson

Project Info

Project Awarding Dept/Agency/Owner PLEASE SEE ADD
Project Name _____

Circle Category/s: DVBE SBE DBE MBE WBE OBE OTHER _____

Subs and Suppliers to provide: _____

Project Location (city) _____ (state) _____ (zip) _____

Bid Due Date 7/7/16 Bid Due Time 2PM

Bid Solicitation Contract Number 07-288204

Billing Info

Check one of the following:

- 1. The Works (Entire Good Faith Effort Process): \$90
Publish Ads + Log + Fed/State/Local Contact + Fax Solicitation Letters & Copies (limit 30)
- 2. The Works *Plus+* ("The Works" with Additional Letters): \$90 + \$1 per extra firm beyond 30
***Please specify total number of firms:*
- 3. Publish Ads & Return Proofs: \$35 Total Both Ads (Trade & Focus)
- 4. Publish Ads & Print Log (No Letters): \$55
- 5. Letters & Log (No Ads): \$55

PLEASE SEND INVOICE

Circle Card Type:	Visa	MasterCard	AMEX	Discover
Name On Card:	Billing Zipcode:			
Credit Card Number:	Expiration Date:			

** Please attach any additional wording you would like to include in your ads and letters. **

Fax this form to (562) 439-1398 or log in and complete at www.compliancencenews.com 24/7!

Compliance News Monthly Trade Journal
Publication Affidavit-Declaration of Publication -- State of California

Griffith Company (Brea) is seeking certified and qualified DBE (DBE GOAL: 11%) subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

for CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Contact: Janell Carlson
3050 E. Birch Street
Brea, CA, 92821
Phone: (714) 984-5500
Fax: (714) 854-7843
Email: jcarlson@griffithcompany.net

Bid Due on: 07/07/2016 at 02:00 PM
Solicitation Number: 07-288204

Undercrossing To Boyle Avenue Overcrossing in In Los Angeles County In Los Angeles And East Los Angeles,CA

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

The Griffith Company (Brea) Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancencenews.com/classified_monthly

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Thu Jun 23 20:13:35 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Compliance News Daily Focus Journal
Publication Affidavit-Declaration of Publication -- State of California

Griffith Company (Brea) is seeking certified and qualified DBE (DBE GOAL: 11%) subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

for CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Contact: Janell Carlson
3050 E. Birch Street
Brea, CA, 92821
Phone: (714) 984-5500
Fax: (714) 854-7843
Email: jcarlson@griffithcompany.net

Bid Due on: 07/07/2016 at 02:00 PM
Solicitation Number: 07-288204

Undercrossing To Boyle Avenue Overcrossing in In
Los Angeles County In Los Angeles And East Los
Angeles,CA

Griffith Company will assist in obtaining bonds,
lines of credit, insurance, necessary equipment,
supplies, materials, as well as any related assistance
in services. Plans and specs are available for review
in our office. Please call for an appointment. 100%
bonding may be required. Subcontractors must have
a current contractor's license, DIR Registration
Number, effective insurance and will be required to
sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity
employer.

If you have any questions or if you are interested in
bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to
714-854-7843.

The Griffith Company (Brea) Good Faith Effort ad has been published in both the Compliance
News Internet and Hard-Copy publications.
Located Online at: http://www.compliancencenews.com/classified_daily

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the
Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and
the State of California. The notice, a true copy of which is attached was published on Thu Jun 23
20:13:35 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach,
California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved



The Latest Project Opportunities for DBE/SBE/DVBE

Live Bid Search

Find the Prime Contractors that need you.
Try typing in your specialty (ie. **roofing, painting, or electrical**)

- [Home](#)
- [Project Ads](#)
- [Small Business Search](#)
- [Register](#)
- [Announcements](#)
- [About](#)
- [Fax Order Form](#)
- [Login](#)

[Home](#) >> **Classified Daily**

Pick a date using the following form and click on the Find button to find all Ads posted on a given day.

4 Ads Total.

Project Details

A2Z Construct, Inc. is seeking certified and qualified
DVBE subcontractors and/or suppliers to provide:
Stainless Steel Handrails

for project:
 Santa Ana Unified School District - Dance Floor Replacement

Santa Ana, CA
 92701

Bid Due: Monday, Jun 27, 2016 at 10:00 AM PST
 Solicitation Number: 1061416-0053

We are an Equal Opportunity Employer.

**A2Z
 Construct,
 Inc.**

Contact

Matthew Jafari
 P.O. Box 80425
 Rancho Santa
 Margarita, CA
 92688

Telephone:
 (949) 283-5179
 Fax: (949) 589-
 4274

Published:
 Thursday, Jun

23, 2016 at
08:56 PM PST

Project Details

CJ Concrete Construction, Inc. is seeking certified and qualified **DBE, MBE, WBE** subcontractors and/or suppliers to provide:
Demo, Hauling, Trucking, Survey, Concrete

for project:
City of Inglewood - Sidewalk Replacement Project, FY 2015-16

Inglewood, CA
90301

Bid Due: Wednesday, Jun 29, 2016 at 11:30 AM PST
Solicitation Number: CB-16-08

We will provide assistance to interested companies in obtaining bonding, lines of credit and/or insurance required by Contractor. We are an Equal Opportunity Employer.

CJ Concrete Construction, Inc.

Contact

Rachel Jimenez
10142 Shoemaker
Avenue
Santa Fe Springs, CA
90670

Telephone: (562)
777-2222

Fax: (562) 777-2220

Published: Thursday,
Jun 23, 2016 at 08:41
PM PST

Project Details

Griffith Company (Brea) is seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers to provide:
LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL

Griffith Company (Brea)



**GRIFFITH
COMPANY**

Contact

Janell Carlson
3050 E. Birch
Street
Brea, CA
92821

Telephone:
(714) 984-5500
Fax: (714)

PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

854-7843

[Home Page](#)

Published:

Thursday, Jun

23, 2016 at

08:13 PM PST

for project:

CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

In Los Angeles County In Los Angeles And East Los Angeles, CA
90023

Bid Due: Thursday, Jul 07, 2016 at 02:00 PM PST

Solicitation Number: 07-288204

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement. Griffith Company is an equal opportunity employer. If you have any questions or if you are interested in bidding this project please contact: Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

Project Details

Jeff Luchetti Construction, Inc. is seeking certified and qualified **DVBE** subcontractors and/or suppliers to provide:

All Trades for site work and building construction of new single story, 11,520 SF classroom building.

for project:

Alhambra High School Building K - Increment 1 and 2 Martinez Unified School District
150 E Street

**Jeff Luchetti
Construction,
Inc.**

Contact

Kyle Chamberlain
70 Stony Point Road,
Suite D
Santa Rosa, CA

Martinez, CA
94553

95401

Bid Due: Wednesday, Jun 29, 2016 at 02:00 PM PST
Solicitation Number: N/A

Telephone: (707)
527-5788
Fax: (707) 636-5509
Published: Thursday,
Jun 23, 2016 at 03:58
PM PST

We are an Equal Opportunity Employer.

4 Ads Total.

 [Contact](#) |  [Privacy Policy](#) |  [Supported Browsers](#) |  [Demo](#)



GRIFFITH COMPANY



3050 E. Birch St.
Brea, CA 92821

Phone (714) 984-5500 • Fax (714) 854-7843

Length of Run (check one)

- 2 Times – \$24.00 each (1 trade/1 focus) = \$48.00
- 2 Times – 2 Weeks – (4 insertion rate) = \$96.00
(2 trade/2 focus)

Comments:

(ALL ADS RUN ON OUR WEB SITE AT NO EXTRA CHARGE)
www.goodfaitheffort.com

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED MBE/WBE/DBE/DVBE/SBE/UDBE SUBCONTRACTORS AND SUPPLIERS

Project _____ PLEASE SEE ATTACHED AD FOR ALL PERTINENT INFO _____

_____ Contact Name _____

Project Number 07-288204 Project Location _____

Bid Date and Time 7/7/16 Respond By 2PM

Additional Information _____

Run Ad On Following Dates ASAP AND ON WEB TODAY!



16885 W. Bernardo Dr., Suite 335
San Diego, CA 92127
Phone Number (858) 487-2600 • Fax (858) 487-3500
<http://www.goodfaitheffort.com>



GRIFFITH COMPANY
REQUESTING SUB BIDS ON ALL TRADES
FROM QUALIFIED DBE SUBCONTRACTORS AND SUPPLIERS

DBE GOAL: 11%

PROJECT INFORMATION:

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

CALTRANS Contract No. 07-288204

SCOPE OF WORK:

LEAD COMPLIANCE PLAN
CONSTRUCTION AREA SIGNS
TRAFFIC CONTROL SYSTEM
JOB SITE MANAGEMENT
PREPARE STORM WATER POLLUTION PREVENTION PLAN
RAIN EVENT ACTION PLAN
STORM WATER SAMPLING AND ANALYSIS
STORM WATER ANNUAL REPORT
TEMPORARY HYDRAULIC MULCH
TEMPORARY DRAINAGE INLET PROTECTION
TEMPORARY FIBER ROLL
STREET SWEEPING LS LUMP SUM
TEMPORARY CONCRETE WASHOUT
REMOVE IRRIGATION FACILITY
SALVAGE IRRIGATION FACILITY
REMOVE CONCRETE (CURB AND GUTTER)
ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD)
DITCH EXCAVATION
IMPORTED BORROW
ROADSIDE CLEARING
SLOW-RELEASE FERTILIZER
PLANT (GROUP H)

PLANT (GROUP A)

PLANT (GROUP U)

MAINTAIN EXISTING PLANTED AREAS

PLANT ESTABLISHMENT WORK

WOOD MULCH

CHECK AND TEST EXISTING IRRIGATION FACILITIES

OPERATE EXISTING IRRIGATION FACILITIES

CONTROL AND NEUTRAL CONDUCTORS

1" REMOTE CONTROL VALVE

1 1/2" REMOTE CONTROL VALVE

2" REMOTE CONTROL VALVE

16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED)

24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED)

2" COPPER PIPE (SUPPLY LINE)

4" GALVANIZED STEEL PIPE (SUPPLY LINE)

IRRIGATION CONTROLLER ENCLOSURE CABINET

2" BACKFLOW PREVENTER ASSEMBLY

3" BACKFLOW PREVENTER ASSEMBLY

FLOW SENSOR

RISER SPRINKLER ASSEMBLY (GEAR DRIVEN)

RISER SPRINKLER ASSEMBLY

2" GATE VALVE

3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)

1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)

1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)

1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)

2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)

BALL VALVE

10" WELDED STEEL PIPE CONDUIT

COMPOST

INCORPORATE MATERIALS

MINOR CONCRETE (MINOR STRUCTURE)

SMALL-ROCK SLOPE PROTECTION

ROCK SLOPE PROTECTION FABRIC (CLASS 8)

MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)

MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION

ELECTRIC SERVICE FOR IRRIGATION

BID DUE DATE: July 7, 2016 2:00PM

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:
Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

TRANSMISSION VERIFICATION REPORT

TIME : 06/22/2016 17:04
NAME :
FAX :
TEL :
SER.# : BROL7J725813

DATE, TIME 06/22 17:04
FAX NO./NAME 18584873500
DURATION 00:00:29
PAGE(S) 04
RESULT OK
MODE STANDARD
ECM

Preferred Advertiser

GRIFFITH COMPANY

3050 E. Birch St.

Brea, CA 92821

Phone (714) 984-5500 • Fax (714) 854-7843

Preferred Advertiser

Length of Run (check one)

- 2 Times – \$24.00 each (1 trade/1 focus) = \$48.00
- 2 Times – 2 Weeks – (4 insertion rate) = \$96.00
(2 trade/2 focus)

Comments:

(ALL ADS RUN ON OUR WEB SITE AT NO EXTRA CHARGE)
www.goodfaiththeffort.com

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED MBE/WBE/DBE/DVBE/SBE/UDBE SUBCONTRACTORS AND SUPPLIERS

Project PLEASE SEE ATTACHED AD FOR ALL PERTINENT INFO

Contact Name

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILE COPY

STATE OF CALIFORNIA

FILED

Suzie Davidson /Art Director

GRIFFITH COMPANY
REQUESTING SUB BIDS ON ALL TRADES FROM QUALIFIED DBE
SUBCONTRACTORS AND SUPPLIERS - DBE GOAL: 11%

PROJECT: CONSTRUCTION IN LOS ANGELES COUNTY IN LOS ANGELES AND
EAST LOS ANGELES ON ROUTE 60 FROM 0.1 MILE WEST OF BOYLE AVENUE
UNDERCROSSING TO EASTERN AVENUE OVERCROSSING AND ON ROUTE 5
FROM EUCLID UNDERCROSSING TO BOYLE AVENUE OVERCROSSING
CALTRANS CONTRACT NO. 07-288204

SCOPE OF WORK: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC
CONTROL SYSTEM; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION
PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND
ANALYSIS; STORM WATER ANNUAL REPORT; TEMPORARY HYDRAULIC MULCH;
TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; STREET
SWEEPING LS LUMP SUM; TEMPORARY CONCRETE WASHOUT; REMOVE IRRIGATION
FACILITY; SALVAGE IRRIGATION FACILITY; REMOVE CONCRETE (CURB AND
GUTTER); ROADWAY EXCAVATION (TYPE 2-2) (AERIALY DEPOSITED LEAD); DITCH
EXCAVATION; IMPORTED BORROW; ROADSIDE CLEARING; SLOW-RELEASE
FERTILIZER; PLANT (GROUP H); PLANT (GROUP A); PLANT (GROUP U); MAINTAIN
EXISTING PLANTED AREAS; PLANT ESTABLISHMENT WORK; WOOD MULCH; CHECK
AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION
FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; 1" REMOTE CONTROL VALVE;
1 1/2" REMOTE CONTROL VALVE; 2" REMOTE CONTROL VALVE; 16-18 STATION
IRRIGATION CONTROLLER (WALL MOUNTED); 24-32 STATION IRRIGATION
CONTROLLER (WALL MOUNTED); 2" COPPER PIPE (SUPPLY LINE); 4" GALVANIZED
STEEL PIPE (SUPPLY LINE); IRRIGATION CONTROLLER ENCLOSURE CABINET; 2"
BACKFLOW PREVENTER ASSEMBLY; 3" BACKFLOW PREVENTER ASSEMBLY; FLOW
SENSOR; RISER SPRINKLER ASSEMBLY (GEAR DRIVEN); RISER SPRINKLER
ASSEMBLY; 2" GATE VALVE; 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1"
PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1 1/4" PLASTIC PIPE (SCHEDULE 40)
(SUPPLY LINE); 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 2" PLASTIC PIPE
(SCHEDULE 40) (SUPPLY LINE); BALL VALVE; 10" WELDED STEEL PIPE CONDUIT;
COMPOST; INCORPORATE MATERIALS; MINOR CONCRETE (MINOR STRUCTURE);
SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION FABRIC (CLASS 8);
MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION); MAINTAINING EXISTING
TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; ELECTRIC
SERVICE FOR IRRIGATION

BID DUE DATE: JULY 7, 2016 - 2:00 P.M.

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary
equipment, supplies, materials, as well as any related assistance in service. Plans and
specs are available for review in our office. Please call for an appointment. 100%
bonding may be required. Subcontractors must have a current contractor's license, DIR
Registration Number, effective insurance and will be required to sign the standard Griffith
Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact
Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter.
I am principal clerk of the publisher of the Construction Up-Date, Inc, and Minority Bidders Bulletin, a trade/focus
publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy
hereon, was published on the below date(s):

I declare under penalty of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson

signature

CONSTRUCTION
UP-DATE
INC.



6/23/16

TRADE PUBLICATION

DATES PUBLISHED

Minority
Bidders
Bulletin
C.D. Inc.'s



6/27/16

FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ <http://www.goodfaitheffort.com>

16885 W. Bernardo Dr., Suite 335, San Diego, CA 92127 • Phone No. (858) 487-2600 • Fax Number (858) 487-3500

General work description: Concrete improvements, pulverize and pave roadway.

Granite Construction Company (Granite) is requesting quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: Liquid AC, concrete-ready mix, pavement marking, grind-pulverize, curb & flatwork, underground utilities, construction survey.

Quotations will be broken down into comparable packages as reasonably necessary. Granite will work with interested subcontractors to identify opportunities to break down items into economically feasible packages.

For any bid proposal submitted on or after March 1, 2015 and any contract for public work entered into on or after April 1, 2015, the following registration requirements apply: Every Subcontractor is required to be registered to perform public work pursuant to Section 1725.5 of the Public Contract Code ("Section 1725.5"). No Contractor or Subcontractor shall be qualified to bid on, be listed in a bid proposal pursuant to Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, unless currently registered to perform public work pursuant to Section 1725.5. No bid shall be accepted nor any subcontract entered into without proof of the Subcontractor's current registration to perform public work pursuant to Section 1725.5.

Plans and specifications are available at our office for viewing or at the following drop box link: <https://www.dropbox.com/home/City%20of%20Palm%20Springs%2C%20Mesquite%20Ave>.

For the following project:

PROJECT: MESQUITE AVENUE STREET IMPROVEMENTS
OWNER: CITY OF PALM SPRINGS
BID DUE: 07/07/16 @ 2:00 PM

Contact: GRANITE CONSTRUCTION COMPANY
Estimator: Joe Richardson - joe.richardson@gcinc.com
38000 Monroe Street, Indio, CA 92203; Phone: 760/775-7500; Fax: 760/337-3030

Granite Construction Company (CA License 89) is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons and Carpenters unions. 100% performance and payment bonds may be required for the full amount of subcontract price. Granite will pay for bond premium up to 1.5%. Subcontractors must possess a current contractor's license, insurance and worker's compensation coverage meeting Granite's requirements and will be required to sign the standard Granite Subcontract Agreement. A copy of the insurance requirements and agreement can be obtained by contacting the estimator. Please call if you need assistance in obtaining bonding, insurance, equipment, materials and/or supplies. Granite intends to work cooperatively with all qualified firms seeking work on this project. We are an Equal Opportunity Employer.

CT&T CONCRETE PAVING, INC.

PROJECT:

MESQUITE AVENUE STREET IMPROVEMENTS - PALM SPRINGS, CA
PROJECT NO. CP 12-01

BID DATE: JULY 7, 2016 **BID TIME: 3:00 PM**
Please respond by: July 6, 2016

CT&T Concrete Paving, Inc. is accepting Bids from certified DBE Subcontractors for the following trades: Traffic Control, Water Pollution Control, Striping/Pavement Marking. By submitting a bid you agree to sign CT&T Concrete Paving, Inc.'s Subcontract Agreement. Subcontractor must possess a valid Contractor's License, active DBE No. and an active DIR Registration No. at the time of Bid. Spec's & Plans available upon request. E-mail: richard@cttconcrete.com for Project info.

CT&T CONCRETE PAVING, INC.

Contact: Jose Carvajal
324 S. Diamond Bar Blvd., PMB275
Diamond Bar, CA 91765
Phone (909) 629-8000 • Fax (909) 629-8001
AN EQUAL OPPORTUNITY EMPLOYER

J.R. PIPELINE CO., INC.

(Union Contractor with Laborer's Local 300 Union)

1530 NANDINA AVENUE
PERRIS, CA 92571
PH: 951/940-5090 • FAX: 951/940-5094

A EOE Requests Sub Bids from Qualified DBE
Subcontractors & Suppliers for the following
County Sanitation District No. 2 of Los Angeles County:

JOINT OUTFALL "A" UNIT 6 TRUNK SEWER REHABILITATION
BID OPENING: THURSDAY, JULY 28, 2016 - 3:00 P.M.

Scope of Work Requested (but not limited to): Annular Space Grout, Sewer Bypass, Concrete/Sand/Gravel, Cast in Place Pipe, Closed Circuit Television, Fencing, Manhole Rehabilitation, Manholes, Non Hazardous/Hazardous Debris Disposal, Structures, Traffic Control and/or Trucking.

Schedules will be accommodated if necessary. Insurance, 100% Payment and Performance Bonds, and/or equipment may be required. Plans and Specifications are available for viewing, by appointment, at our main office. Please contact our office for viewing plans and specifications and/or information/assistance in obtaining insurance, bonding, and/or equipment.

Please note, per the State of California all subcontractors must be registered with the Department of Industrial Relations Public Works and have valid DBE Certification prior to bid time.

Contact: Linda Fernandez at 951/940-5090

GRIFFITH COMPANY

REQUESTING SUB BIDS ON ALL TRADES FROM QUALIFIED DBE
SUBCONTRACTORS AND SUPPLIERS - DBE GOAL: 11%

PROJECT: CONSTRUCTION IN LOS ANGELES COUNTY IN LOS ANGELES AND EAST LOS ANGELES ON ROUTE 60 FROM 0.1 MILE WEST OF BOYLE AVENUE UNDERCROSSING TO EASTERN AVENUE OVERCROSSING AND ON ROUTE 5 FROM EUCLID UNDERCROSSING TO BOYLE AVENUE OVERCROSSING
CALTRANS CONTRACT NO. 07-288204

SCOPE OF WORK: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS; STORM WATER ANNUAL REPORT; TEMPORARY HYDRAULIC MULCH; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; STREET SWEEPING LS LUMP SUM; TEMPORARY CONCRETE WASHOUT; REMOVE IRRIGATION FACILITY; SALVAGE IRRIGATION FACILITY; REMOVE CONCRETE (CURB AND GUTTER); ROADWAY EXCAVATION (TYPE 2-2) (AERIALY DEPOSITED LEAD); DITCH EXCAVATION; IMPORTED BORROW; ROADSIDE CLEARING; SLOW-RELEASE FERTILIZER; PLANT (GROUP H); PLANT (GROUP A); PLANT (GROUP U); MAINTAIN EXISTING PLANTED AREAS; PLANT ESTABLISHMENT WORK; WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; 1" REMOTE CONTROL VALVE; 1 1/2" REMOTE CONTROL VALVE; 2" REMOTE CONTROL VALVE; 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED); 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED); 2" COPPER PIPE (SUPPLY LINE); 4" GALVANIZED STEEL PIPE (SUPPLY LINE); IRRIGATION CONTROLLER ENCLOSURE CABINET; 2" BACKFLOW PREVENTER ASSEMBLY; 3" BACKFLOW PREVENTER ASSEMBLY; FLOW SENSOR; RISER SPRINKLER ASSEMBLY (GEAR DRIVEN); RISER SPRINKLER ASSEMBLY; 2" GATE VALVE; 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); BALL VALVE; 10" WELDED STEEL PIPE CONDUIT; COMPOST; INCORPORATE MATERIALS; MINOR CONCRETE (MINOR STRUCTURE); SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; ELECTRIC SERVICE FOR IRRIGATION

BID DUE DATE: JULY 7, 2016 - 2:00 P.M.

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in service. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

DESILVA GATES Construction

11555 Dublin Blvd., P.O. Box 2909
Dublin, CA 94568-2909
(925) 829-9220 • Fax (925) 803-4263
Contractors License No. 704195A

DeSilva Gates Construction (DGC) is preparing a bid as a Prime Contractor for the project listed below:

PROJECT: CITY OF SAN LEANDRO ANNUAL OVERLAY/REHABILITATION 2015-16
PROJECT NO. 2016.0050 - BID NO. 15-16.016
Local Business Enterprise Goal Assigned is 25%

OWNER: CITY OF SAN LEANDRO - ENGINEERING AND TRANSPORTATION DEPT.
835 EAST 14th STREET, SAN LEANDRO, CA 94577

BID DATE: JUNE 24, 2016 @ 11:00 A.M. **ESTIMATOR: ALAN McKEAN**

DGC is soliciting quotations from certified Local Business Enterprises, for the following types of work and supplies/materials including but not limited to: ADJUST IRON, ELECTRICAL, CEMENT TREATMENT, MINOR CONCRETE, PAVING FABRIC, STRIPING, SPEED CUSHIONS, TRUCKING, STREET SWEEPING, HOT MIX ASPHALT (TYPE A) MATERIAL.

Plans and specifications may be reviewed at our office located at 11555 Dublin Blvd, Dublin, CA, or 7700 College Town Drive, Sacramento, CA, or at your local Builders Exchange, or reviewed and downloaded from the ftp site at: <ftp://ftp%25desilvagates.com:17pa55wd@pub.desilvagates.com> (if prompted the username is ftp@desilvagates.com and password is 17pa55wd) or from the Owner's site at <http://www.sanleandro.org/depts/finance/purchasing/bids>.

Fax your bid to 925-803-4263 to the attention of Estimator Alan McKean. If you have questions for the Estimator, call at 925-829-9220. When submitting any public works bid please include your DUNS number and DIR number. For questions regarding registration for DIR use the link at: www.dir.ca.gov/Public-Works/PublicWorks.html.

If you need LBE support services and assistance in obtaining bonding, lines of credit, insurance, necessary equipment, materials and/or supplies or related assistance or services, for this project call the Estimator at 925-829-9220, or contact your local Small Business Development Center Network (<http://californiasbdc.org>) or contact the California Southwest Transportation Resource Center (www.transportation.gov/osdbu/SBTRCs). DGC is willing to breakout portions of work to increase the expectation of meeting the LBE goal.

At our discretion, 100% Payment and 100% Performance bonds may be required as a subcontract condition. This will be a PREVAILING WAGE JOB. DGC is an equal opportunity employer.

BIDS REQUESTED FROM QUALIFIED DBE SUBCONTRACTORS AND SUPPLIERS FOR THE FOLLOWING PROJECT:

**CONSTRUCTION OF JOINT OUTFALL "A" UNIT 6 TRUNK SEWER REHABILITATION FOR THE COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY
BID DATE: JULY 28, 2016 - 3:00 P.M.**

Seeking suppliers and subcontractors for: Fiber Glass Reinforced Pipe (FRP), CCTV, Annular Grout, Large Sewer Pipe Cleaning, Rehabilitation of Existing Manholes (Epoxy Coat and Fiberglass Lining), Slurry Seal, Trucking, and Stripping.
(Work areas may be broken down into economically feasible units in order to facilitate DBE participation.)

Plans and Specifications are available and may be viewed at our office by appointment.

Steve Bubalo Construction Co. intends to conduct itself in "Good Faith" with DBE firms and seriously consider all proposals for participation in this project. Performance and/or Payment Bonds may be required. Assistance will be given in obtaining bonds, lines of credit, and/or insurance.

STEVE BUBALO CONSTRUCTION COMPANY

(equal opportunity employer)
Contact: Noel Moore
P.O. BOX 1048 MONROVIA, CA 91017 PHONE 626/574-7570 FAX 626/574-7642

**GRIFFITH COMPANY
REQUESTING SUB-BIDS ON ALL TRADES
From Qualified DBE Subcontractors & Suppliers
DBE Goal: 4%, for the following project:**

**CITY OF CALIFORNIA CITY
HACIENDA BLVD REHABILITATION
REDWOOD BLVD TO FOREST BLVD
PROJECT NO. STPL-5399(024)**

SCOPE OF WORK: Cold Plane Existing AC Surface and Haul Off Site, Cement Treated Subgrade - Pulverize Existing Material & Mix with 5% Cement Water and Compact to 95%, 4" Type B HMA, Install Concrete V-Gutter, Install 12" Thermoplastic Cross Walk/Limit Line, Install 4" Yellow Thermoplastic Centerline Stripe-Detail 2, Install 4" Yellow Thermoplastic Centerline Stripe-Detail 22, Install White Thermoplastic Pavement Markings, Furnish and Install R1-1 Sign (36" x 36") STOP, Furnish and Install R2-1 Sign (24" x 30") SPEED LIMIT, Furnish and Install W3-1 Sign (36" x 36") STOP AHEAD, Furnish and Install SW24-1(CA) Fluorescent Yellow-Green Sign (36" x 48") SCHOOL WARNING, Furnish and Install SR4-1 (CA) Sign (36" x 72") SCHOOL SPEED LIMIT 25, Furnish and Install S4-5a Sign (36" x 36") 25 MPH SCHOOL ZONE AHEAD, Furnish and Install SS-3 Sign (24" x 30") END SCHOOL SPEED LIMIT, Preconstruction Biological Survey, QC/QA, SWPPP, Temporary Traffic Control, Hauling.

**BIDS: JUNE 30, 2016 AT 2:00 PM
BIDS DUE: JUNE 30, 2016 AT 2:00 PM**

Plans & Specs are available for review from 7:00 am - 5:00 pm Monday through Friday at:

**GRIFFITH COMPANY
(AN EQUAL OPPORTUNITY EMPLOYER)
1128 Carrier Parkway Avenue, Bakersfield, CA 93308
Phone: (661) 392-6640 • Fax (661) 393-9525
Contact: STEVE DEVERS, ESTIMATOR**

**100% BONDING MAY BE REQUIRED FOR ALL SUBCONTRACTORS.
ASSISTANCE AVAILABLE IN OBTAINING BONDS, LINES OF CREDIT, INSURANCE,
NECESSARY EQUIPMENT & TECHNICAL ASSISTANCE. GRIFFITH COMPANY INTENDS
TO CONDUCT ITSELF IN "GOOD FAITH" WITH DBE FIRMS REGARDING
PARTICIPATION ON THIS PROJECT.**

**REQUEST FOR CERTIFIED DBE SUBCONTRACTORS & SUPPLIERS
WITH CALIFORNIA DBE CERTIFICATION:**

**INLAND RAIL TRAIL, SAN MARCOS TO VISTA, SEGMENTS 2A, 2B, 3A, 3D AND 4
CONTRACT NO. CIP 1223023 IFB50007013
LOCATION: SAN MARCOS, CA**

OWNER: SAN DIEGO ASSOCIATION OF GOVERNMENTS (SANDAG)

**BID DATE: JUNE 30, 2016 AT 2:00 P.M.
DBE Goal - 14%**

Quotes requested for, but not limited to, the following types of work:

- Aggregates • Asphalt Dike • CIDH Piling • Clear & Grub • Cold Plane AC • Concrete Ditch • Construction Area Signs • Decomposed Granite • Drainage • Electrical • Environmental Compliance Officer • Erosion Control • Fencing and Railing • Formliner • Landscape and Irrigation • Manholes • Minor Concrete • Misc. Iron and Steel • Pipe Supply • Precast Concrete • Prefabricated Steel Truss • Quality Control • Ready Mix Concrete • Reinforcing Steel • Roadside Signs • Rock Slope Protection • Street Sweeping • Stripping • Stucco Finish • Survey.

Plans and specifications can be downloaded, at no cost from SANDAG web site at: <https://www.planetbids.com/portal/portal.cfm?CompanyID=14207> (registration required). Additionally, plans and specifications are available at Flatiron's San Marcos, CA and Chino Hills, CA offices. Please call to make an appointment to view plans and specifications.

Assistance in obtaining bonding, lines of credit, insurance, equipment, supplies and materials is available upon request. Flatiron analyzes and considers each DBE quote, including those that are broken down into economically feasible units to facilitate bidding.

Quotations must be valid for same duration as specified by Owner for contract award.

Subcontractors are required to possess and maintain a current contractor's license and must also be registered with the Department of Industrial Relations (DIR) as required by Public Contract Code Section 1725.5. Subcontractors will be required to execute Flatiron's Standard Subcontract Terms and Conditions and insurance requirements. A copy of our Standard Terms and Conditions is available in electronic format upon request.

Bond Requirements: Notwithstanding any contrary language in a bid to Flatiron West, Inc. ("Flatiron") or any prior course of dealing between Flatiron and a bidder, and unless waived in writing by Flatiron, Flatiron reserve the right, pursuant to Public Contract Code Section 4108 and otherwise, to require each bidder to provide payment and performance bonds assuring bidder's obligations to Flatiron in the amount of 100 percent of the bid to Flatiron. Flatiron will reimburse the bond premium at actual cost not to exceed 3%. The surety on the bonds must be a California admitted surety.

Non-DBE Subs/Suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

FLATIRON WEST, INC.
1770 La Costa Meadows Drive, San Marcos, CA 92078
Phone (760) 916-9100 ext. 2490 • Fax (760) 471-4860
Contact: Lucinda Medrano, Estimating Assistance
Email: SDBids@flatironcorp.com
An Equal Opportunity Employer

Shimmick Construction Company, Inc. is Prime Contractor seeking quotes from certified Disadvantaged Business Enterprises (DBEs) Subcontractors/Suppliers for the following projects:

**Construct 4-Foot Right Shoulder, Pave Turnouts, Replace/Add MBGR
in District 12 - Orange County (near San Juan Capistrano)
California Department of Transportation Contract #12-0L7204
Bid Date and Time: July 13, 2016 at 2:00 pm**

Subcontractors/Suppliers Requested for, but not limited to, the following: Clear and Grub, Hot Mix Asphalt Dike, Hot Mix Asphalt, Removal and Installation of Guardrail, Removal and Installation of Roadside Signs, Removal and Installation of Fence, Irrigation and Landscaping, Removal of Treated Wood Waste, Temporary Erosion Control, Biologist, Class 2 Aggregate Base, Corrugated Steel Pipe, Underdrain, Reinforced Concrete Pipe and Cured in Place Pipeliner.

Items of work may be broken down into economically feasible packages to encourage participation. Shimmick Construction intends to conduct itself in good faith with all firms for participation on this project.

**Shimmick Construction Company, Inc., 16481 Scientific Way - Irvine, CA 92618,
Phone 949-333-1500, Fax 949-333-1510**

For additional project information or to discuss obtaining necessary equipment, supplies, and/or materials, please contact Ian Huber, ihuber@shimmick.com (949) 398-6067.

Contract documents are available at: *Electronic copies of the plans and specifications can be downloaded from the Caltrans web site http://www.dot.ca.gov/hq/esc/oe/weekly_ads/index.php under Advertised Projects. Shimmick has also made plans and specifications available through our SmartBidNet. If you require assistance with access to plans/specs or contract requirements please contact Ian Huber, ihuber@shimmick.com (949) 398-6067.

CONTRACTOR REGISTRATION REQUIREMENTS: LABOR CODE SECTION 1771.1 (a)
A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined in this chapter, unless currently registered and qualified to perform public work pursuant to Section 1725.5. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1725.5 at the time the contract is awarded.

Any bid submitted will confirm the acceptance of the terms and conditions of SCCI's Standard Long Form Subcontract, available upon request. A Subcontractor providing a proposed bid/price will be viewed as accepting SCCI's Standard Long Form Subcontract. 100% Performance and Payment bonds with a surety company acceptable to that of Shimmick Construction are required of subcontractors. Shimmick Construction will pay bond premium up to 1.0%. Subcontractors will be required to abide by terms and conditions of the AGC Master Labor Agreements and to execute an agreement utilizing the latest Shimmick Construction Standard Long Form Subcontract incorporating prime contract terms and conditions, including payment provisions-subcontract draft copy available upon request. Subcontractor must provide insurance coverage for their work as required by the Prime contract or Shimmick minimum - whichever is greatest. Shimmick's minimum insurance requirement is: General Liability \$1M-Per Occurrence/\$2M-Agg/\$2M-Completed Operations; Excess Liability \$5M; Auto Liability \$1M; Workers Comp & Employer Liability \$1M. Shimmick Construction's listing of a Subcontractor is not to be construed as an acceptance of all of the Subcontractor's conditions or exceptions included with the Subcontractor's price quote. Shimmick requires that Subcontractor and Supplier price quotes be provided at a reasonable time prior to the bid deadline to enable a complete evaluation. For assistance with bonding, insurance or lines of credit contact Scott Fairgrieve at (510) 777-5000.

Shimmick Construction Company, Inc. is An Equal Opportunity Employer

STEVE P. RADOS, INC.

An Equal Opportunity Employer is requesting quotations from all qualified DBE, MBE, WBE, OBE Subcontractors and/or material suppliers for the following project:

REFERENCE: 7520

**PROJECT TITLE: LA RESERVOIR ULTRAVIOLET DISINFECTION PLANT
LOCATION: SYLMAR, CA LOCATED IN LOS ANGELES COUNTY, CA
OWNER: LOS ANGELES DEPT. OF WATER & POWER (LADWP)
BID DATE: JULY 21, 2016 AT 2:00 PM**

We are requesting bids for the following trades and/or material suppliers: We are attempting to obtain the highest possible participation of DBE, MBE, WBE & OBE suppliers & subcontractors for the following supplies and items of work, but not limited to: asphalt, concrete & cement, reinforcing bar section, steel, doors & frames, pipe, fencing, guard railings & barriers, electrical & signals, glass & glass block, construction staking, grading, structure excavation, irrigation system, plastic pipe, welded steel pipe, reinforced concrete sewer pipe, sewer manhole, concrete curb & sidewalk, misc., engine generator set, misc. iron & steel frame, cover & grate, fencing, aggregate base, cement treated base, asphalt concrete, cast-in-drilled hole concrete structure, minor concrete structure, reinforcing steel, steel steel structures, lumber 7 timber, cast-in-place concrete pipe, reinforced concrete pipe.

Bid documents can be viewed at or obtained from: Downloadable at no cost: <http://www.ladwp.com/eRSP> or call Steve P. Rados, Inc. at 714-835-4612 to schedule plan & specs viewing at our office at 2002 E. McFadden Ave., Santa Ana, CA or view plans & specs at our web site. With Confidentiality Agreement.

Engineer's Estimate: \$60-75 Million. Steve P. Rados, Inc. (SPR) is an Equal Opportunity Employer and a signatory Union Contractor. Subcontractors will be required to abide by the terms and conditions of the AGC Long Form Subcontract incorporating prime contract terms and conditions, including payment provisions, and insurance requirements. SPR's listing of a subcontractor is not to be construed as an acceptance of all subcontractor's conditions or exceptions included with the subcontractor's quotes. Subcontractors will be required to provide payment & performance bond from an approved surety company for 100% of the value of the subcontracted work. SPR will pay bond premium up to 1.5% (optional). We will split items of work and provide assistance for obtaining bonds, lines of credit and/or insurance. Assistance is available in obtaining necessary equipments, supplies, materials & related assistance or services. SPR requires that subcontractors and suppliers price quote be provided at a reasonable time prior to bid to enable a complete evaluation.

STEVE P. RADOS, INC
2002 E. McFadden Ave., Ste. 200, Santa Ana, CA 92705
tel (714) 835-4612 fax (714) 835-2186
Frederic Doucedame - Email: fdoucedame@radoscompanies.com

W. A. Rasic Construction

REQUEST FOR QUOTES FROM QUALIFIED DBE/MBE/WBE/OBE
SUBCONTRACTORS AND SUPPLIERS FOR THE FOLLOWING PROJECT

L.A. RESERVOIR UV DISINFECTION PLANT IFB #7520

LOCATION: LOS ANGELES, CALIFORNIA
OWNER: LOS ANGELES DEPARTMENT OF WATER & POWER

PRIME'S BID DUE DATE: JULY 21, 2016 @ 2:00 PM
SUBCONTRACTOR/SUPPLIER PROPOSAL BID DUE DATE: JULY 20, 2016 @ 2:00 PM

W.A. Rasic Construction is requesting quotes from qualified DBE/MBE/WBE/OBE subcontractors for the following, but not limited to, scopes of work: Grading, Paving, Misc. Metals, Pre-Engineered Building, Doors/Windows/Louvers, Overhead Doors, Drywall, Painting, Toilet Accessories, Catholic Protection, Flow Meters, Overhead Crane, Steel Pipe & Misc. Piping Materials, HVAC, Control Systems and Panels, Instrumentation, Electrical, Fire Detection and Alarm System, Diesel Engine Driven Generator, and Inspection.

Subcontractors and suppliers are advised to submit their quotes 1 working day prior to the Prime's bid due date for evaluation and completion of all necessary forms to submit with our bid. All subcontractors/suppliers that are submitting a quotes MUST fill out an ERA16100-2. This form needs to accompany your quote.

Plans and specifications are available for review from 8:00 am to 4:00 pm, Monday through Friday at our office located at 4150 Long Beach Blvd., Long Beach, CA 90802. Please contact Jason Murphy at (562) 928-6111 to make an appointment to view the plans and specifications. Plans and specifications are also available for free at Los Angeles Department of Water and Power's Director of Supply Chain Services, Vendor Liaison Center office located at 111 North Hope Street, Room L43, Los Angeles, CA 90012-2607.

Assistance in obtaining bonds, lines of credit, and insurance is available upon request to all DBE, MBE, WBE, and OBE subcontractors; as well as breaking large work items down into smaller categories or quantities. We can arrange delivery schedules to facilitate maximum participation where feasible per specifications. Please contact Jason Murphy via email if you have any questions or if you require assistance in regards to bonds, lines of credit, and insurance.

W. A. Rasic Construction - Jason Murphy - Estimator
4150 Long Beach Blvd., Long Beach, CA 90807
Phone (562) 928-6111 • Fax (562) 928-7339
Email Address: jmurphy@warasic.com
CA License 368761 • Equal Opportunity Affirmative Action Employer

REQUEST FOR CERTIFIED & QUALIFIED MBE/WBE SUBCONTRACTORS AND MATERIAL SUPPLIERS

BOST HOUSE RENOVATION
145 BOST AVENUE
NEVADA CITY, CA 95959
COUNTY OF NEVADA, PURCHASING
BID DATE: JUNE 28, 2016 - 2:30 PM

Requesting qualified sub bids from the following subcontractors and suppliers for:
Demolition, Asbestos Removal, Site and Underground Utility Work, Metal Stairs,
Guard and Hand Rails, Drywall, Painting, Cabinets, Painting, Plumbing,
Electrical, Alarm.

BILL LITCHFIELD CONSTRUCTION
CSL 357958
10106 Four Seasons Trail
Grass Valley, CA 95949
Phone: (530) 272-5773 • Fax: (530) 272-3296
Contact: Bill Litchfield - bill@billlitchfield.com

Bid Documents may be downloaded from:
www.mynevadacounty.com/nc/igs/purchasing; or, obtained from the office of the
Purchasing Division, County of Nevada, 950 Maidu Ave., Nevada City, CA 95959; or,
contact sandy.balzer@countynevada.ca.us (530) 265-1747.

Please call with questions or for assistance regarding bonding, insurance, plans &
specifications, materials or bidding partial items only.

BILL LITCHFIELD CONSTRUCTION, INC. IS AN EQUAL OPPORTUNITY EMPLOYER

REQUEST FOR QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS FOR: INVITATION TO BID TO: ALL QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS WE WOULD APPRECIATE YOUR SUB-BID AND/OR MATERIAL QUOTE FOR THE FOLLOWING PROJECT:

City of Montague
2016 Montague Street Rehabilitation Project
Engineer's Estimate: \$320,000.00
BID DATE: 6/30/2016 @ 1 PM
Goals: 6.8% Minority and 6.9% Female

J.F. Shea Construction is requesting quotes from all qualified DBE subcontractors and suppliers including for all items of work, including but not limited to: **BID SCHEDULE A; NORTH 15th STREET & DEL MONTE STREET - BID SCHEDULE A; MOBILIZATION; CONSTRUCTION SITE MANAGEMENT; STORM WATER POLLUTION PREVENTION PLAN; TRAFFIC CONTROL; EARTHWORK; CLASS 2 AGGREGATE BASE; HMA PAVING; FILTER FABRIC; ADJUST EXISTING VALVE BOX TO GRADE; ADJUST EXISTING MANHOLE TO GRADE; ADJUST EXISTING SEWER CLEANOUT TO GRADE; 12" HDPE PIPE; 15" HDPE PIPE; 18" HDPE PIPE; 12" FLARED END SECTION; 18" FLARED END SECTION; 15" FLARED END SECTION; THERMOPLASTIC STOP BAR; 18" STOP SIGN (1 POST); 6" MINUS RIP RAP (INCLUDES FILTER FABRIC); BID SCHEDULE B (ADDITIVE ALTERNATE); SCOBIE STREET; TRAFFIC CONTROL; EARTHWORK; CLASS 2 AGGREGATE BASE; HMA PAVING; FILTER FABRIC; ADJUST EXISTING VALVE BOX TO GRADE.**

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply.

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

GRIFFITH COMPANY
REQUESTING SUB-BIDS ON ALL TRADES
From Qualified DBE Subcontractors & Suppliers
DBE Goal: 13%, for the following project:

CITY OF BAKERSFIELD - PAVEMENT REHABILITATION 2015-2016 RSTP:
BRUNDAGE LANE FROM UNION AVENUE TO WASHINGTON STREET
CITY PROJECT NO. T6K209
FEDERAL PROJECT NO. STPL-5109(220)

SCOPE OF WORK: SWPPP, Maintaining Traffic, Traffic Control and Detour Plan, Adjust Manholes (42 SS and 13 SD), Adjust Monument Encasement, Dust Control, Full Depth Reclamation - Cement, Roadway Excavation, HMA Type A, Minor Concrete: Access Ramps, Curb and Gutter, Cross Gutter, Traffic Striping: Thermoplastic - Detail 9, Detail 22, Detail 27B, Detail 29, Detail 32, Detail 38, Pavement Markings (Thermoplastic), Traffic Detector Loops: Type D, Type E, Fire Hydrant Markers Type D, Modify Landscaping and Irrigation, Hauling.

BIDS: JUNE 30, 2016 AT 11:00 AM
BIDS DUE: JUNE 30, 2016 AT 11:00 AM

Plans & Specs are available for review from 7:00 am - 5:00 pm
Monday through Friday at:

GRIFFITH COMPANY
(AN EQUAL OPPORTUNITY EMPLOYER)
1128 Carrier Parkway Avenue, Bakersfield, CA 93308
Phone: (805) 392-8640 • Fax: (805) 393-9525
Contact: WALT WEISHAAR, ESTIMATOR

100% BONDING MAY BE REQUIRED FOR ALL SUBCONTRACTORS.
ASSISTANCE AVAILABLE IN OBTAINING BONDS, LINES OF CREDIT, INSURANCE,
NECESSARY EQUIPMENT & TECHNICAL ASSISTANCE. GRIFFITH COMPANY INTENDS
TO CONDUCT ITSELF IN "GOOD FAITH" WITH DBE FIRMS REGARDING
PARTICIPATION ON THIS PROJECT.

MASTERS Construction

A DIV. OF FARMERS LAND LEVELING, INC.

1610 E. MAIN ST. • BRAWLEY, CA 92227 • (760) 344-7400 • FAX (760) 344-2668

REQUESTING MASTERS
SUBCONTRACTORS AND/OR SUPPLIERS
FOR THE FOLLOWING PROJECT:

1st STREET PEDESTRIAN IMPROVEMENTS PROJECT
CITY OF BRAWLEY
BRAWLEY, CA 92227
CML-5167(035)

BID DATE/TIME: JULY 8, 2016 @ 2:00 P.M.
PLEASE RESPOND BY: JULY 6, 2016

LOOKING FOR BIDS FROM CERTIFIED DBE's.

MASTERS Construction • Ryan Stiff
(760) 344-7400 • Fax (760) 344-2668
EQUAL OPPORTUNITY EMPLOYER

REQUEST FOR SUB-BIDS

Los Angeles Engineering, Inc. is requesting sub-bids from certified DBE Firms for the following Work:
AC Paving, Roadway Excavation, Concrete, Electrical, Landscape, Irrigation, Striping, Signs.

OWNER: CITY OF LYNWOOD
PROJECT: LONG BEACH BLVD. PHASE I FROM TWEEDY BLVD
TO IMPERIAL HWY - LYNWOOD, CA
PROJECT NO.: 4011.67.993
BIDS: JUNE 28, 2016 AT 2:00 PM

Plans, specifications and requirements for the work are available for review in our office at 633 N. Barranca Ave., Covina, CA 91723, Mon-Fri 8:00 am - 5:00 pm, or by Owner at: City of Lynwood, 11330 Bullis Rd., Lynwood, CA 90252.

Los Angeles Engineering, Inc. will provide information to interested business enterprises including DBE's in obtaining bonding, lines of credit, and insurance required by the Owner or Los Angeles Engineering, Inc. upon request. Los Angeles Engineering will assist interested business enterprises including DBE's in obtaining necessary equipment, supplies, materials or related assistance. Bonds may be required for subcontracts over \$100,000.00.

For technical assistance related to plans, specifications, and requirements for the work call Joseph Haygood at 626-454-5222 Ext. 208 or email at joseph@laeng.net.

In accordance with California Public Contract Code Section 4108 amended January 01, 1992, all subcontracts will be awarded on Los Angeles Engineering, Inc. standard form of subcontract and may include the requirement to provide a Payment and Performance Bond from a T-Listed Surety. We will pay premium up to 1.5% of Bid Amount.
For additional information contact Joseph Haygood at (626) 454-5222 . 208.

Los Angeles Engineering, Inc.
633 N. Barranca Ave., Covina, CA 91723
(626) 454-5222 • Fax (626) 454-5226
Contractor's License No. 591176
AN EQUAL OPPORTUNITY EMPLOYER

MATICH CORPORATION

1596 Harry Sheppard Blvd., San Bernardino, CA 92408

PROJECT:

MESQUITE AVENUE STREET IMPROVEMENTS
PALM SPRINGS, CA
PROJECT NO. 12-01

BID DATE/TIME: JULY 7, 2016 @ 3:00 P.M.
Please respond by Bid Date & Time

Matich Corporation is requesting quotes from qualified DBE Subcontractors & Suppliers in the following trades: Traffic Control, Water Pollution control, Clearing & Grubbing, Landscape & Irrigation, Excavation, Pulverization, Concrete, Striping, Signage & Markings, Trucking, A.C. Oil.

Plans can be reviewed at Agency or our office.
We will provide necessary assistance.

MATICH CORPORATION • MARK HICKMAN
(909) 382-7400 • Fax (909) 382-0113
WE ARE AN EQUAL OPPORTUNITY EMPLOYER

GRIFFITH COMPANY
REQUESTING SUB-BIDS ON ALL TRADES
From Qualified DBE Subcontractors & Suppliers
DBE Goal: 14%, for the following project:

CITY OF BAKERSFIELD
PAVEMENT REHABILITATION 2015-2016 RSTP: ASHE ROAD FROM
MING AVENUE TO STOCKDALE HIGHWAY
CITY PROJECT NO. T6K208 - FEDERAL PROJECT NO. STPL-5109(218)

SCOPE OF WORK: SWPPP, Maintaining Traffic, Traffic Control and Detour Plan, Adjust Manholes (6 SS and 8 SD), Adjust Monument Encasement, Dust Control, Full Depth Reclamation - Cement, Cold Plane (Bike Lanes), Prepare Roadway (Bike Lanes and Dual Left turn Lane), HMA Type A, Minor Concrete: Access Ramps, Sidewalk, Curb and Gutter, Cross Gutter, Traffic Striping: Thermoplastic - Detail 9, Detail 22, Detail 32, Detail 38, Detail 39, Detail 39A, Pavement Markings (Thermoplastic), Traffic Detector Loops: Type D, Type E, Fire Hydrant Markers Type D, Modify Landscaping and Irrigation, Hauling.

BIDS: JUNE 30, 2016 AT 11:00 AM
BIDS DUE: JUNE 30, 2016 AT 11:00 AM

Plans & Specs are available for review from 7:00 am - 5:00 pm
Monday through Friday at:

GRIFFITH COMPANY
(AN EQUAL OPPORTUNITY EMPLOYER)
1128 Carlier Parkway Avenue, Bakersfield, CA 93308
Phone: (661) 392-6640 • Fax (661) 393-9525
Contact: WALT WEISHAAR, ESTIMATOR

100% BONDING MAY BE REQUIRED FOR ALL SUBCONTRACTORS.
ASSISTANCE AVAILABLE IN OBTAINING BONDS, LINES OF CREDIT, INSURANCE,
NECESSARY EQUIPMENT & TECHNICAL ASSISTANCE. GRIFFITH COMPANY INTENDS
TO CONDUCT ITSELF IN "GOOD FAITH" WITH DBE FIRMS REGARDING
PARTICIPATION ON THIS PROJECT.

OHL USA, Inc.

REQUESTING SUB-BIDS ON ALL TRADES

From Qualified California DBE Subcontractors/Sub-Consultants/Vendors
DBE Goal: 14%, For the following San Diego Association of Governments Project:

Inland Rail Trail, San Marcos to Vista, Segments 2A, 2B, 3A, 3D and 4

Project consists of building approximately four miles of a Class I bicycle facility, located between North Melrose Drive and West Bolber Drive on Oceanside to the San Diego County/San Marcos boundary at Cherimoya Drive.

SCOPE OF WORK: All work categories are open for California DBE participation, including but not limited to the following: Aggregate Base, Anti-Graffiti Coating, Bar Reinforcing Steel, Cable Railing, CCTV, Channel Restoration, Channelizers, CIDH, Clearing and Grubbing, Concrete Barrier, Construction Site Management, Decomposed Granite, Demolition, Develop Water Supply, Electrical, Erosion Control, Hot Mix Asphalt, Joint Seal, Metal Beam Guard Railing, Minor Concrete, Miscellaneous Metals, Paint Traffic Stripe, Pavement Marking, Pedestrian Protective Railing, Portable Changeable Message Signs, Portable Delineator, Ready Mix, Reinforced Concrete Pipe, Roadway Excavation, Rock Slope Protection, Sand Backfill, Signal & Lighting, Signs, Soldier Piles, Steel Ornamental Fence, Steel Truss, Storm Water Pollution Plan, Street Seeping, Structure Backfill, Stucco Finish, Temporary Crash Cushion Module, Temporary Railing, Traffic Control System, Traffic Striping, Type III Barricade, Wall Mounted Chain Link Fence.

BIDS: THURSDAY, JUNE 30, 2016 AT 2:00 PM
BIDS DUES ON OR BEFORE: JUNE 30, 2016 BY 1:00 PM

Plans & Specs are available at OHL offices from 7:00 am - 5:00 pm, Monday through Friday at:

OHL USA, INC. is an AAE/EOE
1920 Main St., Suite 310, Irvine, CA 92614
Phone: 949-242-4432 • Fax: 949-231-1255/949-231-1256

Or anytime at the link below:

<https://www.dropbox.com/sh/lirx47hw414613i/AACoHISaLT3BXPUguC2V1sWia?dl=0>

Contact: Estimating Department - Angelica Kroesch

100% bonding may be required for all subcontractors. Assistance available in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials or related assistance or services and technical assistance. Flexible time frames for performance, delivery and breaking out portions of work into economically feasible packages may be discussed. OHL USA, Inc. intends to conduct itself in "good faith" with all categories of disadvantaged, small, minority and women firms regarding participation on this project, therefore please send your certifications prior to quotes. Subcontractors are required to be registered with the Department of Industrial Relations (DIR), as required by Public Contract Code Section 1725.5, please furnish DIR Number with your quote submittal. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing.

PLEASE RESPOND BACK VIA EMAIL OR FAX (include Contractor number and ANY DISADVANTAGED CERTIFICATE and/or applicable certifications issued and validated by pertinent agencies)

EMAIL: Angelica Kroesch at akroesch@ohlusa.com, FAX: (949) 231-1255 / (949) 231-1256

GRANITE/AMERICAN BRIDGE A Joint Venture

Earthquake Safety Program TBT Internal Retrofit, Project #09AU-120: The TBT Retrofit and associated work, in general, includes furnishing all labor, equipment, tools, materials, management, coordination, professional services and other services required to fabricate and install between 6,118 tons and 9,269 tons of approximately W" thick steel plate in the galleries and bores of the TBT. Adjacent plates will be field-welded to each other on all edges; the gap between the new plates and existing walls will be grouted. Between 14,800 and 19,200 large diameter headed dowels will be drilled through the trackway invert and bonded into the bottom of the TBT. Between 2,300 and 2,900 cu. yds. of reinforced concrete will be placed in the trackway invert. Between 4,000 and 6,400 precast concrete tie blocks, without rubber boots, will be placed in the trackway invert. Between 133,000 and 173,000 sq. ft. of Polyvinyl Chloride (PVC) membrane will be placed in the trackway invert, beneath the new-concrete slab. Between 55,000 and 78,000 anchors and through-bolts will be used to fasten the steel plates in place. The work includes cleaning, rebar scanning, laser surveying, concrete demolition, concrete sawing and coring, lead paint abatement, painting, piping and pump stations, electrical substations and medium voltage transmission lines, monitoring and control system, trucking, welding, specialized plate handling machinery, and minor amounts of site utilities. The work includes the replacement of five temporary plugs in the outer wall of the TBT with District-furnished permanent plugs. The aggregate lineal feet of work zone in each bore is between 7,800 ft. and 10,100 ft; the aggregate feet of work in the galleries is between 2,200 ft. and 4,600 ft. each bore, and each gallery, will have between three and four separate work zones. The work includes electrically powered construction equipment, supplied by a Contractor-furnished generator at grade at the east end of the TBT. Licenses that Subcontractors may be required to carry as part of a team include C4, C1, C8, C10, C31, C33, C36, C50, C51, C60, 021, 038, 051, HAZ. The work is in the City and County of San Francisco and in Alameda County.

Granite/American Bridge a Joint Venture (Granite/American Bridge) is requesting quotes from all qualified subcontractors and suppliers including certified S/M/WBE firms for the following work, including but not limited to: Concrete Accessories, Concrete Additives and Admixtures, Grout Materials, Volumetric Concrete Supplier, Concrete Demolition, Ground Penetrating Radar & 3-D Laser Survey, Through Rods & Bolts, Dowels/Anchor Bolts, Cathodic Protection, Electrical Materials, Plant Electrical Subcontractor, Low Voltage Systems, Rail Electrical Subcontractor, Construction Fuel Supply, Construction Materials Recycling/Disposal Center, Waste Containers, Mechanical Subcontractor, Handrail Material, Rebar Material, Structural Steel Materials, Steel Coatings, Welding, Rail Subcontractor, Lead Abatement, Environmental Remediation, Rebar Subcontractor, Materials Testing Services, Quality Control, Weld Testing, and Waterproofing, PVC Membrane (Supply & Subcontract). Quotations will be broken down into comparable packages as reasonably necessary. Granite/American Bridge will work with interested subcontractors to identify opportunities to breakdown items into economically feasible packages.

Plans and specifications: Before prospective Bidders can disclose any SSI to a third party (Subcontractors, Suppliers, Consultants and other third parties), such third party must execute the Third Party Non-Disclosure Agreement for Release of Security Sensitive Information for Bidding Purposes (Third Party NDA for Bidding) and complete a security screening. The Third Party NDA for Bidding may be obtained from the Office of the District Secretary by submitting a written request, in the form of Attachment 2 to this Invitation to Bid, to the District Secretary by fax to 510-464-6011 or by mail at the mailing address: Office of the District Secretary, San Francisco Bay Area Rapid Transit District (BART), P.O. Box 12688, Oakland, CA 94604-2688. The written request form (Attachment 2) can also be downloaded from the BART website. Place this link into your web browser: <http://www.bart.gov/about/business/procurement>. You will then select "Contracts Out for Bid" from the Procurement activity list, then scroll down to Contract Number 09AU-120 and download the Invitation to Bidders.

Such third party must provide the District with a list of all individuals anticipated to be granted access to SSI and/or who will participate in the mandatory re-bid meeting and site tour. The third party shall attach to the Third Party NDA for bidding a copy of a government issued photo identification (D), preferably a driver's license, for each listed individual.

The third party is requested to submit to the District Secretary at the address contained herein, sealed envelope labeled "Personal Information and the Third Party NDA for Contract NO. 09AU-120" containing the ID's, Exhibit A, and the Third Party NDA for Bidding.

for the following project:

OWNER: SAN FRANCISCO BAY AREA RAPID TRANSIT DISTRICT
PROJECT: BART EARTHQUAKE SAFETY PROGRAM TBT INTERNAL RETROFIT
BID DUE: 08/02/16 AT 2:00 PM
CONTACT: GRANITE/AMERICAN BRIDGE A JOINT VENTURE
Estimator: David Czech, 11171 Sun Center Drive, Rancho Cordova, CA 95670
Phone: 916-855-8873 • Fax: 916-362-7515

For any bid proposal submitted on or after March 1, 2015 and any contract for public work entered into on or after April 1, 2015, the following registration requirements apply: Every Subcontractor is required to be registered to perform public work pursuant to Section 1725.5 of the Public Contract Code ("Section 1725.5"). No Contractor or Subcontractor shall be qualified to bid on, be listed in a bid proposal pursuant to Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, unless currently registered to perform public work pursuant to Section 1725.5. No bid shall be accepted nor any subcontract entered into without proof of the Subcontractor's current registration to perform public work pursuant to Section 1725.5.

Granite/American Bridge anticipates to be signatory to Operating Engineers, Laborers, Ironworkers, Cement Masons and Carpenters unions. 100% performance and payment bonds may be required for the full amount of subcontract price. Granite/American Bridge will pay for bond premium up to 1.5%. Subcontractors must possess a current contractor's license, insurance and worker's compensation coverage meeting Granite/American Bridge's requirements and will be required to sign the standard Granite/American Bridge Subcontract Agreement. A copy of the insurance requirements and agreement can be obtained by contacting the estimator. Please call if you need assistance in obtaining bonding, insurance, equipment, materials and/or supplies. Granite/American Bridge intends to work cooperatively with all qualified firms seeking work on this project.

A.M. STEPHENS CONST. CO., INC.

REQUEST FOR QUALIFIED
MBE/WBE/DBE/DVBE/SBE/UDBE
Subcontractors and/or Suppliers for the Following:

CITY OF LODI
2016 CHEROKEE LANE ACCESSIBILITY
IMPROVEMENT PROJECT
LODI, CALIFORNIA

BID DATE/TIME: WEDNESDAY, JUNE 29, 2016 @ 11:00 AM
Please respond by: June 28, 2016

BONDING INFO.
PLANS & SPECS. IN OUR OFFICE.

A.M. STEPHENS CONST. CO., INC.
Contact: Geoff Dean
P.O. BOX 1867 • LODI, CA 95241
Phone (209) 333-0136 • Fax (209) 333-0993
EQUAL OPPORTUNITY EMPLOYER

REQUEST FOR DBE SUBCONTRACTORS AND SUPPLIERS FOR:

Resurface ramps, construct MGS, concrete barrier, curb ramps
Hwy 24/580 Oakland - Caltrans #04-4H2224
BID DATE: JULY 6, 2016 @ 2:00 PM

We are soliciting quotes for (including but not limited to):
Trucking, Construction Area Signs, Traffic Control System, Portable Changeable Message Sign, WPCP, Sweeping, Treated Wood Waste, AC Dike, Cold Plane AC, Clearing & Grubbing, Roadway Excavation (Type Z-2 Aerially Deposited Lead), Structure Excavation (Type Z-2 Aerially Deposited Lead), High Friction Surface Treatment, Prime Coat, Data Core, Tack Coat, Minor Concrete, Roadside Signs, Detectable Warning Surface, Pre/Post Construction Survey, Misc. Iron & Steel, Electrical, Delineator, Object Marker, Midwest Guardrail System, Vegetation Control (Minor Concrete), Pedestrian Barricade, Transition Railing, Crash Cushion, Concrete Barrier, Striping & Marking, Traffic Operations System, Signal & Lighting and Construction Material.

O.C. Jones & Sons, Inc.
1520 Fourth St., Berkeley, CA 94710
510/526-3424 • Fax 510/526-0990
Contact: Jean Seward
An Equal Opportunity Employer

100% Performance & Payment Bonds may be required. Worker's Compensation Waiver of Subrogation required. Please call OCI for assistance with bonding, insurance, necessary equipment, material and/or supplies. OCI is willing to break out any portion of work to encourage DBE Participation. Plans & Specs are available for viewing at our office or through the Caltrans web site at: www.dot.ca.gov/hq/esc/oe/weekly_ads/index.php.

DESILVA GATES Construction

11555 Dublin Blvd., P.O. Box 2909
Dublin, CA 94568-2909
(925) 829-9220 • Fax (925) 803-4263
Contractors License No. 704195A

DeSilva Gates Construction (DGC) is preparing a bid as a Prime Contractor for the project listed below:

PROJECT: CALTRANS ROUTE 24, 580 - CONSTRUCTION ON STATE HIGHWAY IN ALAMEDA COUNTY IN OAKLAND ON ROUTE 580 FROM FRUITVALE AVENUE UNDERCROSSING TO HOLLIS STREET UNDERCROSSING AND ON ROUTE 24 AT WESTBOUND OFF-RAMP TO MARKET STREET, Contract No. 04-4H2224, Federal Aid Project ACNHP-X001(602)E, Disadvantaged Business Enterprise Goal Assigned is 12%

BID DATE: JULY 6, 2016 @ 2:00 P.M. ESTIMATOR: VICTOR LE

DGC is soliciting quotations from certified Disadvantaged Business Enterprises, for the following types of work and supplies/materials including but not limited to: AC DIKE, CLEARING AND GRUBBING/DEMOLITION, CONCRETE BARRIER, CONSTRUCTION AREA SIGNS, CRASH CUSHION, ELECTRICAL, ADL (TYPE Z-2), LEAD COMPLIANCE PLAN, METAL BEAM GUARDRAIL, MINOR CONCRETE, MINOR CONCRETE STRUCTURE, MISC. IRON AND STEEL, ROADSIDE SIGNS, STRIPING, PRE/POST CONSTRUCTION SURVEY, SWPPP/WATER POLLUTION CONTROL PLAN, TEMPORARY EROSION CONTROL, UNDERGROUND, VEGETATION CONTROL, TRUCKING, WATER TRUCKS, SWEEPING, CLASS 2 AGGREGATE BASE MATERIAL, HOT MIX ASPHALT (TYPE A) MATERIAL, HIGH FRICTION SURFACE TREATMENT, RUBBERIZED HMA (GAP GRADE) MATERIAL.

Plans and specifications may be reviewed at our office located at 11555 Dublin Blvd, Dublin, CA, or 7700 College Town Drive, Sacramento, CA, or at your local Builders Exchange, or reviewed and downloaded from the ftp site at: <ftp://ftp%25desilvagates.com:ftp%55wd@pub.desilvagates.com> (if prompted the username is [ftp@desilvagates.com](ftp://ftp%25desilvagates.com) and password is [f7pa55wd](ftp://ftp%25desilvagates.com)) or from the Owner's site at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php.

Fax your bid to 925-803-4263 to the attention of Estimator Victor Le. If you have questions for the Estimator, call at 925-829-9220. When submitting any public works bid please include your DUNS number and DIR number. For questions regarding registration for DIR use the link at: www.dir.ca.gov/Public-Works/PublicWorks.html.

If you need DBE support services and assistance in obtaining bonding, lines of credit, insurance, necessary equipment, materials and/or supplies or related assistance or services, for this project call the Estimator at 925-829-9220, or contact your local Small Business Development Center Network (<http://californiasbdc.org>) or contact the California Southwest Transportation Resource Center (www.transportation.gov/osdbu/SBTRCs). DGC is willing to breakout portions of work to increase the expectation of meeting the DBE goal.

At our discretion, 100% Payment and 100% Performance bonds may be required as a subcontract condition. This will be a PREVAILING WAGE JOB. DGC is an equal opportunity employer.

REQUEST FOR QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS FOR:
INVITATION TO BID TO: ALL QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS
WE WOULD APPRECIATE YOUR SUB-BID AND/OR MATERIAL QUOTE FOR THE FOLLOWING PROJECT:

City of Redding
Redding Municipal Airport West Apron and T-Hangar Taxilane Reconstruction
Bid Schedule # 4827/ Job # 9941
AIP Nos. 3-06-0194-47-2015
Engineer's Estimate (Base Bid): \$2,467,000.00
engineer's Estimate (Additive Alternate Bid): \$3,177,000.00 - DBE Goal: 4.08%
BID DATE: 7/14/2016 @ 3 PM

J.F. Shea Construction is requesting quotes from all qualified DBE subcontractors and suppliers including for all items of work, including but not limited to: **BASE BID ITEMS:** AIRFIELD SAFETY AND TRAFFIC CONTROL; CONSTRUCTION STAKING AND SURVEY LAYOUT; AIRPORT ACCESS AND HAUL ROUTE REPAIR; HAZARDOUS WASTE ABATEMENT; MOBILIZATION; UNDERGROUND UTILITY INVESTIGATION AND POTHOLING; REMOVE PORTLAND CEMENT CONCRETE PAVEMENT; REMOVE STORM DRAIN PIPE; REMOVE STORM DRAIN PIPE, HAZARDOUS MATERIALS; REMOVE CATCH BASIN/STORM DRAIN MANHOLE; REMOVE FENCE AND GATES, CHAIN LINK; REMOVE TIE-DOWNS AND CHAINS; REMOVE SEPTIC TANK AND ABANDON LEACH FIELD; MISCELLANEOUS REMOVALS AND SITE PREPARATION; PULVERIZE/MILL ASPHALT CONCRETE PAVEMENT AND SUITABLE BASE; RECYCLED BASE; SAWCUT ASPHALT CONCRETE PAVEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN (SWPPP); IMPLEMENT STORM WATER POLLUTION PREVENTION PLAN (SWPPP); UNCLASSIFIED EXCAVATION; EXCAVATION BELOW SUBGRADE; LIME TREATED SUBGRADE; CRUSHED AGGREGATE BASE COURSE, P-209; BITUMINOUS SURFACE COURSE, P-401; BITUMINOUS SURFACE COURSE, P-403; BITUMINOUS PRIME COAT; PAVEMENT MARKINGS, YELLOW WITH REFLECTIVE MEDIA; PAVEMENT MARKINGS, WHITE WITH REFLECTIVE MEDIA; PAVEMENT MARKINGS, BLACK; TRENCH DRAIN; 6-INCH STORM DRAIN PIPE, INTERIM; 12-INCH STORM DRAIN PIPE, INTERIM; DRAIN INLET, INTERIM; TAXILANE, INTERIM; STRUCTURAL CONCRETE, REINFORCED; CHAIN LINK FENCE, 6 FOOT HEIGHT WITH BARBED WIRE. **ADDITIVE ALTERNATE BID ITEMS:** AIRFIELD SAFETY AND TRAFFIC CONTROL; CONSTRUCTION STAKING AND SURVEY LAYOUT; AIRPORT ACCESS AND HAUL ROUTE REPAIR; HAZARDOUS WASTE ABATEMENT; MOBILIZATION; UNDERGROUND UTILITY INVESTIGATION AND POTHOLING; REMOVE PORTLAND CEMENT CONCRETE PAVEMENT; REMOVE PAVEMENT MARKINGS; REMOVE STORM DRAIN PIPE; REMOVE STORM DRAIN PIPE, HAZARDOUS MATERIALS; REMOVE CATCH BASIN/STORM DRAIN MANHOLE; REMOVE BUILDING, TRAILER TYPE; MISCELLANEOUS REMOVALS AND SITE PREPARATION; PULVERIZE/MILL ASPHALT CONCRETE PAVEMENT AND SUITABLE BASE; RECYCLED BASE; SAWCUT ASPHALT CONCRETE PAVEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN (SWPPP); PEDESTRIAN GATE; TIE-DOWN ANCHORS AND CHAINS; 8 INCH SANITARY SEWER; 4 INCH SANITARY SEWER LATERAL; SANITARY SEWER MANHOLE; SANITARY SEWER CLEANOUT; WATER SERVICE AND FIRE HYDRANT IMPROVEMENTS; RELOCATIONS AND ADJUSTMENTS; 4 INCH STRUCTURE DRAIN PIPE; ALUMINUM XLPE TRIPLEX (AWG 1/0); ALUMINUM XLPE TRIPLEX (AWG 4/0); ALUMINUM XLPE TRIPLEX (350KCMIL); ALUMINUM XLPE TRIPLEX (500KCMIL); COPPER WIRE THHN/THWN (AGE # 1); COPPER WIRE THHN/THWN (AWG #8); COPPER WIRE BARE (AWG #8); RE-TERMINAL HANGAR BRANCH CIRCUITS; 4 INCH PVC CONDUIT; 4 INCH FIBERGLASS SWEEPS; 2 INCH PVC CONDUIT; 2 INCH GRS CONDUIT; 2 INCH GRS SWEEPS; CONDUIT SUPPORTS AND FITTINGS; ELECTRICAL TRENCH; BACKFILL; REU SECONDARY SPLICE BOX - USB-3E; REU PRIMARY SPLICE BOX; CONCRETE HANDHOLE; REU TRANSFORMER PADS AND EXTENSIONS; ELECTRICAL COMPONENTS; ELECTRICAL DEMOLITION; GROUND ROADS AND BONDING; TEMPORARY POWER (GENERATORS); BOLLARDS; START-UP TESTING/COMMISSIONING; SANITARY SEWER AND ELECTRICAL UTILITY TRENCH PAVEMENT SECTION; REPLACE MEADOW VIEW DRIVE STORM DRAIN PIPE; IMPLEMENT STORM WATER POLLUTION PREVENTION PAL (SWPPP); UNCLASSIFIED EXCAVATION; EXCAVATION BELOW SUBGRADE; LIME TREATED SUBGRADE; CRUSHED AGGREGATE BASE COURSE, P-209; BITUMINOUS SURFACE COURSE, P-401; BITUMINOUS SURFACE COURSE, P-403; BITUMINOUS PRIME COAT; PAVEMENT MARKINGS, YELLOW WITH REFLECTIVE MEDIA; PAYMENT MARKINGS, WHITE AND REFLECTIVE MEDIA; PAVEMENT MARKINGS, BLACK; 12-INCH STORM DRAIN PIPE, HDPE; 15-INCH STORM DRAIN PIPE, HDPE; 15-INCH STORM DRAIN PIPE, RCP; 18-INCH STORM DRAIN PIPE, HDPE; 18-INCH STORM DRAIN PIPE, RCP; 24-INCH STORM DRAIN PIPE, HDPE; 24-INCH STORM DRAIN PIPE, RCP; 15-INCH SLOTTED STORM DRAIN PIPE; FLAP GATE, FITTED TO 18-INCH PIPE AND RIP RAP; CATCH BASIN, TYPE II; CATCH BASIN, TYPE III; 6-INCH CATCH BASIN DRAIN LINES, PERFORATED; 4-INCH STRUCTURE DRAIN PIPE; STRUCTURAL CONCRETE, REINFORCED; TAXIWAY RETROREFLECTIVE MARKER; 6-INCH STORM DRAIN PIPE, INTERIM; 12-INCH STORM DRAIN PIPE, INTERIM; DRAIN INLET, INTERIM; SANITARY SEWER AND ELECTRICAL UTILITY TRENCH PAVEMENT SECTION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

MATICH CORPORATION

1596 Harry Sheppard Blvd., San Bernardino, CA 92408

PROJECT:

MESQUITE AVENUE STREET IMPROVEMENTS
PALM SPRINGS, CA
PROJECT NO. 12-01

BID DATE/TIME: JULY 7, 2016 @ 3:00 P.M.
Please respond by Bid Date & Time

Matich Corporation is requesting quotes from qualified DBE Subcontractors & Suppliers in the following trades: Traffic Control, Water Pollution control, Clearing & Grubbing, Landscape & Irrigation, Excavation, Pulverization, Concrete, Striping, Signage & Markings, Trucking, A.C. Oil.

Plans can be reviewed at Agency or our office.
We will provide necessary assistance.

MATICH CORPORATION • MARK HICKMAN
(909) 382-7400 • Fax (909) 382-0113
WE ARE AN EQUAL OPPORTUNITY EMPLOYER

GRIFFITH COMPANY
REQUESTING SUB-BIDS ON ALL TRADES
From Qualified DBE Subcontractors & Suppliers
DBE Goal: 14%, for the following project:

CITY OF BAKERSFIELD
PAVEMENT REHABILITATION 2015-2016 RSTP: ASHE ROAD FROM
MING AVENUE TO STOCKDALE HIGHWAY
CITY PROJECT NO. T6K208 - FEDERAL PROJECT NO. STPL-5109(218)

SCOPE OF WORK: SWPPP, Maintaining Traffic, Traffic Control and Detour Plan, Adjust Manholes (6 SS and 8 SD), Adjust Monument Encasement, Dust Control, Full Depth Reclamation - Cement, Cold Plane (Bike Lanes), Prepare Roadway (Bike Lanes and Dual Left turn Lane), HMA Type A, Minor Concrete: Access Ramps, Sidewalk, Curb and Gutter, Cross Gutter, Traffic Striping; Thermoplastic - Detail 9, Detail 22, Detail 32, Detail 38, Detail 39, Detail 39A, Pavement Markings (Thermoplastic), Traffic Detector Loops: Type D, Type E, Fire Hydrant Markers Type D, Modify Landscaping and Irrigation, Hauling.

BIDS: JUNE 30, 2016 AT 11:00 AM
BIDS DUE: JUNE 30, 2016 AT 11:00 AM

Plans & Specs are available for review from 7:00 am - 5:00 pm
Monday through Friday at:

GRIFFITH COMPANY
(AN EQUAL OPPORTUNITY EMPLOYER)
1128 Carlier Parkway Avenue, Bakersfield, CA 93308
Phone: (661) 392-6640 • Fax (661) 393-9525
Contact: WALT WEISHAAR, ESTIMATOR

100% BONDING MAY BE REQUIRED FOR ALL SUBCONTRACTORS.
ASSISTANCE AVAILABLE IN OBTAINING BONDS, LINES OF CREDIT, INSURANCE,
NECESSARY EQUIPMENT & TECHNICAL ASSISTANCE. GRIFFITH COMPANY INTENDS
TO CONDUCT ITSELF IN "GOOD FAITH" WITH DBE FIRMS REGARDING
PARTICIPATION ON THIS PROJECT.

OHL USA, Inc.

REQUESTING SUB-BIDS ON ALL TRADES

From Qualified California DBE Subcontractors/Sub-Consultants/Vendors
DBE Goal: 14%, For the following San Diego Association of Governments Project:

Inland Rail Trail, San Marcos to Vista, Segments 2A, 2B, 3A, 3D and 4

Project consists of building approximately four miles of a Class I bicycle facility, located between North Melrose Drive and West Bobler Drive on Oceanside to the San Diego County/San Marcos boundary at Cherimoya Drive.

SCOPE OF WORK: All work categories are open for California DBE participation, including but not limited to the following: Aggregate Base, Anti-Graffiti Coating, Bar Reinforcing Steel, Cable Railing, CCTV, Channel Restoration, Channelizers, CIDH, Clearing and Grubbing, Concrete Barrier, Construction Site Management, Decomposed Granite, Demolition, Develop Water Supply, Electrical, Erosion Control, Hot Mix Asphalt, Joint Seal, Metal Beam Guard Railing, Minor Concrete, Miscellaneous Metals, Paint Traffic Stripe, Pavement Marking, Pedestrian Protective Railing, Portable Changeable Message Signs, Portable Delineator, Ready Mix, Reinforced Concrete Pipe, Roadway Excavation, Rock Slope Protection, Sand Backfill, Signal & Lighting, Signs, Soldier Piles, Steel Ornamental Fence, Steel Truss, Storm Water Pollution Plan, Street Seeping, Structure Backfill, Stucco Finish, Temporary Crash Cushion Module, Temporary Railing, Traffic Control System, Traffic Striping, Type III Barricade, Wall Mounted Chain Link Fence.

REVISED BIDS: WEDNESDAY, JULY 6, 2016 AT 2:00 PM
REVISED BIDS DUES ON OR BEFORE: JULY 6, 2016 BY 1:00 PM

Plans & Specs are available at OHL offices from 7:00 am - 5:00 pm, Monday through Friday at:
OHL USA, INC. is an AAE/EOE
1920 Main St., Suite 310, Irvine, CA 92614
Phone: 949-242-4432 • Fax: 949-231-1255/949-231-1256
Or anytime at the link below:
<https://www.dropbox.com/sh/lrx47hw44613j/AACoHISaLT3BXPUguC2V1sWia?dl=0>
Contact: Estimating Department - Angelica Kroesch

100% bonding may be required for all subcontractors. Assistance available in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials or related assistance or services and technical assistance. Flexible time frames for performance, delivery and breaking out portions of work into economically feasible packages may be discussed. OHL USA, Inc. intends to conduct itself in "good faith" with all categories of disadvantaged, small, minority and women firms regarding participation on this project, therefore please send your certifications prior to quotes. Subcontractors are required to be registered with the Department of Industrial Relations (DIR), as required by Public Contract Code Section 1725.5, please furnish DIR Number with your quote submittal. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing.

PLEASE RESPOND BACK VIA EMAIL OR FAX (include Contractor number and ANY DISADVANTAGED CERTIFICATE and/or applicable certifications issued and validated by pertinent agencies)
EMAIL: Angelica Kroesch at akroesch@ohlusa.com, FAX: (949) 231-1255/(949) 231-1256

GRANITE/AMERICAN BRIDGE A Joint Venture

Earthquake Safety Program TBT Internal Retrofit, Project #D9AU-120: The TBT Retrofit and associated work, in general, includes furnishing all labor, equipment, tools, materials, management, coordination, professional services and other services required to fabricate and install between 6,118 tons and 9,269 tons of approximately W" thick steel plate in the galleries and bores of the TBT. Adjacent plates will be field-welded to each other on all edges; the gap between the new plates and existing walls will be grouted. Between 14,800 and 19,200 large diameter headed dowels will be drilled through the trackway invert and bonded into the bottom of the TBT. Between 2,300 and 2,900 cu. yds. of reinforced concrete will be placed in the trackway invert. Between 4,000 and 6,400 precast concrete tie blocks, without rubber boots, will be placed in the trackway invert. Between 133,000 and 173,000 sq. ft. of Polyvinyl Chloride (PVC) membrane will be placed in the trackway invert, beneath the new-concrete slab. Between 55,000 and 78,000 anchors and through-bolts will be used to fasten the steel plates in place. The work includes cleaning, rebar scanning, laser surveying, concrete demolition, concrete sawing and coring, lead paint abatement, painting, piping and pump stations, electrical substations and medium voltage transmission lines, monitoring and control system, trucking, welding, specialized plate handling machinery, and minor amounts of site utilities. The work includes the replacement of five temporary plugs in the outer wall of the TBT with District-furnished permanent plugs. The aggregate lineal feet of work zone in each bore is between 7,800 ft. and 10,100 ft; the aggregate feet of work in the galleries is between 2,200 ft. and 4,600 ft. each bore, and each gallery, will have between three and four separate work zones. The work includes electrically powered construction equipment, supplied by a Contractor-furnished generator at grade at the east end of the TBT. Licenses that Subcontractors may be required to carry as part of a team include C4, C1, C8, C10, C31, C33, C36, C50, C51, C60, 021, 038, 051, HAZ. The work is in the City and County of San Francisco and in Alameda County.

Granite/American Bridge a Joint Venture (Granite/American Bridge) is requesting quotes from all qualified subcontractors and suppliers including certified S/M/WBE firms for the following work, including but not limited to: Concrete Accessories, Concrete Additives and Admixtures, Grout Materials, Volumetric Concrete Supplier, Concrete Demolition, Ground Penetrating Radar & 3-D Laser Survey, Through Rods & Bolts, Dowels/Anchor Bolts, Cathodic Protection, Electrical Materials, Plant Electrical Subcontractor, Low Voltage Systems, Rail Electrical Subcontractor, Construction Fuel Supply, Construction Materials Recycling/Disposal Center, Waste Containers, Mechanical Subcontractor, Handrail Material, Rebar Material, Structural Steel Materials, Steel Coatings, Welding, Rail Subcontractor, Lead Abatement, Environmental Remediation, Rebar Subcontractor, Materials Testing Services, Quality Control, Weld Testing, and Waterproofing, PVC Membrane (Supply & Subcontract). Quotations will be broken down into comparable packages as reasonably necessary. Granite/American Bridge will work with interested subcontractors to identify opportunities to breakdown items into economically feasible packages.

Plans and specifications: Before prospective Bidders can disclose any SSI to a third party (Subcontractors, Suppliers, Consultants and other third parties), such third party must execute the Third Party Non-Disclosure Agreement for Release of Security Sensitive Information for Bidding Purposes (Third Party NDA for Bidding) and complete a security screening. The Third Party NDA for Bidding may be obtained from the Office of the District Secretary by submitting a written request, in the form of Attachment 2 to this Invitation to Bid, to the District Secretary by fax to 510-464-6011 or by mail at the mailing address: Office of the District Secretary, San Francisco Bay Area Rapid Transit District (BART), P.O. Box 12688, Oakland, CA 94604-2688. The written request form (Attachment 2) can also be downloaded from the BART website. Place this link into your web browser: <http://www.bart.gov/about/business/procurement>. You will then select "Contracts Out for Bid" from the Procurement activity list, then scroll down to Contract Number 09AU-120 and download the Invitation to Bidders.

Such third party must provide the District with a list of all individuals anticipated to be granted access to SSI and/or who will participate in the mandatory re-bid meeting and site tour. The third party shall attach to the Third Party NDA for bidding a copy of a government issued photo identification (D), preferably a driver's license, for each listed individual.

The third part is requested to submit to the District Secretary at the address contained herein, sealed envelope labeled "Personal Information and the Third Party NDA for Contract NO. 09AU-120" containing the ID's, Exhibit A, and the Third Party NDA for Bidding.

for the following project:

OWNER: SAN FRANCISCO BAY AREA RAPID TRANSIT DISTRICT
PROJECT: BART EARTHQUAKE SAFETY PROGRAM TBT INTERNAL RETROFIT
BID DUE: 08/02/16 AT 2:00 PM
CONTACT: GRANITE/AMERICAN BRIDGE A JOINT VENTURE
Estimator: David Czech, 11171 Sun Center Drive, Rancho Cordova, CA 95670
Phone: 916-855-8873 • Fax: 916-362-7515

For any bid proposal submitted on or after March 1, 2015 and any contract for public work entered into on or after April 1, 2015, the following registration requirements apply: Every Subcontractor is required to be registered to perform public work pursuant to Section 1725.5 of the Public Contract Code ("Section 1725.5"). No Contractor or Subcontractor shall be qualified to bid on, be listed in a bid proposal pursuant to Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, unless currently registered to perform public work pursuant to Section 1725.5. No bid shall be accepted nor any subcontract entered into without proof of the Subcontractor's current registration to perform public work pursuant to Section 1725.5.

Granite/American Bridge anticipates to be signatory to Operating Engineers, Laborers, Ironworkers, Cement Masons and Carpenters unions. 100% performance and payment bonds may be required for the full amount of subcontract price. Granite/American Bridge will pay for bond premium up to 1.5%. Subcontractors must possess a current contractor's license, insurance and worker's compensation coverage meeting Granite/American Bridge's requirements and will be required to sign the standard Granite/American Bridge Subcontract Agreement. A copy of the insurance requirements and agreement can be obtained by contacting the estimator. Please call if you need assistance in obtaining bonding, insurance, equipment, materials and/or supplies. Granite/American Bridge intends to work cooperatively with all qualified firms seeking work on this project.

A.M. STEPHENS CONST. CO., INC.

REQUEST FOR QUALIFIED
MBE/WBE/DBE/DVBE/SBE/UDBE
Subcontractors and/or Suppliers for the Following:

CITY OF LODI
2016 CHEROKEE LANE ACCESSIBILITY
IMPROVEMENT PROJECT
LODI, CALIFORNIA

BID DATE/TIME: WEDNESDAY, JUNE 29, 2016 @ 11:00 AM
Please respond by: June 28, 2016

BONDING INFO.
PLANS & SPECS. IN OUR OFFICE.

A.M. STEPHENS CONST. CO., INC.
Contact: Geoff Dean
P.O. BOX 1867 • LODI, CA 95241
Phone (209) 333-0136 • Fax (209) 333-0993
EQUAL OPPORTUNITY EMPLOYER

REQUEST FOR DBE SUBCONTRACTORS AND SUPPLIERS FOR:

Resurface ramps, construct MGS, concrete barrier, curb ramps
Hwy 24/580 Oakland - Caltrans #04-4H2224
BID DATE: JULY 6, 2016 @ 2:00 PM

We are soliciting quotes for (including but not limited to):
Trucking, Construction Area Signs, Traffic Control System, Portable Changeable Message Sign, WPCP, Sweeping, Treated Wood Waste, AC Dike, Cold Plane AC, Clearing & Grubbing, Roadway Excavation (Type Z-2 Aerially Deposited Lead), Structure Excavation (Type Z-2 Aerially Deposited Lead), High Friction Surface Treatment, Prime Coat, Data Core, Tack Coat, Minor Concrete, Roadside Signs, Detectable Warning Surface, Pre/Post Construction Survey, Misc. Iron & Steel, Electrical, Delineator, Object Marker, Midwest Guardrail System, Vegetation Control (Minor Concrete), Pedestrian Barricade, Transition Railing, Crash Cushion, Concrete Barrier, Striping & Marking, Traffic Operations System, Signal & Lighting and Construction Material.

O.C. Jones & Sons, Inc.
1520 Fourth St., Berkeley, CA 94710
510/526-3424 • Fax 510/526-0990
Contact: Jean Sicard
An Equal Opportunity Employer

100% Performance & Payment Bonds may be required. Worker's Compensation Waiver of Subrogation required. Please call OCJ for assistance with bonding, insurance, necessary equipment, material and/or supplies. OCJ is willing to break out any portion of work to encourage DBE Participation. Plans & Specs are available for viewing at our office or through the Caltrans web site at: www.dot.ca.gov/hq/esc/oe/weekly_ads/index.php.

DESILVA GATES Construction

11555 Dublin Blvd., P.O. Box 2909
Dublin, CA 94568-2909
(925) 829-9220 • Fax (925) 803-4263
Contractors License No. 704195A

DeSilva Gates Construction (DGC) is preparing a bid as a Prime Contractor for the project listed below:

PROJECT: CALTRANS ROUTE 24, 580 - CONSTRUCTION ON STATE HIGHWAY IN ALAMEDA COUNTY IN OAKLAND ON ROUTE 580 FROM FRUITVALE AVENUE UNDERCROSSING TO HOLLIS STREET UNDERCROSSING AND ON ROUTE 24 AT WESTBOUND OFF-RAMP TO MARKET STREET, Contract No. 04-4H2224, Federal Aid Project ACNHP-X001(602)E, Disadvantaged Business Enterprise Goal Assigned is 12%

BID DATE: JULY 6, 2016 @ 2:00 P.M. ESTIMATOR: VICTOR LE

DGC is soliciting quotations from certified Disadvantaged Business Enterprises, for the following types of work and supplies/materials including but not limited to: AC DIKE, CLEARING AND GRUBBING/DEMOLITION, CONCRETE BARRIER, CONSTRUCTION AREA SIGNS, CRASH CUSHION, ELECTRICAL, ADL (TYPE Z-2), LEAD COMPLIANCE PLAN, METAL BEAM GUARDRAIL, MINOR CONCRETE, MINOR CONCRETE STRUCTURE, MISC. IRON AND STEEL, ROADSIDE SIGNS, STRIPING, PRE/POST CONSTRUCTION SURVEY, SWPPP/WATER POLLUTION CONTROL PLAN, TEMPORARY EROSION CONTROL, UNDERGROUND, VEGETATION CONTROL, TRUCKING, WATER TRUCKS, SWEEPING, CLASS 2 AGGREGATE BASE MATERIAL, HOT MIX ASPHALT (TYPE A) MATERIAL, HIGH FRICTION SURFACE TREATMENT, RUBBERIZED HMA (GAP GRADE) MATERIAL.

Plans and specifications may be reviewed at our office located at 11555 Dublin Blvd, Dublin, CA, or 7700 College Town Drive, Sacramento, CA, or at your local Builders Exchange, or reviewed and downloaded from the ftp site at: <ftp://ftp%25desilvagates.com:17pa55wd@pub.desilvagates.com> (if prompted the username is <ftp://ftp%25desilvagates.com> and password is 17pa55wd) or from the Owner's site at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php.

Fax your bid to 925-803-4263 to the attention of Estimator Victor Le. If you have questions for the Estimator, call at 925-829-9220. When submitting any public works bid please include your DUNS number and DIR number. For questions regarding registration for DIR use the link at: www.dir.ca.gov/Public-Works/PublicWorks.html.

If you need DBE support services and assistance in obtaining bonding, lines of credit, insurance, necessary equipment, materials and/or supplies or related assistance or services, for this project call the Estimator at 925-829-9220, or contact your local Small Business Development Center Network (<http://californiasbdc.org>) or contact the California Southwest Transportation Resource Center (www.transportation.gov/osdbu/SBTRCs). DGC is willing to breakout portions of work to increase the expectation of meeting the DBE goal.

At our discretion, 100% Payment and 100% Performance bonds may be required as a subcontract condition. This will be a PREVAILING WAGE JOB. DGC is an equal opportunity employer.

REQUEST FOR QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS FOR:
INVITATION TO BID TO: ALL QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS
WE WOULD APPRECIATE YOUR SUB-BID AND/OR MATERIAL QUOTE FOR THE FOLLOWING PROJECT:

City of Redding
Redding Municipal Airport West Apron and T-Hangar Taxilane Reconstruction
Bid Schedule # 4827/ Job # 9941
AIP Nos. 3-06-0194-47-2015
Engineer's Estimate (Base Bid): \$2,467,000.00
engineer's Estimate (Additive Alternate Bid): \$3,177,000.00 - DBE Goal: 4.08%
BID DATE: 7/14/2016 @ 3 PM

J.F. Shea Construction is requesting quotes from all qualified DBE subcontractors and suppliers including for all items of work, including but not limited to: **BASE BID ITEMS:** AIRFIELD SAFETY AND TRAFFIC CONTROL; CONSTRUCTION STAKING AND SURVEY LAYOUT; AIRPORT ACCESS AND HAUL ROUTE REPAIR; HAZARDOUS WASTE ABATEMENT; MOBILIZATION; UNDERGROUND UTILITY INVESTIGATION AND POTHOLES; REMOVE PORTLAND CEMENT CONCRETE PAVEMENT; REMOVE STORM DRAIN PIPE; REMOVE STORM DRAIN PIPE, HAZARDOUS MATERIALS; REMOVE CATCH BASIN/STORM DRAIN MANHOLE; REMOVE FENCE AND GATES, CHAIN LINK; REMOVE TIE-DOWNS AND CHAINS; REMOVE SEPTIC TANK AND ABANDON LEACH FIELD; MISCELLANEOUS REMOVALS AND SITE PREPARATION; PULVERIZE/MILL ASPHALT CONCRETE PAVEMENT AND SUITABLE BASE; RECYCLED BASE; SAWCUT ASPHALT CONCRETE PAVEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN (SWPPP); IMPLEMENT STORM WATER POLLUTION PREVENTION PLAN (SWPPP); UNCLASSIFIED EXCAVATION; EXCAVATION BELOW SUBGRADE; LIME TREATED SUBGRADE; CRUSHED AGGREGATE BASE COURSE, P-209; BITUMINOUS SURFACE COURSE, P-401; BITUMINOUS SURFACE COURSE, P-403; BITUMINOUS PRIME COAT; PAVEMENT MARKINGS, YELLOW WITH REFLECTIVE MEDIA; PAVEMENT MARKINGS, WHITE WITH REFLECTIVE MEDIA; PAVEMENT MARKINGS, BLACK; TRENCH DRAIN; 6-INCH STORM DRAIN PIPE, INTERIM; 12-INCH STORM DRAIN PIPE, INTERIM; DRAIN INLET, INTERIM; TAXILANE, INTERIM; STRUCTURAL CONCRETE, REINFORCED; CHAIN LINK FENCE, 6 FOOT HEIGHT WITH BARBED WIRE. **ADDITIVE ALTERNATE BID ITEMS:** AIRFIELD SAFETY AND TRAFFIC CONTROL; CONSTRUCTION STAKING AND SURVEY LAYOUT; AIRPORT ACCESS AND HAUL ROUTE REPAIR; HAZARDOUS WASTE ABATEMENT; MOBILIZATION; UNDERGROUND UTILITY INVESTIGATION AND POTHOLES; REMOVE PORTLAND CEMENT CONCRETE PAVEMENT; REMOVE PAVEMENT MARKINGS; REMOVE STORM DRAIN PIPE; REMOVE STORM DRAIN PIPE, HAZARDOUS MATERIALS; REMOVE CATCH BASIN/STORM DRAIN MANHOLE; REMOVE BUILDING, TRAILER TYPE; MISCELLANEOUS REMOVALS AND SITE PREPARATION; PULVERIZE/MILL ASPHALT CONCRETE PAVEMENT AND SUITABLE BASE; RECYCLED BASE; SAWCUT ASPHALT CONCRETE PAVEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN (SWPPP); PEDESTRIAN GATE; TIE-DOWN ANCHORS AND CHAINS; 8 INCH SANITARY SEWER; 4 INCH SANITARY SEWER LATERAL; SANITARY SEWER MANHOLE; SANITARY SEWER CLEANOUT; WATER SERVICE AND FIRE HYDRANT IMPROVEMENTS, RELOCATIONS AND ADJUSTMENTS; 4 INCH STRUCTURE DRAIN PIPE; ALUMINUM XLPE TRIPLEX (AWG 1/0); ALUMINUM XLPE TRIPLEX (AWG 4/0); ALUMINUM XLPE TRIPLEX (350KCMIL); ALUMINUM XLPE TRIPLEX (500KCMIL); COPPER WIRE THHN/THWN (AGE # 1); COPPER WIRE THHN/THWN (AWG #8); COPPER WIRE BARE (AWG #8); RE-TERMINAL HANGAR BRANCH CIRCUITS; 4 INCH PVC CONDUIT; 4 INCH FIBERGLASS SWEEPS; 2 INCH PVC CONDUIT; 2 INCH GRS CONDUIT; 2 INCH GRS SWEEPS; CONDUIT SUPPORTS AND FITTINGS; ELECTRICAL TRENCH; BACKFILL; REU SECONDARY SPICE BOX - USB-3E; REU PRIMARY SPICE BOX; CONCRETE HANDHOLE; REU TRANSFORMER PADS AND EXTENSIONS; ELECTRICAL COMPONENTS; ELECTRICAL DEMOLITION; GROUND ROADS AND BONDING; TEMPORARY POWER (GENERATORS); BOLLARDS; START-UP TESTING/COMMISSIONING; SANITARY SEWER AND ELECTRICAL UTILITY TRENCH PAVEMENT SECTION; REPLACE MEADOW VIEW DRIVE STORM DRAIN PIPE; IMPLEMENT STORM WATER POLLUTION PREVENTION PAL (SWPPP); UNCLASSIFIED EXCAVATION; EXCAVATION BELOW SUBGRADE; LIME TREATED SUBGRADE; CRUSHED AGGREGATE BASE COURSE, P-209; BITUMINOUS SURFACE COURSE, P-401; BITUMINOUS SURFACE COURSE, P-403; BITUMINOUS PRIME COAT; PAVEMENT MARKINGS, YELLOW WITH REFLECTIVE MEDIA; PAYMENT MARKINGS, WHITE AND REFLECTIVE MEDIA; PAVEMENT MARKINGS, BLACK; 12-INCH STORM DRAIN PIPE, HDPE; 15-INCH STORM DRAIN PIPE, HDPE; 15-INCH STORM DRAIN PIPE, RCP; 18-INCH STORM DRAIN PIPE, HDPE; 18-INCH STORM DRAIN PIPE, RCP; 24-INCH STORM DRAIN PIPE, HDPE; 24-INCH STORM DRAIN PIPE, RCP; 15-INCH SLOTTED STORM DRAIN PIPE; FLAP GATE, FITTED TO 18-INCH PIPE AND RIP RAP; CATCH BASIN, TYPE II; CATCH BASIN, TYPE III; 6-INCH CATCH BASIN DRAIN LINES, PERFORATED; 4-INCH STRUCTURE DRAIN PIPE; STRUCTURAL CONCRETE, REINFORCED; TAXIWAY RETROREFLECTIVE MARKER; 6-INCH STORM DRAIN PIPE, INTERIM; 12-INCH STORM DRAIN PIPE, INTERIM; DRAIN INLET, INTERIM; SANITARY SEWER AND ELECTRICAL UTILITY TRENCH PAVEMENT SECTION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

**REQUEST FOR CERTIFIED & QUALIFIED MBE/WBE
SUBCONTRACTORS AND MATERIAL SUPPLIERS**

BOST HOUSE RENOVATION
145 BOST AVENUE
NEVADA CITY, CA 95959
COUNTY OF NEVADA, PURCHASING
BID DATE: JUNE 28, 2016 - 2:30 PM

Requesting qualified sub bids from the following subcontractors and suppliers for:
Demolition, Asbestos Removal, Site and Underground Utility Work, Metal Stairs,
Guard and Hand Rails, Drywall, Painting, Cabinets, Painting, Plumbing,
Electrical, Alarm.

BILL LITCHFIELD CONSTRUCTION
CSL 357956
10106 Four Seasons Trail
Grass Valley, CA 95949
Phone: (530) 272-5773 • Fax: (530) 272-3296
Contact: Bill Litchfield - bill@billlitchfield.com

Bid Documents may be downloaded from:
www.mynevadacounty.com/nc/igs/purchasing; or, obtained from the office of the
Purchasing Division, County of Nevada, 950 Maidu Ave., Nevada City, CA 95959; or,
contact sandy.baizer@countynevada.ca.us (530) 265-1747.

Please call with questions or for assistance regarding bonding, insurance, plans &
specifications, materials or bidding partial items only.

BILL LITCHFIELD CONSTRUCTION, INC. IS AN EQUAL OPPORTUNITY EMPLOYER

**REQUEST FOR QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS FOR:
INVITATION TO BID TO: ALL QUALIFIED DBE SUBCONTRACTORS & SUPPLIERS
WE WOULD APPRECIATE YOUR SUB-BID AND/OR MATERIAL QUOTE FOR THE FOLLOWING PROJECT:**

City of Montague
2016 Montague Street Rehabilitation Project
Engineer's Estimate: \$320,000.00
BID DATE: 6/30/2016 @ 1 PM
Goals: 6.8% Minority and 6.9% Female

J.F. Shea Construction is requesting quotes from all qualified DBE subcontractors and suppliers including for
all items of work, including but not limited to: **BID SCHEDULE A: NORTH 18th STREET & DEL MONTE
STREET - BID SCHEDULE A:** MOBILIZATION; CONSTRUCTION SITE MANAGEMENT; STORM WATER
POLLUTION PREVENTION PLAN; TRAFFIC CONTROL; EARTHWORK; CLASS 2 AGGREGATE BASE; HMA
PAVING; FILTER FABRIC; ADJUST EXISTING VALVE BOX TO GRADE; ADJUST EXISTING MANHOLE TO
GRADE; ADJUST EXISTING SEWER CLEANOUT TO GRADE; 12" HDPE PIPE; 15" HDPE PIPE; 18" HDPE
PIPE; 12" FLARED END SECTION; 18" FLARED END SECTION; 15" FLARED END SECTION; THERMOPLASTIC
STOP BAR; 18" STOP SIGN (1 POST); 6" MINUS RIP RAP (INCLUDES FILTER FABRIC). **BID SCHEDULE
B (ADDITIVE ALTERNATE): SCOBIE STREET:** TRAFFIC CONTROL; EARTHWORK; CLASS 2 AGGREGATE
BASE; HMA PAVING; FILTER FABRIC; ADJUST EXISTING VALVE BOX TO GRADE.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's
license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors
will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be
required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or
supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding,
CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work
cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and
will work with any interested subcontractor to identify opportunities to break items into economically feasible
packages. **Women and Minority Employees are encouraged to apply.**

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

GRIFFITH COMPANY
REQUESTING SUB-BIDS ON ALL TRADES
From Qualified DBE Subcontractors & Suppliers
DBE Goal: 13%, for the following project:

CITY OF BAKERSFIELD - PAVEMENT REHABILITATION 2015-2016 RSTP:
BRUNDAGE LANE FROM UNION AVENUE TO WASHINGTON STREET
CITY PROJECT NO. T6209
FEDERAL PROJECT NO. STPL-5109(220)

SCOPE OF WORK: SWPPP, Maintaining Traffic, Traffic Control and Detour Plan, Adjust Manholes
(42 SS and 13 SD), Adjust Monument Encasement, Dust Control, Full Depth Reclamation -
Cement, Roadway Excavation, HMA Type A, Minor Concrete, Access Ramps, Curb and Gutter,
Cross Gutter, Traffic Striping, Thermo-plastic - Detail 9, Detail 22, Detail 27B, Detail 29, Detail 32,
Detail 38, Pavement Markings (Thermo-plastic), Traffic Detector Loops: Type D, Type E, Fire
Hydrant Markers Type D, Modfly Landscaping and Irrigation, Hauling.

BIDS: JUNE 30, 2016 AT 11:00 AM
BIDS DUE: JUNE 30, 2016 AT 11:00 AM

Plans & Specs are available for review from 7:00 am - 5:00 pm
Monday through Friday at:

GRIFFITH COMPANY
(AN EQUAL OPPORTUNITY EMPLOYER)
1128 Carrier Parkway Avenue, Bakersfield, CA 93308
Phone: (661) 392-6840 • Fax: (661) 393-9525
Contact: WALT WEISHAAR, ESTIMATOR

100% BONDING MAY BE REQUIRED FOR ALL SUBCONTRACTORS.
ASSISTANCE AVAILABLE IN OBTAINING BONDS, LINES OF CREDIT, INSURANCE,
NECESSARY EQUIPMENT & TECHNICAL ASSISTANCE. GRIFFITH COMPANY INTENDS
TO CONDUCT ITSELF IN "GOOD FAITH" WITH DBE FIRMS REGARDING
PARTICIPATION ON THIS PROJECT.

MASTERS Construction

A DIV. OF FARMERS LAND LEVELING, INC.

1610 E. MAIN ST. • BRAWLEY, CA 92227 • (760) 344-7400 • FAX (760) 344-2668

MASTERS REQUESTING DBE
SUBCONTRACTORS AND SUPPLIERS
FOR THE FOLLOWING PROJECT:

1st STREET PEDESTRIAN IMPROVEMENTS PROJECT
CITY OF BRAWLEY
BRAWLEY, CA 92227
CML-5167(035)

BID DATE/TIME: JULY 8, 2016 @ 2:00 P.M.
PLEASE RESPOND BY: JULY 6, 2016

LOOKING FOR BIDS FROM CERTIFIED DBE's.

MASTERS Construction • Ryan Stiff
(760) 344-7400 • Fax (760) 344-2668
EQUAL OPPORTUNITY EMPLOYER

STEVE P. RADOS, INC.

An Equal Opportunity Employer is requesting quotations from all qualified
DBE, MBE, WBE, OBE Subcontractors and/or material suppliers for the following project:

REFERENCE: 7520

PROJECT TITLE: LA RESERVOIR ULTRAVIOLET DISINFECTION PLANT
LOCATION: SYLMAR, CA LOCATED IN LOS ANGELES COUNTY, CA
OWNER: LOS ANGELES DEPT. OF WATER & POWER (LADWP)
BID DATE: JULY 21, 2016 AT 2:00 PM

We are requesting bids for the following trades and/or material suppliers: We are attempting to obtain the
highest possible participation of DBE, MBE, WBE & OBE suppliers & subcontractors for the following supplies
and items of work, but not limited to: asphalt, concrete & cement, reinforcing bar section, steel, doors &
frames, pipe, fencing, guard railings & barriers, electrical & signals, glass & glass block, construction
staking, grading, structure excavation, irrigation system, plastic pipe, welded steel pipe, reinforced
concrete sewer pipe, sewer manhole, concrete curb & sidewalk, misc., engine generator set, misc. iron &
steel frame, cover & grate, fencing, aggregate base, cement treated base, asphalt concrete, cast-in-drilled
hole concrete structure, minor concrete structure, reinforcing steel, steel steel structures, lumber 7 timber,
cast-in-place concrete pipe, reinforced concrete pipe.

Bid documents can be viewed at or obtained from: Downloadable at no cost: <http://www.ladwp.com/eRSP> or
call Steve P. Rados, Inc. at 714-835-4612 to schedule plan & specs viewing at our office at 2002 E. McFadden Ave.,
Santa Ana, CA or view plans & specs at our web site. With Confidentiality Agreement.

Engineer's Estimate: \$60-75 Million. Steve P. Rados, Inc. (SPR) is an Equal Opportunity Employer and a signatory
Union Contractor. Subcontractors will be required to abide by the terms and conditions of the AGC Long Form
Subcontract incorporating prime contract terms and conditions, including payment provisions, and insurance
requirements. SPR's listing of a subcontractor is not to be construed as an acceptance of all subcontractor's
conditions or exceptions included with the subcontractor's quotes. Subcontractors will be required to provide
payment & performance bond from an approved surety company for 100% of the value of the subcontracted work.
SPR will pay bond premium up to 1.5% (optional). We will split items of work and provide assistance for
obtaining bonds, lines of credit and/or insurance. Assistance is available in obtaining necessary equipments,
supplies, materials & related assistance or services. SPR requires that subcontractors and suppliers price quote be
provided at a reasonable time prior to bid to enable a complete evaluation.

STEVE P. RADOS, INC

2002 E. McFadden Ave., Ste. 200, Santa Ana, CA 92705
tel (714) 835-4612 fax (714) 835-2186

Frederic Doucedame - Email: fdoucedame@radoscompanies.com

GRIFFITH COMPANY

**REQUESTING SUB BIDS ON ALL TRADES FROM QUALIFIED DBE
SUBCONTRACTORS AND SUPPLIERS - DBE GOAL: 11%**

**PROJECT: CONSTRUCTION IN LOS ANGELES COUNTY IN LOS ANGELES AND
EAST LOS ANGELES ON ROUTE 60 FROM 0.1 MILE WEST OF BOYLE AVENUE
UNDERCROSSING TO EASTERN AVENUE OVERCROSSING AND ON ROUTE 5
FROM EUCLID UNDERCROSSING TO BOYLE AVENUE OVERCROSSING
CALTRANS CONTRACT NO. 07-288204**

**SCOPE OF WORK: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC
CONTROL SYSTEM; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION
PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND
ANALYSIS; STORM WATER ANNUAL REPORT; TEMPORARY HYDRAULIC MULCH;
TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; STREET
SWEEPING LS LUMP SUM; TEMPORARY CONCRETE WASHOUT; REMOVE IRRIGATION
FACILITY; SALVAGE IRRIGATION FACILITY; REMOVE CONCRETE (CURB AND
GUTTER); ROADWAY EXCAVATION (TYPE 2-2) (AERIALY DEPOSITED LEAD); DITCH
EXCAVATION; IMPORTED BORROW; ROADSIDE CLEARING; SLOW-RELEASE
FERTILIZER; PLANT (GROUP H); PLANT (GROUP A); PLANT (GROUP U); MAINTAIN
EXISTING PLANTED AREAS; PLANT ESTABLISHMENT WORK; WOOD MULCH; CHECK
AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION
FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; 1" REMOTE CONTROL VALVE;
1 1/2" REMOTE CONTROL VALVE; 2" REMOTE CONTROL VALVE; 16-18 STATION
IRRIGATION CONTROLLER (WALL MOUNTED); 24-32 STATION IRRIGATION
CONTROLLER (WALL MOUNTED); 2" COPPER PIPE (SUPPLY LINE); 4" GALVANIZED
STEEL PIPE (SUPPLY LINE); IRRIGATION CONTROLLER ENCLOSURE CABINET; 2"
BACKFLOW PREVENTER ASSEMBLY; 3" BACKFLOW PREVENTER ASSEMBLY; FLOW
SENSOR; RISER SPRINKLER ASSEMBLY (GEAR DRIVEN); RISER SPRINKLER
ASSEMBLY; 2" GATE VALVE; 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1"
PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 1 1/4" PLASTIC PIPE (SCHEDULE 40)
(SUPPLY LINE); 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 2" PLASTIC PIPE
(SCHEDULE 40) (SUPPLY LINE); BALL VALVE; 10" WELDED STEEL PIPE CONDUIT;
COMPOST; INCORPORATE MATERIALS; MINOR CONCRETE (MINOR STRUCTURE);
SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION FABRIC (CLASS 8);
MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION); MAINTAINING EXISTING
TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; ELECTRIC
SERVICE FOR IRRIGATION**

BID DUE DATE: JULY 7, 2016 - 2:00 P.M.

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary
equipment, supplies, materials, as well as any related assistance in service. Plans and
specs are available for review in our office. Please call for an appointment. 100%
bonding may be required. Subcontractors must have a current contractor's license, DIR
Registration Number, effective insurance and will be required to sign the standard Griffith
Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact
Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

CT&T CONCRETE PAVING, INC.

PROJECT:

MESQUITE AVENUE STREET IMPROVEMENTS - PALM SPRINGS, CA
PROJECT NO. CP 12-01

BID DATE: JULY 7, 2016 BID TIME: 3:00 PM
Please respond by: July 6, 2016

CT&T Concrete Paving, Inc. is accepting Bids from certified DBE Subcontractors for the following trades: Traffic Control, Water Pollution Control, Striping/Pavement Marking. By submitting a bid you agree to sign CT&T Concrete Paving, Inc.'s Subcontract Agreement. Subcontractor must possess a valid Contractor's License, active DBE No. and an active DIR Registration No. at the time of Bid. Spec's & Plans available upon request. E-mail: richard@cttconstruction.com for Project info.

CT&T CONCRETE PAVING, INC.

Contact: Jose Carvajal
324 S. Diamond Bar Blvd., PMB275
Diamond Bar, CA 91765
Phone (909) 629-8000 • Fax (909) 629-8001
AN EQUAL OPPORTUNITY EMPLOYER

REQUEST FOR SUB-BIDS

Los Angeles Engineering, Inc. is requesting sub-bids from certified DBE Firms for the following Work: Construction Area Signs, Traffic Control System, Roadway Excavation, Ditches Excavation, Imported Borrow, Highway Planting, Soil Amendments, Irrigation System, Landscape Care and Maintenance Services, Minor Concrete Structure, rock Slope Protection, Construction Curb & Sidewalk - Misc. Business Administration.

OWNER: CALTRANS (07-288204)
PROJECT: STORM WATER SOURCE - REPLACEMENT HWY PLANTING
BIDS: JULY 7, 2016 AT 2:00 PM

Plans, specifications and requirements for the work are available for review in our office at 633 N. Barranca Ave., Covina, CA 91723, Mon-Fri 8:00 am - 5:00 pm, or by Owner at: Caltrans via web site: www.dot.ca.gov.

Los Angeles Engineering, Inc. will provide information to interested business enterprises including DBE's in obtaining bonding, lines of credit, and insurance required by the Owner or Los Angeles Engineering, Inc. upon request. Los Angeles Engineering will assist interested business enterprises including DBE's in obtaining necessary equipment, supplies, materials or related assistance. Bonds may be required for subcontracts over \$100,000.00.

For technical assistance related to plans, specifications, and requirements for the work call Joseph Haygood at 626-454-5222 Ext. 208 or email at joseph@laeng.net.

In accordance with California Public Contract Code Section 4108 amended January 01, 1992, all subcontracts will be awarded on Los Angeles Engineering, Inc. standard form of subcontract and may include the requirement to provide a Payment and Performance Bond from a T-Listed Surety. We will pay premium up to 1.5% of Bid Amount.
For additional information contact Joseph Haygood at (626) 454-5222 . 208.

Los Angeles Engineering, Inc.
633 N. Barranca Ave., Covina, CA 91723
(626) 454-5222 • Fax (626) 454-5226
Contractor's License No. 591176
AN EQUAL OPPORTUNITY EMPLOYER

CT&T CONCRETE PAVING, INC.

PROJECT:

SIDEWALK REPLACEMENT PROJECT, FY 2015-16
INGLEWOOD, CA - PROJECT NO. CB-16-08

BID DATE: JUNE 29, 2016 BID TIME: 11:30 AM
Please respond by: June 28, 2016 no later than 5:00 pm

CT&T Concrete Paving, Inc. is preparing to bid on the following project: Sidewalk Replacement - Project, FY 2015-16 Project No. CB-16-08 which bids on the 29th of June 2016. CT&T is now accepting Subcontractor Bids, from certified UDBE/DBE firms for the following: Traffic Control, Asphalt - Grinding, SWPPP, and Pavement Marking (Striping). We look forward to doing business with local UDBE/DBE firms for the above mentioned project.

By submitting a bid you agree to sign CT&T Concrete Paving, Inc.'s Subcontract Agreement. Subcontractor must possess a valid Contractor's License, active DBE No. and an active DIR Registration No. at the time of Bid. Spec's & Plans available upon request.

CT&T CONCRETE PAVING, INC.

Contact: Jose Carvajal
324 S. Diamond Bar Blvd., PMB275
Diamond Bar, CA 91765
Phone (909) 629-8000 • Fax (909) 629-8001
AN EQUAL OPPORTUNITY EMPLOYER

MATCH CORPORATION

1596 Harry Sheppard Blvd., San Bernardino, CA 92408

PROJECT:

ROUTE 62 IN JOSHUA TREE - JOSHUA TREE, CA
#08-0R1304

BID DATE/TIME: JULY 27, 2016 - 2:00 P.M.
Please respond by Bid Date & Time

Match Corporation is requesting quotes from qualified DBE Subcontractors & Suppliers in the following trades: lead compliance plan, construction area signs, traffic control system, SWPPP, reset roadside sign, adjust manhole, cold plane A.C. pavement, clearing & grubbing, develop water supply, roadway excavation, erosion control, class 2 aggregate base, temporary fencing, thermoplastic striping & marking, trucking, and A.C. oil.

Plans can be reviewed at Agency or our office.
We will provide necessary assistance.

MATCH CORPORATION • MARK HICKMAN
(909) 382-7400 • Fax (909) 382-0113
WE ARE AN EQUAL OPPORTUNITY EMPLOYER

VALENTINE CORPORATION

Sub-Bids Requested From Qualified MBE/WBE/DBE/DVBE/SBE/UDBE
Subcontractors/Suppliers for:

**CALTRANS #06-0N9904 - BRIDGE SCOUR MITIGATION IN FRESNO &
MADERA COUNTIES**

BID DATE/TIME: JULY 27, 2016 @ 2:00 PM
Please respond by: July 27, 2016 @ Noon

Trades/Services Requested, but not limited to: LEAD COMPLIANCE PLAN, CAS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), CHANNELIZER (SURFACE MOUNTED), TEMPORARY SIGNAL SYSTEM, PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY DEWATERING AND NON-STORM WATER DISCHARGE CONTROL SYSTEM, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY FIBER ROLL, TEMPORARY CONSTRUCTION ENTRANCE, TEMPORARY CONSTRUCTION ROADWAY, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, WATER QUALITY SAMPLING AND ANALYSIS DAY, WATER QUALITY MONITORING REPORT, WATER QUALITY ANNUAL REPORT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), BIRD AND BAT EXCLUSION DEVICES, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE ASPHALT CONCRETE DIKE, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, REFINISH BRIDGE DECK, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, REMOVE CHIP SEAL, CARBON FIBER REINFORCED POLYMER STRIP, CORE CONCRETE (10"), BRIDGE REMOVAL (PORTION), LOCATION A, BRIDGE REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING (LS), STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE D), ROADSIDE CLEARING, IRON SULFATE (LB), SOIL AMENDMENT, PACKET FERTILIZER, PLANT (GROUP A), PLANT ESTABLISHMENT WORK, WOOD MULCH, ROOT PROTECTOR, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, 1" REMOTE CONTROL VALVE, RISER SPRINKLER ASSEMBLY, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), CHECK VALVE, 6" WELDED STEEL PIPE CONDUIT, EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), COMPOST, INCORPORATE MATERIALS, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIK (TYPE C), 48" CAST-IN-DRILLED-HOLE CONCRETE PILING, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, DIAPHRAGM BOLSTER, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), MISCELLANEOUS METAL (PIPE EXTENDER), MIDWEST GUARDRAIL SYSTEM (STEEL POST), TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB-31), ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 732 MODIFIED), THERMOPLASTIC TRAFFIC STRIPE.

Valentine Corporation is committed to working with all qualified subcontractors on this project. We are available to assist you with technical, and general questions. Bonds may be required. If so Valentine is available to assist. We will break bid items into smaller parts to facilitate MBE/WBE/DBE/DVBE/SBE/UDBE participation. Please include your DIR number with your quote. You may view plans and specs at your local builders' exchange, or at our office, 111 Pelican Way, San Rafael, between 8am-3pm, Monday - Friday. Or if you would like us to send you a set of plans and specs please contact us.

Valentine Corporation
111 Pelican Way, San Rafael, CA 94901
License No. 229225 Contact Person: Valorie McCauley
Phone 415-453-3732 • Fax 415-457-5820
Equal Opportunity Employer

VALENTINE CORPORATION

Sub-Bids Requested From Qualified MBE/WBE/DBE/DVBE/SBE/UDBE
Subcontractors/Suppliers for:

**SOUTHERN CULVERT REPLACEMENT CREEKSIDE MARSH
ENHANCEMENT PROJECT
KENT FIELD - COUNTY OF MARIN**

BID DATE/TIME: JULY 7, 2016 - 10:00 AM
Please respond: One Day Before

Trades/Services Requested, but not limited to: SIGNS & TRAFFIC CONTROL, CLEARING & GRUBBING, DEWATERING, EARTH WORK, EXCAVATION KENT FIELD FORCE MAIN SUPPORTS, SUPPLY PIPE, HMA PAVING, EROSION, SEDIMENT CONTROL AND REVEGETATION, SMHM EXCLUSION FENCING, FENCING.

Valentine Corporation is committed to working with all qualified subcontractors on this project. We are available to assist you with technical, and general questions. Bonds may be required. If so Valentine is available to assist. We will break bid items into smaller parts to facilitate MBE/WBE/DBE/DVBE/SBE/UDBE participation. Please include your DIR number with your quote. You may view plans and specs at your local builders' exchange, or at our office, 111 Pelican Way, San Rafael, between 8am-3pm, Monday - Friday. Or if you would like us to send you a set of plans and specs please contact us.

Valentine Corporation
111 Pelican Way, San Rafael, CA 94901
License No. 229225 Contact Person: Valorie McCauley
Phone 415-453-3732 • Fax 415-457-5820
Equal Opportunity Employer

Agee Construction Corporation

REQUEST FOR QUALIFIED, CERTIFIED

M/BE/WBE/DBE/DVBE/SBE/UDBE SUBCONTRACTORS & SUPPLIERS FOR:

**CONSTRUCTION ON STATE HIGHWAY IN MERCED COUNTY NEAR HILMAR
FROM 0.2 MILE SOUTH OF WESTSIDE BOULEVARD TO RIVER ROAD
MERCED, CA - FEDERAL AID #ACHSSTP-P165(013)E, CONTRACT #10-Q02904
BID DATE/TIME: WEDNESDAY, JULY 6, 2016 AT 2:00 PM**

DBE 11%. Items of work available for participation include, but are not limited to, the following: (for a complete bid schedule, call or email as noted below). Clearing & Grubbing, Saw Cutting, Imported Borrow, Lead Compliance Plan, SWPPP, SWPPP Materials, Temporary Concrete Washout, Dust Control, Erosion Control, Hydroseed, AC Grindings, Cold Plane Asphalt, Street Sweeping, Tack Coat, Material Testing, Construction Area Signs (CAS), Crash Cushion, Delineator, K-Rail, Striping, Striping Removal, Traffic Control, Type III Barricade, Underground, Schedule CPM and any service or product you can provide to complete the bid requirements.

Drawings, Specifications and Bid Proposal documents are available at the following locations:
• http://www.dot.ca.gov/hq/esc/oe/inquiry/bid_inquiries.php
• Review - Agee Construction Corporation, 1039 Hoblitt, Clovis, CA 93612, 559-299-3290, Monday thru Friday 8:00 am to 5:00 pm. (For additional P&S locations call 559-299-3290). Subcontractors may be required to obtain 100% Payment and 100% Performance Bonds with bond premiums paid up to 1.5%. Appropriate license will be required as well as insurance, including workers compensation. Agee Construction will assist with obtaining bonds and reviewing other subcontractor requirements such as safety policies, insurance, certified payroll, prevailing wage requirements, and union requirements. Agee Construction is an Equal Opportunity Employer.

AGEE CONSTRUCTION CORPORATION
Contact: Alan Diriam - estimating@ageeconstruction.com
P.O. Box 629, Clovis, CA 93613
Phone (559) 299-3290 • Fax (559) 299-3503

Hutchins, Inc.

Is requesting Sub Quotes from Qualified DBE Subcontractors and/or Suppliers for the following project:

CASSEL-FALL RIVER ROAD AT PIT RIVER BRIDGE SCOUR REPAIR PROJECT FEDERAL AID PROJECT NO. BRLS-5906 PROJECT NO. 703924 FALL RIVER MILLS, CA

BID DATE & TIME: JULY 14, 2016 - 11:00 A.M.
Please respond by: July 13, 2016

ALL TRADES REQUESTED

For more information regarding this project call:

HUTCHINS, INC. • ROB MACDONALD
16424 Clear Creek Rd., Redding, CA 96001
Phone: 530-246-4272 • Fax: 530-246-4279
Equal Opportunity Employer

GRIFFITH COMPANY
REQUESTING SUB-BIDS ON ALL TRADES
From Qualified DBE Subcontractors & Suppliers
DBE Goal: 4%, for the following project:

**CITY OF CALIFORNIA CITY
HACIENDA BLVD REHABILITATION
REDWOOD BLVD TO FOREST BLVD
PROJECT NO. STPL-5399(024)**

SCOPE OF WORK: Cold Plane Existing AC Surface and Haul Off Site. Cement Treated Subgrade - Pulverize Existing Material & Mix with 5% Cement Water and Compact to 95%, 4" Type B HMA, Install Concrete V-Gutter, Install 12" Thermoplastic Cross Walk/Limit Line, Install 4" Yellow Thermoplastic Centerline Stripe-Detail 2, Install 4" Yellow Thermoplastic Centerline Stripe-Detail 22, Install White Thermoplastic Pavement Markings, Furnish and Install R1-1 Sign (36" x 36") STOP, Furnish and Install R2-1 Sign (24" x 30") SPEED LIMIT, Furnish and Install W3-1 Sign (36" x 36") STOP AHEAD, Furnish and Install SW24-1 (CA) Fluorescent Yellow-Green Sign (36" x 48") SCHOOL WARNING, Furnish and Install SR4-1 (CA) Sign (36" x 72") SCHOOL SPEED LIMIT 25, Furnish and Install S4-5a Sign (36" x 36") 25 MPH SCHOOL ZONE AHEAD, Furnish and Install S5-3 Sign (24" x 30") END SCHOOL SPEED LIMIT, Preconstruction Biological Survey, QC/QA, SWPPP, Temporary Traffic Control, Hauling.

BIDS: JUNE 30, 2016 AT 2:00 PM
BIDS DUE: JUNE 30, 2016 AT 2:00 PM

Plans & Specs are available for review from 7:00 am - 5:00 pm
Monday through Friday at:

GRIFFITH COMPANY
(AN EQUAL OPPORTUNITY EMPLOYER)
1128 Carrier Parkway Avenue, Bakersfield, CA 93308
Phone: (661) 392-6040 • Fax: (661) 393-9525
Contact: STEVE DEYERS, ESTIMATOR

100% BONDING MAY BE REQUIRED FOR ALL SUBCONTRACTORS.
ASSISTANCE AVAILABLE IN OBTAINING BONDS, LINES OF CREDIT, INSURANCE,
NECESSARY EQUIPMENT & TECHNICAL ASSISTANCE. GRIFFITH COMPANY INTENDS
TO CONDUCT ITSELF IN "GOOD FAITH" WITH DBE FIRMS REGARDING
PARTICIPATION ON THIS PROJECT.

REQUEST FOR CERTIFIED DBE SUBCONTRACTORS & SUPPLIERS
WITH CALIFORNIA DBE CERTIFICATION:

INLAND RAIL TRAIL, SAN MARCOS TO VISTA, SEGMENTS 2A, 2B, 3A, 3D AND 4
CONTRACT NO. CIP 1223023 IFB50007013
LOCATION: SAN MARCOS, CA
OWNER: SAN DIEGO ASSOCIATION OF GOVERNMENTS (SANDAG)
BID DATE: JUNE 30, 2016 AT 2:00 P.M.
DBE Goal - 14%

Quotes requested for, but not limited to, the following types of work:

- Aggregates • Asphalt Dike • CIDH Piling • Clear & Grub • Cold Plane AC • Concrete Ditch • Construction Area Signs • Decomposed Granite • Drainage • Electrical • Environmental Compliance Officer • Erosion Control • Fencing and Railing • Formliner • Landscape and Irrigation • Manholes • Minor Concrete • Misc. Iron and Steel • Pipe Supply • Precast Concrete • Prefabricated Steel Truss • Quality Control • Ready Mix Concrete • Reinforcing Steel • Roadside Signs • Rock Slope Protection • Street Sweeping • Striping • Stucco Finish • Survey.

Plans and specifications can be downloaded, at no cost from SANDAG web site at:
<https://www.planetbids.com/portal/portal.cfm?CompanyID=14207> (registration required). Additionally, plans and specifications are available at Flatiron's San Marcos, CA and Chino Hills, CA offices. Please call to make an appointment to view plans and specifications.

Assistance in obtaining bonding, lines of credit, insurance, equipment, supplies and materials is available upon request. Flatiron analyzes and considers each DBE quote, including those that are broken down into economically feasible units to facilitate bidding.

Quotations must be valid for same duration as specified by Owner for contract award.

Subcontractors are required to possess and maintain a current contractor's license and must also be registered with the Department of Industrial Relations (DIR) as required by Public Contract Code Section 1725.5. Subcontractors will be required to execute Flatiron's Standard Subcontract Terms and Conditions and insurance requirements. A copy of our Standard Terms and Conditions is available in electronic format upon request.

Bond Requirements: Notwithstanding any contrary language in a bid to Flatiron West, Inc. ("Flatiron") or any prior course of dealing between Flatiron and a bidder, and unless waived in writing by Flatiron, Flatiron reserve the right, pursuant to Public Contract Code Section 4108 and otherwise, to require each bidder to provide payment and performance bonds assuring bidder's obligations to Flatiron in the amount of 100 percent of the bid to Flatiron. Flatiron will reimburse the bond premium at actual cost not to exceed 3%. The surety on the bonds must be a California admitted surety.

Non-DBE Subs/Suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

FLATIRON WEST, INC.

1770 La Costa Meadows Drive, San Marcos, CA 92078
Phone (760) 916-9100 ext. 2490 • Fax (760) 471-4860
Contact: Lucinda Medrano, Estimating Assistance
Email: SDBids@flatironcorp.com
An Equal Opportunity Employer

Shimmick Construction Company, Inc. is Prime Contractor seeking quotes from certified Disadvantaged Business Enterprises (DBEs) Subcontractors/Suppliers for the following projects:

Construct 4-Foot Right Shoulder, Pave Turnouts, Replace/Add MBGR in District 12 - Orange County (near San Juan Capistrano)
California Department of Transportation Contract #12-0L7204
Bid Date and Time: July 13, 2016 at 2:00 pm

Subcontractors/Suppliers Requested for, but not limited to, the following: Clear and Grub, Hot Mix Asphalt Dike, Hot Mix Asphalt, Removal and Installation of Guardrail, Removal and Installation of Roadside Signs, Removal and Installation of Fence, Irrigation and Landscaping, Removal of Treated Wood Waste, Temporary Erosion Control, Biologist, Class 2 Aggregate Base, Corrugated Steel Pipe, Underdrain, Reinforced Concrete Pipe and Cured in Place Pipeliner.

Items of work may be broken down into economically feasible packages to encourage participation. Shimmick Construction intends to conduct itself in good faith with all firms for participation on this project.

Shimmick Construction Company, Inc., 16481 Scientific Way - Irvine, CA 92618,
Phone 949-333-1500, Fax 949-333-1510

For additional project information or to discuss obtaining necessary equipment, supplies, and/or materials, please contact Ian Huber, ihuber@shimmick.com (949) 398-6067.

Contract documents are available at: *Electronic copies of the plans and specifications can be downloaded from the Caltrans web site http://www.dot.ca.gov/hq/esc/oe/weekly_ads/index.php under Advertised Projects. Shimmick has also made plans and specifications available through our SmartBidNet. If you require assistance with access to plans/specs or contract requirements please contact Ian Huber, ihuber@shimmick.com (949) 398-6067.

CONTRACTOR REGISTRATION REQUIREMENTS: LABOR CODE SECTION 1771.1 (a)
A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined in this chapter, unless currently registered and qualified to perform public work pursuant to Section 1725.5. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1725.5 at the time the contract is awarded.

Any bid submitted will confirm the acceptance of the terms and conditions of SCCI's Standard Long Form Subcontract, available upon request. A Subcontractor providing a proposed bid/price will be viewed as accepting SCCI's Standard Long Form Subcontract. 100% Performance and Payment bonds with a surety company acceptable to Shimmick Construction are required of subcontractors. Shimmick Construction will pay bond premium up to 1.0%. Subcontractors will be required to abide by terms and conditions of the AGC Master Labor Long Form Subcontract incorporating prime contract terms and conditions, including payment provisions-subcontract draft copy available upon request. Subcontractor must provide insurance coverage for their work as required by the Prime contract or Shimmick minimum - whichever is greatest. Shimmick's minimum insurance requirement is: General Liability \$1M-Per Occurrence/\$2M- Agg/\$2M-Completed Operations; Excess Liability \$5M; Auto Liability \$1M; Workers Comp & Employer Liability \$1M. Shimmick Construction's listing of a Subcontractor is not to be construed as an acceptance of all of the Subcontractor's conditions or exceptions included with the Subcontractor's price quote. Shimmick requires that Subcontractor and Supplier price quotes be provided at a reasonable time prior to the bid deadline to enable a complete evaluation. For assistance with bonding, insurance or lines of credit contact Scott Fairgrieve at (510) 777-5000.

Shimmick Construction Company, Inc. is An Equal Opportunity Employer

C.A. Rasmussen, Inc. is a General Engineering contractor requesting quotes from qualified DBE subcontractors and suppliers who perform a commercially useful function for the following project:

PROJECT: FY 2015-16 ANNUAL MAJOR STREETS REHABILITATION PROGRAM: ALAMO STREET (TEXAS AVE. TO YOSEMITE AVE.)
OWNER: CITY OF SIMI VALLEY
PROJECT NUMBER: SV 16-07
LEAD ESTIMATOR: ANDY BERRY
BID DUE DATE: JULY 7, 2016 @ 2:30 PM

We are seeking DBE subcontractors and/or suppliers for the following areas of work including but not limited to: Traffic Control System; Reset, Adjust Roadway items; Plane Asphalt Concrete; Asphalt Concrete; Roadside Sign; Survey or Historical Monument; Object Marker; Thermoplastic Traffic Striping & Marking; Painted Traffic Striping & Marking; Pavement Marking; Signal & Lighting; Detector; Petroleum, Oil, Lubricants Supplier; Sand & Gravel Supplier; Asphalt Supplier; Concrete & Cement Supplier; Stormwater Systems Supplier; Pavement Markers Supplier; Electrical & Signals Supplier; Traffic Stripes, Marking & Traffic Control Materials Supplier; Wholesale Broker of Construction Materials; SWPPP Planning; Bottom Dump Truck; Transfer Dump Truck; Super 10 Dump Truck; Flat Bed Trucking; Water Truck; End Dump Truck; Asphalt Oil Tankers; Street Sweeping Truck; Truck Rental; Trucker Broker; Trucker.

ALL BID ITEMS OPEN FOR BID, including items of work normally performed by C.A. Rasmussen, Inc.

Plans and specifications for this project are available for review at our office and on-line via our FTP Link: <https://files.secureserver.net/0fPhMrL1f53efv>. If item specific plan sheets are needed, please call or email with your request. Subcontractors will be required to enter into our standard contract. No modifications to the contract are permitted. Payment and performance bonds may be required. C.A. Rasmussen, Inc. will conduct itself in Good Faith with DBE subs for this project, including assistance in obtaining bonding, lines of credit, insurance, necessary equipment, supplies and materials. C.A. Rasmussen, Inc. will establish flexible time frames for performance and delivery schedules. C.A. Rasmussen, Inc. will work with interested DBE subs to identify opportunities to break down items into economically feasible packages. DBE Firms must possess the work category code(s) applicable to their type of work to be performed on this contract at time of bid opening.

C.A. Rasmussen, Inc.

28548 Livingston Avenue
Valencia, CA 91355
Danielle Tellez, Estimating Coordinator
661-367-9040 tel • 661-554-7272 fax
an equal opportunity employer

W. A. Rasic Construction

REQUEST FOR QUOTES FROM QUALIFIED DBE/MBE/WBE/OBE
SUBCONTRACTORS AND SUPPLIERS FOR THE FOLLOWING PROJECT

L.A. RESERVOIR UV DISINFECTION PLANT IFB #7520

LOCATION: LOS ANGELES, CALIFORNIA
OWNER: LOS ANGELES DEPARTMENT OF WATER & POWER

PRIME'S BID DUE DATE: JULY 21, 2016 @ 2:00 PM

SUBCONTRACTOR/SUPPLIER PROPOSAL BID DUE DATE: JULY 20, 2016 @ 2:00 PM

W.A. Rasic Construction is requesting quotes from qualified DBE/MBE/WBE/OBE subcontractors for the following, but not limited to, scopes of work: Grading, Paving, Misc. Metals, Structural Steel, Thermal and Moisture Protection, Doors/Windows/Louvers, Overhead Doors, Drywall, Painting, Toilet Accessories, Cathodic Protection, Flow Meters, Overhead Crane, Steel Pipe & Misc. Piping Materials, Pumps, HVAC, Control Systems and Panels, Instrumentation, Electrical, Fire Detection and Alarm System, Diesel Engine Driven Generator, and Inspection.

Subcontractors and suppliers are advised to submit their quotes 1 working day prior to the Prime's bid due date for evaluation and completion of all necessary forms to submit with our bid. All subcontractors/suppliers that are submitting a quotes MUST fill out an ERA16100-2. This form needs to accompany your quote.

Plans and specifications are available for review from 8:00 am to 4:00 pm, Monday through Friday at our office located at 4150 Long Beach Blvd., Long Beach, CA 90802. Please contact Jason Murphy at (562) 928-6111 to make an appointment to view the plans and specifications. Plans and specifications are also available for free at Los Angeles Department of Water and Power's Director of Supply Chain Services, Vendor Liaison Center office located at 111 North Hope Street, Room L43, Los Angeles, CA 90012-2607.

Assistance in obtaining bonds, lines of credit, and insurance is available upon request to all DBE, MBE, WBE, and OBE subcontractors; as well as breaking large work items down into smaller categories or quantities. We can arrange delivery schedules to facilitate maximum participation where feasible per specifications. Please contact Jason Murphy via email if you have any questions or if you require assistance in regards to bonds, lines of credit, and insurance.

W. A. Rasic Construction - Jason Murphy

4150 Long Beach Blvd., Long Beach, CA 90807

Phone (562) 928-6111 • Fax (562) 928-7339

Email Address: jmurphy@warasic.com

CA License 368761 • Equal Opportunity Affirmative Action Employer

W.D. GOTT CONSTRUCTION CO.

CONTRACTOR'S LICENSE NO. B-279688

W.D. Gott Construction Co. is actively seeking qualified DVBE subcontractors, material suppliers and construction support firms for the following project:

2016 SITE KITCHEN UPGRADES:
BAUTISTA CREEK ELEMENTARY SCHOOL
FRUITVALE ELEMENTARY SCHOOL
VALLE VISTA ELEMENTARY SCHOOL
JULY 18, 2016 @ 10:00 AM
HEMET, CA
HEMET UNIFIED SCHOOL DISTRICT

BID DATE:
LOCATION:
OWNER:

Scope of Project: Work on this contract consists of construction of a cold storage enclosure and related site work at Bautista Creek Elementary School, Fruitvale Elementary school and Valle Vista Elementary School.

Trades required under scope of work: Concrete, Rebar, Structural Steel Framing, Metal Fabrications, Bituminous Membrane Waterproofing, Sheet Metal Flashing and Trim, Joint Protection, Plastering, Ceramic Granule Seamless Flooring, Painting, Cold Storage Rooms, Fire Protection, Electrical, Fire Alarm System, Earthwork, Asphalt Paving, Concrete Paving and Pavement Marking.

Subcontractors providing labor and materials may be required to provide 100% Performance and Payment Bonds at subcontractor's expense. Project is to be completed within 94 days. The anticipated project start date is 8/17/16. Monthly payment requests accepted as job progresses with 5% retention held.

Plans and Specifications are available for use in our plan room from 7:30 am to 5:00 pm, Monday thru Friday. We are located at:

1656 West 9th Street • Upland, CA 91786

Contact: Sandy Schwartz

Phone (909) 982-8951 • Fax (909) 982-7916

W.D. GOTT CONSTRUCTION CO. IS AN EQUAL OPPORTUNITY EMPLOYER

PLEASE NO FAXED BIDS ON BID DAY.
COVER/SCOPE LETTERS CAN BE FAXED OR MAILED 24 HOURS IN ADVANCE.
PRICES CAN BE PHONED IN ON BID DAY.

WESTERN ENGINEERING CONTRACTORS, INC.

IS REQUESTING QUALIFIED SUBCONTRACTORS AND/OR SUPPLIERS
INCLUDING DBE FIRMS FOR THE FOLLOWING PROJECT:

LUIS/ORLANDO TRANSFER POINT PROJECT - ALONG LOUIS LANE BETWEEN ORLANDO
AVENUE AND WHYTE AVENUE, ROSEVILLE, CA

CONTRACT NO. 099012

BID DATE/TIME: JULY 19, 2016 @ 3:00 PM

Please respond by: July 18, 2016 @ 5:00 pm

We are looking for DBE subs for the following (DBE Goal 10%): SURVEY/CONSTRUCTION STAKING, TRAFFIC CONTROL, EROSION CONTROL & SWPPP IMPLEMENTATION, DEMOLITION, CONCRETE CURB, GUTTER, SIDEWALK AND PAVING, STRUCTURAL CONCRETE, LANDSCAPE & IRRIGATION, FENCE, STRIPING & SIGNAGE, MASONRY, SITE FURNISHING (TRASH CANS, LOCKERS, BOLLARDS), LIGHTING/STREET LIGHTING, ELECTRICAL, COMMUNICATIONS, PLUMBING, MECHANICAL, METAL ROOFING, CERAMIC TILE, WOOD FRAMING, STRUCTURAL STEEL, TRUCKING, AGGREGATE & ASPHALT SUPPLY AND PIPE SUPPLY.

Western Engineering Contractors is an Equal Opportunity Employer. Assistance is available in obtaining bonds, lines of credit, insurance or other technical information. Plans are available from agency, bidders exchange or available for review at our office in Loomis prior to bid day. Please contact our office at 916-652-3900 for more information.

100% Payment and Performance Bonds may be required. Contractor will pay bond premium up to 1%.

Contact: KEITH KENWORHTY
WESTERN ENGINEERING CONTRACTORS, INC.
3171 Rippey Road • Loomis, CA 95650
Phone (916) 652-3900 • FAX (916) 652-3995

W. A. Rasic Construction

REQUEST FOR QUOTES FROM QUALIFIED DBE/MBE/WBE/SBE/SBRA/LSAF/HUB
SUBCONTRACTORS AND SUPPLIERS FOR THE FOLLOWING PROJECT

JOINT OUTFALL "B" UNIT 1A TRUNK SEWER REHABILITATION PHASE 1

LOCATION: CARSON, CALIFORNIA
OWNER: LA COUNTY SANITATION

PRIME'S BID DUE DATE: JULY 21, 2016 @ 2:00 PM

SUBCONTRACTOR/SUPPLIER PROPOSAL BID DUE DATE: JULY 20, 2016 @ 2:00 PM

W.A. Rasic Construction is requesting quotes from qualified DBE/MBE/WBE/SBE/SBRA/LSAF/HUB subcontractors for the following, but not limited to, scopes of work: Construction Survey, Pavement Striping, Asphalt Paving, CPM Schedule, Sliplining, Grout Annular Space, Closed Circuit Television (CCTV) Inspection, Temporary Fencing, Traffic Control Engineer, Hazardous Waste Transportation and Disposal, Contaminated Soil Trucking/Disposal, Pipe Jetting/Cleaning, Sewer Bypass, Electrical, Precast Concrete, Material Testing, Slurry Seal.

Subcontractors and suppliers are advised to submit their quotes 1 working day prior to the Prime's bid due date for evaluation and completion of all necessary forms to submit with our bid. Plans and specifications are available for review from 8:00 am to 4:00 pm, Monday through Friday at our office located at 4150 Long Beach Blvd., Long Beach, CA 90802. Please contact Dustin Do at (562) 928-6111 to make an appointment to view the plans and specifications.

Assistance in obtaining bonds, lines of credit, and insurance, equipment, supplies, materials or related assistance or services is available upon request to all DBE/MBE/WBE/SBE/SBRA/LSAF/HUB subcontractors. W.A. Rasic is willing to break out large work items down into smaller categories or quantities to facilitate certified firm participation. We can arrange delivery schedules to facilitate maximum participation where feasible per specifications. Please contact Dustin Do via email if you have any questions or if you require assistance in regards to bonds, lines of credit, and insurance.

W. A. Rasic Construction - Dustin Do, Estimator

4150 Long Beach Blvd., Long Beach, CA 90807

Phone (562) 928-6111 ext. 2304 • Fax (562) 928-7339

Email Address: jmurphy@warasic.com

CA License 368761 • Equal Opportunity Affirmative Action Employer

VIKING CONSTRUCTION CO., INC.

P.O. BOX 1508 • RANCHO CORDOVA, CA 95741
916-852-5530 • FAX 916-852-5533

Viking Construction Company is preparing a bid for the following project as a general contractor:

OWNER: COUNTY OF EL DORADO
PROJECT: ALDER DRIVE AT EID CANAL BRIDGE REPLACEMENT
LOCATION: PLACERVILLE, CA
ENGINEER'S ESTIMATE: \$575,000
BID DATE: JULY 7, 2016

We invite and encourage responsible participation of Disadvantaged Business Enterprises, and solicit your subcontractor or material quotation for the following types of work: Construction Area Signs, Traffic Control System, Temporary Railing (Type K), Temporary Crash Cushion (ABSORB 350), Portable Changeable Message Signs, Fencing, Roadside Signs, Cold Plane AC Pavement, Bridge Removal, Remove Concrete, Clearing & Grubbing, Tree Removal, Roadway Excavation, Structure Excavation/Backfill, Temporary and Permanent Erosion Control, Aggregate Base, Asphalt Concrete, Place AC Dike, Bar Reinforcing Steel, Culverts, Minor Concrete, Midwest Guardrail System, Rock Slope Protection, Thermoplastic Stripe and Markings.

Plans and specifications may be reviewed at our office located at 11315 Sunrise Gold Circle, Suite A, Rancho Cordova, or may be obtained from the Owner. Contact the number below if you need further direction in this regard.

Each subcontractor may be required to submit faithful performance and payment bonds. Contact the number below if you need more information or help in obtaining bonds, lines of credit, insurance, necessary equipment, supplies and materials or technical assistance.

If you are interested in quoting, please contact Jack Shewmaker at 916-852-5530. Quotes are due in our office by 12:00 p.m. (Noon) on bid day.

Viking Construction Co., Inc.
(916) 852-5530 • Fax (916) 852-5533
IS AN EQUAL OPPORTUNITY EMPLOYER

VIKING CONSTRUCTION CO., INC.

P.O. BOX 1508 • RANCHO CORDOVA, CA 95741
916-852-5530 • FAX 916-852-5533

Viking Construction Company is preparing a bid for the following project as a general contractor:

OWNER: COUNTY OF SACRAMENTO
PROJECT: APPLE ROAD CULVERT REPLACEMENT PROJECT
LOCATION: WILTON, CA
ENGINEER'S ESTIMATE: \$405,000
BID DATE: JULY 14, 2016

We invite and encourage responsible participation of Disadvantaged Business Enterprises, and solicit your subcontractor or material quotation for the following types of work: SWPP Preparation, Construction Area Signs, Clearing & Grubbing, Roadway Excavation, Import Borrow, Fencing, Aggregate Base, Asphalt Concrete, Bar Reinforcing Steel, Corrugated Steel Arch Pipe, Rock Slope Protection, Thermoplastic Stripe and Markings, Hydrosedding, Survey Monument.

Plans and specifications may be reviewed at our office located at 11315 Sunrise Gold Circle, Suite A, Rancho Cordova, or may be obtained from the Owner. Contact the number below if you need further direction in this regard.

Each subcontractor may be required to submit faithful performance and payment bonds. Contact the number below if you need more information or help in obtaining bonds, lines of credit, insurance, necessary equipment, supplies and materials or technical assistance.

If you are interested in quoting, please contact Jack Shewmaker at 916-852-5530. Quotes are due in our office by 12:00 p.m. (Noon) on bid day.

Viking Construction Co., Inc.
(916) 852-5530 • Fax (916) 852-5533
IS AN EQUAL OPPORTUNITY EMPLOYER

REQUEST FOR QUALIFIED SUBCONTRACTORS AND/OR SUPPLIERS INCLUDING MBE/WBE/DBE/DVBE/UDBE FIRMS FOR THE FOLLOWING:

HARRISON ELEMENTARY SAFETY IMPROVEMENT PROJECT

STOCKTON, CA

PROJECT NO. PW7065, FED. NO. SRTL-5008(119)

BID DATE/TIME: JULY 7, 2016, 2:00 PM

Please respond by: July 6, 2016, 5:00 pm

We are requesting Subcontractors for the following, but not limited to these items: Traffic Control, Pre-Construction Migratory Bird Survey, Tree Protection, Concrete Column Removal, Concrete Median, Curb, Gutter, Sidewalk, Driveways, Retaining Curb, Truncated Domes, Thermoplastic Striping & Markings, Radar Feedback Sign, Crosswalk Sign, Street Lighting, Relocation of Fire Hydrant and other Storm.

Robert Burns Construction, Inc. requires 100% Payment and Performance Bonds from its subcontractors, Robert Burns Construction, Inc. will pay Bond Premium up to 2%. Robert Burns Construction, Inc. standard subcontract form is available for review at our office located at 2501 N. Wigwam Drive, Stockton, CA 95205 or call (209) 943-6969 and a copy upon request will be e-mailed or faxed to the requesting firm. Robert Burns Construction, Inc. insurance requirements are stated in Attachment B to the Subcontract. Waiver of Subrogation is required.

Robert Burns Construction, Inc. is signatory to the following Unions, (Operating Engineers, Laborer of Northern California, Teamsters).

Submission of a Sub Bid to Robert Burns Construction, Inc. will confirm that you have reviewed and accepted Robert Burns Construction, Inc. Subcontract form and that you will meet Robert Burns Construction, Inc. bonding, insurance, union, and safety requirements. However certified D.B.E.s, U.D.B.E.s, S.B.E.s, and D.V.B.E.s are encouraged to contact Robert Burns Construction, Inc. and request assistance if they are unable to meet the Bonding, or Insurance requirements. Robert Burns Construction, Inc. is an Equal Opportunity Employer.

Plans and Specifications are available for review at our office or upon request pdf files. Please call to set up appointment for plan viewing. Also, can be viewed on the Stockton Builder's Exchange.

ROBERT BURNS CONSTRUCTION, INC. Contact: Mark Burns

2501 N. Wigwam Dr., Stockton, CA 95205

Phone: (209) 943-6969 • Fax: (209) 943-1718

License No. 466981

Shimmick Construction Company, Inc. is Prime Contractor seeking quotes from certified Disadvantaged Business Enterprises (DBEs) Subcontractors/Suppliers for the following projects:

**Construct Ramps and Auxiliary Lane In District 07
Los Angeles county (Diamond Bar and City of Industry)
California Department of Transportation Contract #07-279114
Bid Date and Time: August 9, 2016 at 2:00 pm**

Subcontractors/Suppliers Requested for, but not limited to, the following: Construction Area Signs, Removal and Installation of Roadside Signs, Erosion Control and SWPPP, Striping and Pavement Markers, Removal and Installation of Fencing, Removal and Installation of Guardrail, Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier and Sound Wall, Clear and Grub, Disposal of Type 2 (Aerially Deposited Lead), Rock Blanket, Landscape and Irrigation, Class 2 and 3 Aggregate Base, Hot Mix And Rubberized Asphalt Pavement, Hot Mix Asphalt Dike, Epoxy Coated Dowel and Tile Bars, Curing Compound, Bar Reinforcing Steel, Furnish and Install Overhead Sign Structure, Reinforced Concrete Pipe, Corrugated Steel Pipe, Minor Concrete, and Electrical (Maintain Existing and Lighting).

Items of work may be broken down into economically feasible packages to encourage participation. Shimmick Construction intends to conduct itself in good faith with all firms for participation on this project.

Shimmick Construction Company, Inc., 16481 Scientific Way - Irvine, CA 92618,
Phone 949-333-1500, Fax 949-333-1510

For additional project information or to discuss obtaining necessary equipment, supplies, and/or materials, please contact Kyle Sills, ksills@shimmick.com (949) 398-6096.

Contract documents are available at: *Electronic copies of the plans and specifications can be downloaded from the Caltrans web site http://www.dot.ca.gov/hq/esc/oe/weekly_ads/index.php under Advertised Projects. Shimmick has also made plans and specifications available through our SmartBidNet. If you require assistance with access to plans/specs or contract requirements please contact Kyle Sills, ksills@shimmick.com (949) 398-6096.

CONTRACTOR REGISTRATION REQUIREMENTS: LABOR CODE SECTION 1771.1 (a)
A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined in this chapter, unless currently registered and qualified to perform public work pursuant to Section 1725.5. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1725.5 at the time the contract is awarded.

Any bid submitted will confirm the acceptance of the terms and conditions of SCCI's Standard Long Form Subcontract, available upon request. A Subcontractor providing a proposed bid/price will be viewed as accepting SCCI's Standard Long Form Subcontract. 100% Performance and Payment bonds with a surety company acceptable to of Shimmick Construction are required of subcontractors. Shimmick Construction will pay bond premium up to 1.0%. Subcontractors will be required to abide by terms and conditions of the AGC Master Labor Agreements and to execute an agreement utilizing the latest Shimmick Construction Standard Long Form Subcontract incorporating prime contract terms and conditions, including payment provisions-subcontract draft copy available upon request. Subcontractor must provide insurance coverage for their work as required by the Prime contract or Shimmick minimum - whichever is greatest. Shimmick's minimum insurance requirement is: General Liability \$1M-Per Occurrence/\$2M-Agg/\$2M-Completed Operations; Excess Liability \$5M; Auto Liability \$1M; Workers Comp & Employer Liability \$1M. Shimmick Construction's listing of a Subcontractor is not to be construed as an acceptance of all of the Subcontractor's conditions or exceptions included with the Subcontractor's price quote. Shimmick requires that Subcontractor and Supplier price quotes be provided at a reasonable time prior to the bid deadline to enable a complete evaluation. For assistance with bonding, insurance or lines of credit contact Scott Fairgrieve at (510) 777-5000.

Shimmick Construction Company, Inc. Is An Equal Opportunity Employer

J.R. PIPELINE CO., INC.

1530 NANDINA AVENUE
PERRIS, CA 92571

(Union Contractor with Laborer's Local 300 Union)

PH: 951/940-5090 • FAX: 951/940-5094

A EOE Requests Sub Bids from Qualified DBE
Subcontractors & Suppliers for the following
County Sanitation District No. 2 of Los Angeles County:

**JOINT OUTFALL "A" UNIT 6 TRUNK SEWER REHABILITATION
BID OPENING: THURSDAY, JULY 28, 2016 - 3:00 P.M.**

Scope of Work Requested (but not limited to): Annular Space Grout, Sewer Bypass, Concrete/Sand/Gravel, Cast in Place Pipe, Closed Circuit Television, Fencing, Manhole Rehabilitation, Manholes, Non Hazardous/Hazardous Debris Disposal, Structures, Traffic Control and/or Trucking.

Schedules will be accommodated if necessary. Insurance, 100% Payment and Performance Bonds, and/or equipment may be required. Plans and Specifications are available for viewing, by appointment, at our main office. Please contact our office for viewing plans and specifications and/or information/assistance in obtaining insurance, bonding, and/or equipment.

Please note, per the State of California all subcontractors must be registered with the Department of Industrial Relations Public Works and have valid DBE Certification prior to bid time.

Contact: Linda Fernandez at 951/940-5090

Griffith Company (Brea)

LOG

Good Faith Effort for Bid Solicitation 07-288204

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Important Instructions

NOTE: If your bid-package includes form STD-840, you MUST write "See attached Log sections A, B, & C" on STD-840 and include STD-840 with your GFE documents.

- 1.) Read and complete Section A.
- 2.) We have completed Section B for you.
- 3.) Complete Section C by making follow-up phone calls to the firms listed below.
->For DVBE firms, call at least 3 firms. ->For DBE, MBE, & WBE firms, call all of them.

SPECIAL DIRECTIONS FOR CALTRANS PROJECTS:

As of June 1, 2010 Caltrans now requires primes that do not meet their UDBE & DBE goal to do the following:

1.
 - A. Go to the CalTrans project calendar webpage at <http://dap1.dot.ca.gov/hq/esc/oe/calendar> and log-in using your bid package registration and password.
 - B. Hit on the project number your bidding.
 - C. Hit "See Opt-in records".
 - D. Print this page. You must now contact these Opt-in DBE's as part of your search for participation.
2. Now hit your browser back-button and hit "Primes: Advertise for help" Be sure your listed in the CalTrans "Primes Seeking Assistance".

As of Sept. 2010, Caltrans suggests the following further steps to support Good Faith Effort (GFE).

1. Attend networking opportunity events at mandatory Caltrans pre-bids & district meetings. Include with your GFE, information that you attended the meeting along with the event brochure.
2. As you reach the bid opening date, ask yourself how likely you are to meeting the goal. If its apparent you may not, then do another GFE. This should be done 5 days of bid opening.

SPECIAL DIRECTIONS FOR FEDERALLY FUNDED PROJECTS:

Review your bid documents and search for any references to the Small Business Administration (SBA) and the Minority Business Development Agency (MBDA). If the agencies are mentioned in the bid documents you MUST post your opportunity through their websites. Contact us for more details.

A. Awarding Department Contact Instructions

Many California Good-Faith Efforts may require the bidding contractor to CALL the awarding department or owner and talk with their Good-Faith representative. SEE YOUR CONTRACT DOCUMENTS FOR THIS TELEPHONE NO. Call it and record the result below.

Awarding Department Contact Action

Griffith Company (Brea) contacted the awarding department issuing this contract at (tel number) _____ at (time) _____ on (date) _____ and discussed Good-Faith Effort with (Awarding Department Contact) _____.
Remarks:(left message, etc.) _____.
Phone call was made by (Prime Rep's do_signature) _____.

B. Federal, State, & Local Agencies Contacted

On 06/23/16, Griffith Company (Brea) contacted:

1. Federal Agency: System for Award Management (SAM) at <https://www.sam.gov/portal/SAM/##11#1> at 08:13PM on 06/23/2016
 2. State Agency: Office of Small Business & DVBE Certification (OSDC) <http://www.pd.dgs.ca.gov/smbus> at 08:13PM on 06/23/2016
 3. California Unified Certification Program (CUCP) at <http://www.dot.ca.gov/ucp/GetLicenseForm.do> at 08:13PM on 06/23/2016
 4. Local referral organization: Compliance News (www.compliancencenews.com) at 08:13PM on 06/23/2016
-

See Next Page for Firms

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

MANERI TRAFFIC CONTROL

47423 Rainbow Canyon

TEMECULA, CA, 92592

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

AGRI SERVICE

3720 OCEANIC WAY, SUITE 204

OCEANSIDE, CA, 92056

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Blanco Construction

19320 DALLAS AVENUE

Riverside, CA, 92508

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

C.r. Gann Demolition, Inc.

31521 Park Blvd.

Nuevo, CA, 92567

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Focus Point Communication

3635 Medici Lane

Inglewood, CA, 90305

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Advantage Demolition And Grading, Inc

19819 Blythe St

Winnetka, CA, 91306

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ACCESS PACIFIC, INC.

28 N. MARENGO AVENUE

Pasadena, CA, 91101

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

U.s. Concrete Construction, Inc

30634 Hasley Cyn. Road

Castaic, CA, 91384

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

MEHTA MECHANICAL CO., INC. DBA MMC INC.

5901 FRESCA DRIVE

La Palma, CA, 90623

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Pelesa Inc.

1153 Green Street

Glendale, CA, 91205

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Global Road Sealing, Inc

10832 Dorothy Ave

Garden Grove, CA, 92843

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Cecilia's Safety Service, Inc.

751 Seabright Lane

Solana Beach, CA, 92075

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Kellie Avila Construction Services

13020 Atascadero Road

Atascadero, CA, 93422

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ONE TIME UTILITY SALES, INC

501 GARFIELD STREET

SANTA ANA, CA, 92701

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BROOKLYN SWEEPS, INC

1164 E. OAKLAWN DRIVE

Terrell, TX, 75160

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BONITA PIPELINE, INC

2209 HIGHLAND AVE

NATIONAL CITY, CA, 91950

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

DISABLED AMERICAN VETERAN ENTERPRISES TRUCKING & SWEEPING, INC

5633 N. Fig Garden Dr #109

Fresno, CA, 93706

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CONSULTANT ENGINEERING, INC.

10625 N. 25TH AVENUE, STE 200

Phoenix, AZ, 85029

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Verduzco Electric, Inc.

829 W. Compton Blvd.

Compton, CA, 90220

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Power-tech Engineers, Inc.

355 S. Lemon Ave., Ste. A

Walnut, CA, 91789

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Force Traffic Control, Inc.

Po Box 1107

Exeter, CA, 93221

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Jp Electric Company

1614 1/2 N. Harvard Avenue

Los Angeles, CA, 90027

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Ship-dts

440 W. Sierra Madre Ave.

Glendora, CA, 91741

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BEST LANDSCAPING

551 E. EDNA PLACE, SUITE B

COVINA, CA, 91723

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

GREEN CLEAN WATER AND WASTE SERVICES, INC.

5790 Miramar Rd., Ste. 206

SAN DIEGO, CA, 92121

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Exbon Development, Inc.

13432 Aclare Street,

Cerritos, CA, 90703

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Buena Vista Landscape, Inc

1472 N HARDING ST.

ORANGE, CA, 92867

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

A.C. PAVING COMPANY

12623 IMPERIAL HIGHWAY #209

Santa Fe Springs, CA, 90670

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Metco

2165 Francisco Boulevard, #ai

San Rafael, CA, 94901

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

QUALITY EQUIPMENT RENTAL

13940 ROSE AVENUE

FONTANA, CA, 92337

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

GATES ENTERPRISES, INC

714 W. OLYMPIC BLVD. STE 703

LOS ANGELES, CA, 90015

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Dillard Environmental Services

3120 Camino Diablo Rd

Byron, CA, 94514

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ALBERT WILSON & ASSOCIATES

7866 HENBANE STREET

RANCHO CUCAMONGA, CA, 91739

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

UNITED COM

14750 BRIERWOOD DRIVE

CHINO HILLS, CA, 91709

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Eric's Backhoe Service

4780 Mary Hill Road

Acton, CA, 93510

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

C S International

1691 Glen Oaks Drive

Reno, NV, 89523

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Wreco

1243 Alpine Road Suite 108

Walnut Creek, CA, 94596

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Vt Electric, Inc.

10825 VERNON AVE

ONTARIO, CA, 91762

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Watercounts

806 Brookwood Way

Chico, CA, 95926

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

GOLDEN ARROW ENGINEERING, INC

1960 CHICAGO AVENUE, SUITE D-13

RIVERSIDE, CA, 92507

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Interior Demolition Inc

2621 Honolulu Ave

Montrose, CA, 91020

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

JAHN ENGINEERING

32 WEST SOUTHWOOD DRIVE

WOODLAND, CA, 95695

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

NEW WEST LANDSCAPING

1019 W. 133RD ST.

GARDENA, CA, 90247

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
PTS SOLUTIONS, INC.
12426 1/2 GLADSTONE AVENUE
LOS ANGELES, CA, 91342

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

RAMCO GENERAL ENGINEERING CONTRACTOR

10545 DALE ROAD

AGUA DULCE, CA, 91390

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

COASTAL GARDENS LANDSCAPE, INC

444 E. MARIPOSA STREET

ALTADENA, CA, 91001

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Full Traffic Maintenance, Inc.
217 LEWIS COURT
CORONA, CA, 92882

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
HOFER CORPORATION
5662 OTAY VALLEY ROAD
San Diego, CA, 92154

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ANIL VERMA ASSOCIATES, INC

444 S. FLOWER STREET, SUITE 1688

Los Angeles, CA, 90071

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

K R C Safety Co. Inc.

6084 West Hurley

Visalia, CA, 93291

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Mastek Inc

1644 S. Adalia Ave

Hacienda Heights, CA, 91745

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

A R ELECTRIC, INC.

718 E. EDNA PLACE SUITE D

COVINA, CA, 91723

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Jesmar Construction

2528 North Oakmount Avenue

Santa Ana, CA, 92706

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

LA FIRMA INC.

715 RIDGE ROAD

NIPOMO, CA, 93444

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CMC TRAFFIC CONTROL SPECIALIST

3450- 3rd Street Unit 3G

SAN FRANCISCO, CA, 94124

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

HEIR & SON CONSTRUCTION, INC

1180 SANBORN ROAD

YUBA CITY, CA, 95993

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Kern County Custom Concrete

4916 College Ave

Bakersfield, CA, 93306

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

GEN CON ENVIRO SVC GROUP

8828 JUNIPER ST

Apple Valley, CA, 92394

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Industrial Battery Services

673 Erlandson Street

Richmond, CA, 94804

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

NATURAL INVESTIGATIONS COMPANY, INCORPORATED

6124 SHADOW LANE

CITRUS HEIGHTS, CA, 95621

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

MC CULLOUGH CONSTRUCTION INC

57 ALDERGROVE ROAD

Arcata, CA, 95521

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Santa Clarita Valley Electric

31243 Vadito Place

Castaic, CA, 91384

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Ac-dc Electric

13326 Yucatan Place

Cerritos, CA, 90703

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Rudy's Landscape & Irrigation Design

607 Vineland

Bakersfield, CA, 93313

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Sam's Equipment & Supplies

5656 Columbia Dr S.

Fresno, CA, 93727

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

G & M Backhoe Service, Inc

4235 Walnut Ave

Chino, CA, 91710

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Fine Grade Equipment, Inc.
41729 Cielo Vista Dr
Palmdale, CA, 93551

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BLAIR CHURCH & FLYNN CONSULTING ENGINEERS

451 CLOVIS AVE STE 200

CLOVIS, CA, 93612

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Watercourse Engineering Inc

424 2nd Street, Suite B

Davis, CA, 95616

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Forster Company, Inc.

10828 Lou Dillon Avenue

Los Angeles, CA, 90059

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
BA, INC.
800 W. SIXTH ST. #400
Los Angeles, CA, 90017

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

MV CONSTRUCTION, INC.

PO Box 1575

ATWATER, CA, 95301

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

DREAMBUILDER CONSTRUCTION CORP

1324 E LAWSON LN.

Placentia, CA, 92870

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CALIAGUA INC

15148 SIERRA BONITA LN

CHINO, CA, 91710

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Eagle Engineering And Construction, Inc

1175 Palomar Drive

Redwood City, CA, 94062

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Vsce Inc

827 Broadway Avenue, Suite 340

Oakland, CA, 94607

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

VALVERDE CONSTRUCTION INC

PO Box 3223

SANTA FE SPRINGS, CA, 90670

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

G Crew, The

116 N. Maryland Ave Suite #130

Glendale, CA, 91206

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Cindy Bales Engineering, Inc.

1828 Shady Lane

Big Bear City, CA, 92314

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BWW AND COMPANY

301 9th Street, Suite 100

REDLANDS, CA, 92374

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Elite Companies Us, Inc

15321 La Salle Lane

Huntington Beach, CA, 92647

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

C G O CONSTRUCTION COMPANY

3100 EAST CEDAR STREET #14

ONTARIO, CA, 91761

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Interwest Pacific, Ltd.

990 Highland Dr. Ste. 212f

Solana Beach, CA, 92075

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

SO. CAL TRAFFIC INC

1358 LA MIRADA DRIVE

SAN MARCOS, CA, 92078

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

C.W. CROSSER CONSTRUCTION, INC

1250 N. LAKEVIEW AVE, SUITE J

ANAHEIM, CA, 92807

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

L.d. Strobel Co., Inc.

1022 Shary Circle, Unit 9

Concord, CA, 94518

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Jl Storm Water Consultants, Inc

1720 Bridgehampton Place

El Cajon, CA, 92019

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BANAGA CONSTRUCTION, INC
1264 STAGECOACH TRAIL LOOP
CHULA VISTA, CA, 91915

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

E E Electric, Inc

11127 Calabash Avenue

Fontana, CA, 92337

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Traffic Loops Crackfilling, Inc

1915 W Ball Rd.

Anaheim, CA, 92804

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

LANDSCAPE SUPPORT SERVICES

15491 Del Gado Dr

SANTA CLARITA, CA, 91403

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Nor-cal Pump & Well Drilling, Inc.

1325 Barry Road

Yuba City, CA, 95993

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Alert-o-lite, Inc

P.o. Box 12224

Fresno, CA, 93777

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ANTHONY'S GRADING & PAVING

10769 WOODSIDE AVENUE SUITE 209

SANTEE, CA, 92071

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

EPIC PEST CONTROL & LANDSCAPE SERVICES, INC

7614 LEMON AVENUE

LEMON GROVE, CA, 91945

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
V A P Construction Inc
16425 Illusion Way
La Mirada, CA, 90638

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Martini Drilling Corp.

10893 Portal Drive

Los Alamitos, CA, 90720

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Williams Concrete Engineering

2920 Cedar Ave

Morro Bay, CA, 93442

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Contech Concrete Techniques, Inc

4687 E. Cortland Avenue

Fresno, CA, 93726

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

SO CAL CONSTRUCTION & CONSULTING SERVICES, INC.

1030 KNOLL PARK LANE

FALLBROOK, CA, 92028

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CONTRACTOR SERVICES GROUP, INC.

3960 INDUSTRIAL BLVD SUITE 500

West Sacramento, CA, 95691

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
QUANTUM CONSTRUCTION COMPANY
6083 NORTH FIGARDEN DRIVE # 140
Fresno, CA, 93722

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CT CONCRETE CUTTING, INC.

26341 Jefferson Ave

MURRIETA, CA, 92562

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

YBANAG REALTY & DEVELOPMENT CORP

4293 N. WEBSTER AVENUE

PERRIS, CA, 92571

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ASHOONA LANDSCAPE

1248 WEST SIXTH STREET

SANTA ANA, CA, 92703

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Rd Construction

1026 Meadow View Court

Corona, CA, 92880

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Acme Safety & Supply Corp

1616 WEST AVE

National City, CA, 91950

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

L & L BRIDGES

6748 RUTGERS DRIVE

SEBASTOPOL, CA, 95472

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Barnes Electric

8626 Artesia Blvd., #42

Bellflower, CA, 90706

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CINDY TRUMP INC DBA LINDY'S COLD PLANING

625 S. Mountain View

La Habra, CA, 90631

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Mcc Equipment Rentals, Inc.

32389 Dunlap Boulevard

Yucaipa, CA, 92399

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Rbt Electric
741 East Ball Road
ANAHEIM, CA, 92805

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
MACKENZIE ELECTRIC, INC.
7933 PALM AVENUE
Highland, CA, 92346

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Jungle Nursery, Inc., The

1900 Sawtelle Blvd.

Los Angeles, CA, 90025

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Tri Span, Inc.

591 W. Explorer Street

Brea, CA, 92821

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Barraza & Sons Heavy Equipments

1545 S. Sydney Drive

Commerce, CA, 90040

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Terra West, Inc
1061 Tierra Del Rey, Ste 204
Chula Vista, CA, 91910

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

COOKS AND SON INC.

4134 Odie Lane

SANTA MARIA, CA, 93455

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Alameda Construction Services, Inc.
2528 East 125th Street
Compton, CA, 90222

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

International Environmental Corp.

13432 Wentworth St.

Arleta, CA, 91331

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

SAN JOAQUIN VALLEY CONSTRUCTION GROUP, LLC

P.O. BOX 2506

Bakersfield, CA, 93303

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

TRAFFIC ENFORCEMENT SOLUTIONS

213 Warwick

CLOVIS, CA, 93619

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

E-nor Innovations Inc.

16213 Illinois Avenue

PARAMOUNT, CA, 90723

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Quality Hydroseeding & Restoration

2017 Orange Ave

Ramona, CA, 92065

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

MORGNER CONSTRUCTION MANAGEMENT

15260 VENTURA BLVD STE 1080

SHERMAN OAKS, CA, 91403

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

TRANSTAR PIPELINE, INC

4094 TAMBOR RD

SAN DIEGO, CA, 92124

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Adh Technical Services, Inc.

3065 Porter Street, Suite 101

Soquel, CA, 95073

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

TOTAL BARRICADE SERVICE, INC.

701 E. VENTURA BLVD.

OXNARD, CA, 93036

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Gsj Utility Supply & Service
15051 Leffingwell Road,
Whittier, CA, 90604

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

DELTA ELECTRIC

17007 STRAWBERRY PINE CT.

Santa Clarita, CA, 91387

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
America Pacific Construction
201 Laurel Ave. #13
Brea, CA, 92821

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Caplinger Construction Inc

15924 North Cajon Blvd.

Devore Heights, CA, 92407

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Burke Construction
Po Box 921
Shingle Springs, CA, 95682

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Pacrim Engineering

233 W. Cerritos Avenue,

Anaheim, CA, 92805

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

EAR - ENVIRONMENTAL ASSESSMENT AND REMEDIATION MANAGEMENT

4097 TRAIL CREEK ROAD

Riverside, CA, 92505

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Caplinger Construction Inc

15924 North Cajon Blvd.

Devore Heights, CA, 92407

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Burke Construction

Po Box 921

Shingle Springs, CA, 95682

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Pacrim Engineering

233 W. Cerritos Avenue,

Anaheim, CA, 92805

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

EAR - ENVIRONMENTAL ASSESSMENT AND REMEDIATION MANAGEMENT

4097 TRAIL CREEK ROAD

Riverside, CA, 92505

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

D C D ELECTRIC, INC.

6464 N. BEECHWOOD

SAN BERNARDINO, CA, 92407

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Terradyne Lax, Inc

24881 Alicia Pky, Ste. E 327

Laguna Hills, CA, 92653

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Professional Concrete Sawing Inc.

P.o. Box 3348

Merced, CA, 95344

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
American Utility Products
1557 Canyon Meadows Lane
Glendora, CA, 91740

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

BAY LINE CUTTING & CORING INC

1635 4TH STREET

BERKELEY, CA, 94710

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

United Traffic Services & Supply, Inc.

15131 Clark Avenue

City Of Industry, CA, 91745

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
NISH-KO INC
713 N VALENTINE
FRESNO, CA, 93706

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

DIVERSIFIED LANDSCAPE CO

21730 BUNDY CANYON ROAD

WILDOMAR, CA, 92595

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

SPEEDWAY CONSTRUCTORS, INC

2565 CHALCEDONY ST

San Diego, CA, 92109

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

J Francis Company

16197 Krameria Ave

Riverside, CA, 92504

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Hustler's Hauling & Backhoe Service, Inc

149 Donna Avenue

Bakersfield, CA, 93304

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

DESTINATION ENTERPRISES INC

11940 Hammack Street

CULVER CITY, CA, 90230

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
ARIZONA CIVIL CONSTRUCTORS, INC.
737 N. MAIN STREET
LAS VEGAS, NV, 89101

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Glow Electrical, Inc.
4464 W. El Segundo Blvd.
Los Angeles, CA, 90250

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

A S CONTRACTORS, INC.

5347 COLE ROAD

MARIPOSA, CA, 95338

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

PK CONSTRUCTION

2502 EL SOL

Altadena, CA, 91001

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

DELTECH ENGINEERING, INC

4913 E. GERDA DRIVE

ANAHEIM, CA, 92807

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

G & F Concrete Cutting, Inc.

1006 E. Chestnut Avenue

Santa Ana, CA, 92711

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Adanta, Inc

828 School Street

Napa, CA, 94559

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Advanced Geosolutions, Inc

13 ORCHARD ROAD, SUITE 105

LAKE FOREST, CA, 92630

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Bert W Salas, Inc.

10769 Woodside Avenue, Suite 201

Santee, CA, 92071

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

S.C. YAMAMOTO, INC.

2031 EMERY AVENUE

LA HABRA, CA, 90631

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

G Sosa Construction, Inc

2880 Santa Maria Way, Suite D3

Santa Maria, CA, 93455

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Habitat West, Inc.

2067 Wineridge Place, Suite B

Escondido, CA, 92029

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

SHARIDEN DESIGN ASPHALT, INC

1456 FOSS LANE

Alpine, CA, 91901

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

FLORES CONSTRUCTION, INC.

1819 LARK ELLEN AVE

WEST COVINA, CA, 91791

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Hard Hat Sweeping Inc

13328 Hadley Street

Whittier, CA, 90601

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Payco Specialties, Incorporated

120 NORTH SECOND AVE.

Chula Vista, CA, 91910

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Pvf Sales

13707 Borate St.

Santa Fe Springs, CA, 90670

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Pal Security Systems, Inc.

7406 Denrock

Los Angeles, CA, 90045

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

REBEL CONCRETE BREAKING SERVICE

1618 E. 87 PL.

Los Angeles, CA, 90002

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ALL IN ONE ELECTRIC

24740 MEADVIEW AVENUE

Newhall, CA, 91321

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

GOLDEN SUN CONSTRUCTION, INC

25371 MUSTANG DRIVE

LAGUNA HILLS, CA, 92653

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Kato Landscape Incorporated

18182 Bushard St

Fountain Valley, CA, 92708

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Far East Landscape & Maintenance, Inc.

27118 Colebrook Place

Valencia, CA, 91395

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Rock Structures Construction Company

11126 Silverton Ct.

Corona, CA, 92881

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Cablemasters

2281 W. 205th Street Suite 101

Torrance, CA, 90501

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

MASKELL PIPE & SUPPLY INC

8604 COTTONWOOD AVE

FONTANA, CA, 92335

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Black Gold Industries

527 N. Rice Avenue

Oxnard, CA, 93030

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Lovex General Engineering Corporation

Po Box 1968

Wrightwood, CA, 92397

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CALIFORNIA GRINDING SPECIALTIES, INC. DBA AUSTIN ENTERPRISE

13421 Snow Road

Bakersfield, CA, 93314

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

VRPA TECHNOLOGIES

4630 W. JENNIFER, SUITE 105

FRESNO, CA, 93722

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Sampo Engineering, Inc.

1034 Second Street

Encinitas, CA, 92075

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Rupert Construction Supply, Llc

12405 GOLD FLAKE CT.

Rancho Cordova, CA, 95762

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

HERCON COMPANY, INC.

30211 AVENIDA DE LAS BANDERAS, STE 200

RANCHO SANTA MARGARI, CA, 92688

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Cadit Company

One Cypress

Trophy Club, TX, 76262

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

WALLACE STRUCTURES

PO BOX 629

FORTUNA, CA, 95540

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ARAMEXX GROUP, INC. DBA ARAMEXX CONSTRUCTION

13040 SMOKETREE PLACE

Chino, CA, 91710

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Cali Concrete

117 Mugsy Avenue

Bakersfield, CA, 93307

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

PM LANDSCAPING

po box 153381

SAN DIEGO, CA, 92195

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
E. JASPER WRKG. (DEMO) & TRKG
9326 S. VERMONT AVE.
Los Angeles, CA, 90044

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Westpower, Inc
3055 ALVARADO ST, SUITE 117
SAN LEANDRO, CA, 94577

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Triumph Geo-synthetics, inc.

1140 N. Armando St.

Anaheim, CA, 92806

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

AD IMPROVEMENTS, INC.

15068 ROSECRANS AVE. #140

LA MIRADA, CA, 90241

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Harrell Electric

5427 Via Alberca

Riverside, CA, 92507

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Treesmith Enterprises, Inc

1551 N. Miller St

Anaheim, CA, 92806

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

FLASH TRAFFIC, INC.

28420 N. HERRERA STREET

VALENCIA, CA, 91354

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

FRANCIES ELECTRIC, INC.

3420 RIO GRANDE

BAKERSFIELD, CA, 93313

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

INTEG ENTERPRISES, LLC

PO BOX 71355

BAKERSFIELD, CA, 93387

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

A B S L Construction

29334 Pacific Street

Hayward, CA, 94544

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Matzenauer Electric, Inc

12115 Lakeside Ave

Lakeside, CA, 92040

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CONTERA CONSTRUCTION CORPORATION

28545 Old Town Front Street #201

TEMECULA, CA, 92590

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

WEST PACIFIC ELECTRIC COMPANY

20071 W GLENDALE AVENUE

Lemoore, CA, 93245

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

Leinaia's Transportation

36232 43rd Street East

Palmdale, CA, 93552

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

ALL PETRO RESOURCES

18149 LULL STREET,

RESEDA, CA, 91335

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Fax Confirmations for CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name	Fax	Status	Attempts	Time Sent
MANERI TRAFFIC CONTROL	(951) 695-5105	Success	1	06/23/2016 at 08:23 PM
AGRI SERVICE	(760) 295-6262	Success	1	06/23/2016 at 08:23 PM
Blanco Construction	(951) 602-2050	Success	1	06/23/2016 at 08:23 PM
C.r. Gann Demolition, Inc.	(951) 916-4265	Failure	1	
Focus Point Communication	(310) 671-5467	Failure	1	
Advantage Demolition And Grading, Inc	(818) 882-0509	Success	1	06/23/2016 at 08:23 PM
ACCESS PACIFIC, INC.	(626) 792-0896	Success	1	06/23/2016 at 08:23 PM
U.s. Concrete Construction, Inc	(661) 799-1038	Success	1	06/23/2016 at 08:23 PM
MEHTA MECHANICAL CO., INC. DBA MMC INC.	(714) 521-2440	Success	1	06/23/2016 at 08:23 PM
Pelesa Inc.	(818) 247-8760	Success	1	06/23/2016 at 08:23 PM
Global Road Sealing, Inc	(714) 893-0945	Failure	1	
Cecilia's Safety Service, Inc.	(858) 793-4495	Success	1	06/23/2016 at 08:23 PM
Kellie Avila Construction Services	(805) 462-8630	Success	1	06/23/2016 at 08:23 PM
ONE TIME UTILITY SALES, INC	(714) 953-5720	Success	1	06/23/2016 at 08:23 PM
BROOKLYN SWEEPS, INC	(469) 728-7487	Success	1	06/23/2016 at 08:23 PM
BONITA PIPELINE, INC	(619) 434-9802	Success	1	06/23/2016 at 08:23 PM
DISABLED AMERICAN VETERAN ENTERPRISES TRUCKING & SWEEPING, INC	(559) 374-6470	Success	1	06/23/2016 at 08:23 PM
CONSULTANT ENGINEERING, INC.	(602) 866-5085	Success	1	06/23/2016 at 08:23 PM
Verduzco Electric, Inc.	(310) 886-3958	Success	1	06/23/2016 at 08:23 PM
Power-tech Engineers, Inc.	(909) 595-5314	Failure	1	
Force Traffic Control, Inc.	(559) 594-1056	Success	1	06/23/2016 at 08:23 PM
Jp Electric Company	(323) 662-4924	Success	1	06/23/2016 at 08:23 PM

Ship-dts	(626) 605-5023	Success 1	06/23/2016 at 08:32 PM
BEST LANDSCAPING	(626) 914-7550	Success 1	06/23/2016 at 08:24 PM
GREEN CLEAN WATER AND WASTE SERVICES, INC.	(619) 562-2311	Success 1	06/23/2016 at 08:24 PM
Exbon Development, Inc.	(562) 777-1888	Failure 1	
Buena Vista Landscape, Inc	(714) 771-2569	Success 1	06/23/2016 at 08:24 PM
A.C. PAVING COMPANY	(562) 868-5075	Success 1	06/23/2016 at 08:24 PM
Metco	(415) 455-9960	Failure 1	
QUALITY EQUIPMENT RENTAL	(888) 839-9857	Success 1	06/23/2016 at 08:24 PM
GATES ENTERPRISES, INC	(714) 382-6708	Success 1	06/23/2016 at 08:24 PM
Dillard Environmental Services	(925) 634-0874	Success 1	06/23/2016 at 08:24 PM
ALBERT WILSON & ASSOCIATES	(909) 989-1576	Failure 1	
UNITED COM	(909) 606-0786	Success 1	06/23/2016 at 08:24 PM
Eric's Backhoe Service	(661) 269-2222	Failure 1	
C S International	(775) 746-3661	Success 1	06/23/2016 at 08:24 PM
Wreco	(925) 941-0018	Success 1	06/23/2016 at 08:24 PM
Vt Electric, Inc.	(909) 985-8186	Success 1	06/23/2016 at 08:24 PM
Watercounts	(530) 893-0115	Failure 1	
GOLDEN ARROW ENGINEERING, INC	(951) 686-2473	Failure 1	
Interior Demolition Inc	(818) 249-4937	Success 1	06/23/2016 at 08:24 PM
JAHN ENGINEERING	(916) 596-4075	Success 1	06/23/2016 at 08:24 PM
NEW WEST LANDSCAPING	(310) 769-6614	Success 1	06/23/2016 at 08:24 PM
PTS SOLUTIONS, INC.	(818) 364-8086	Failure 1	
RAMCO GENERAL ENGINEERING CONTRACTOR	(661) 268-7353	Success 1	06/23/2016 at 08:24 PM
COASTAL GARDENS LANDSCAPE, INC	(626) 798-4425	Failure 1	
	(951) 520-		06/23/2016

Full Traffic Maintenance, Inc.	9980	Success 1	at 08:24 PM
HOFER CORPORATION	(619) 661-6054	Success 1	06/23/2016 at 08:24 PM
ANIL VERMA ASSOCIATES, INC	(213) 624-1188	Success 1	06/23/2016 at 08:24 PM
K R C Safety Co. Inc.	(559) 732-2684	Success 1	06/23/2016 at 08:24 PM
Mastek Inc	(626) 737-6015	Success 1	06/23/2016 at 08:24 PM
A R ELECTRIC, INC.	(626) 859-7733	Success 1	06/23/2016 at 08:24 PM
Jesmar Construction	(714) 972-9331	Failure 1	
LA FIRMA INC.	(805) 929-0501	Success 1	06/23/2016 at 08:25 PM
CMC TRAFFIC CONTROL SPECIALIST	(415) 206-1711	Success 1	06/23/2016 at 08:25 PM
HEIR & SON CONSTRUCTION, INC	(916) 463-9041	Success 1	06/23/2016 at 08:25 PM
Kern County Custom Concrete	(661) 325-5590	Failure 1	
GEN CON ENVIRO SVC GROUP	(760) 241-8420	Failure 1	
Industrial Battery Services	(510) 412-5988	Success 1	06/23/2016 at 08:25 PM
NATURAL INVESTIGATIONS COMPANY, INCORPORATED	(916) 848-3511	Success 1	06/23/2016 at 08:25 PM
MC CULLOUGH CONSTRUCTION INC	(707) 825-1769	Success 1	06/23/2016 at 08:25 PM
Santa Clarita Valley Electric	(661) 775-1535	Success 1	06/23/2016 at 08:25 PM
Ac-dc Electric	(562) 926-4311	Success 1	06/23/2016 at 08:25 PM
Rudy's Landscape & Irrigation Design	(661) 322-7854	Success 1	06/23/2016 at 08:25 PM
Sam's Equipment & Supplies	(559) 251-1119	Success 1	06/23/2016 at 08:25 PM
G & M Backhoe Service, Inc	(909) 465-1936	Success 1	06/23/2016 at 08:25 PM
Fine Grade Equipment, Inc.	(661) 722-8900	Success 1	06/23/2016 at 08:25 PM
BLAIR CHURCH & FLYNN CONSULTING ENGINEERS	(559) 326-1500	Success 1	06/23/2016 at 08:25 PM
Watercourse Engineering Inc	(530) 750-3074	Success 1	06/23/2016 at 08:25 PM
Forster Company, Inc.	(323) 569-0200	Success 1	06/23/2016 at 08:33 PM
BA, INC.	(213) 622-	Success 1	06/23/2016

MV CONSTRUCTION, INC.	7330 (559) 357-0851	Failure 1	at 08:25 PM
DREAMBUILDER CONSTRUCTION CORP	(714) 646-3698	Success 1	06/23/2016 at 08:25 PM
CALIAGUA INC	(909) 597-5167	Failure 1	
Eagle Engineering And Construction, Inc	(650) 367-8282	Success 1	06/23/2016 at 08:25 PM
Vsce Inc	(510) 899-0799	Success 1	06/23/2016 at 08:25 PM
VALVERDE CONSTRUCTION INC	(562) 906-1918	Success 1	06/23/2016 at 08:25 PM
G Crew, The	(818) 240-8616	Success 1	06/23/2016 at 08:25 PM
Cindy Bales Engineering, Inc.	(909) 752-7090	Success 1	06/23/2016 at 08:25 PM
BWW AND COMPANY	(909) 435-0392	Success 1	06/23/2016 at 08:25 PM
Elite Companies Us, Inc	(714) 908-0337	Failure 1	
C G O CONSTRUCTION COMPANY	(909) 930-5503	Success 1	06/23/2016 at 08:25 PM
Interwest Pacific, Ltd.	(858) 345-3737	Success 1	06/23/2016 at 08:25 PM
SO. CAL TRAFFIC INC	(858) 793-4495	Success 1	06/23/2016 at 08:25 PM
C.W. CROSSER CONSTRUCTION, INC	(714) 693-0800	Success 1	06/23/2016 at 08:33 PM
L.d. Strobel Co., Inc.	(925) 686-3350	Success 1	06/23/2016 at 08:33 PM
Jl Storm Water Consultants, Inc	(619) 334-6750	Success 1	06/23/2016 at 08:33 PM
BANAGA CONSTRUCTION, INC	(619) 737-9199	Failure 1	
E E Electric, Inc	(909) 829-0118	Success 1	06/23/2016 at 08:33 PM
Traffic Loops Crackfilling, Inc	(714) 520-4027	Success 1	06/23/2016 at 08:33 PM
LANDSCAPE SUPPORT SERVICES	(661) 554-0109	Success 1	06/23/2016 at 08:33 PM
Nor-cal Pump & Well Drilling, Inc.	(530) 674-1525	Success 1	06/23/2016 at 08:33 PM
Alert-o-lite, Inc	(559) 453-3250	Success 1	06/23/2016 at 08:33 PM
ANTHONY'S GRADING & PAVING	(619) 749-3973	Success 1	06/23/2016 at 08:33 PM
EPIC PEST CONTROL & LANDSCAPE SERVICES, INC	(619) 474-	Success 1	06/23/2016

V A P Construction Inc	9538 (714) 253-3391	Success 1	at 08:33 PM 06/23/2016 at 08:33 PM
Martini Drilling Corp.	(714) 229-1681	Failure 1	
Williams Concrete Engineering	(805) 772-8070	Success 1	06/23/2016 at 08:33 PM
Contech Concrete Techniques, Inc	(559) 251-8821	Success 1	06/23/2016 at 08:33 PM
SO CAL CONSTRUCTION & CONSULTING SERVICES, INC.	(760) 723-2736	Success 1	06/23/2016 at 08:33 PM
CONTRACTOR SERVICES GROUP, INC.	(866) 366-6646	Success 1	06/23/2016 at 08:33 PM
QUANTUM CONSTRUCTION COMPANY	(559) 431-7940	Success 1	06/23/2016 at 08:33 PM
CT CONCRETE CUTTING, INC.	(951) 698-0795	Success 1	06/23/2016 at 08:33 PM
YBANAG REALTY & DEVELOPMENT CORP	(951) 657-1993	Success 1	06/23/2016 at 08:33 PM
ASHOONA LANDSCAPE	(714) 852-3725	Failure 1	
Rd Construction	(951) 279-5020	Failure 1	
Acme Safety & Supply Corp	(619) 542-0763	Failure 1	
L & L BRIDGES	(509) 559-7300	Success 1	06/23/2016 at 08:33 PM
Barnes Electric	(562) 790-8522	Failure 1	
CINDY TRUMP INC DBA LINDY'S COLD PLANING	(562) 697-2039	Success 1	06/23/2016 at 08:33 PM
Mcc Equipment Rentals, Inc.	(909) 795-7308	Success 1	06/23/2016 at 08:33 PM
Rbt Electric	(800) 659-9196	Success 1	06/23/2016 at 08:33 PM
MACKENZIE ELECTRIC, INC.	(909) 862-9907	Success 1	06/23/2016 at 08:41 PM
Jungle Nursery, Inc., The	(310) 388-5783	Success 1	06/23/2016 at 08:34 PM
Tri Span, Inc.	(714) 257-9681	Success 1	06/23/2016 at 08:34 PM
Barraza & Sons Heavy Equipments	(323) 981-9193	Success 1	06/23/2016 at 08:34 PM
Terra West, Inc	(619) 568-3475	Failure 1	
COOKS AND SON INC.	(805) 937-5473	Success 1	06/23/2016 at 08:34 PM
Alameda Construction Services, Inc.	(310) 635-0562	Success 1	06/23/2016 at 08:34 PM

International Environmental Corp.	(818) 997-0938	Success 1	06/23/2016 at 08:34 PM
SAN JOAQUIN VALLEY CONSTRUCTION GROUP, LLC	(661) 323-9287	Success 1	06/23/2016 at 08:34 PM
TRAFFIC ENFORCEMENT SOLUTIONS	(559) 323-4269	Failure 1	
E-nor Innovations Inc.	(310) 513-6299	Success 1	06/23/2016 at 08:34 PM
Quality Hydroseeding & Restoration	(760) 789-5168	Success 1	06/23/2016 at 08:34 PM
MORGNER CONSTRUCTION MANAGEMENT	(818) 461-8111	Failure 1	
TRANSTAR PIPELINE, INC	(858) 453-0745	Success 1	06/23/2016 at 08:34 PM
Adh Technical Services, Inc.	(831) 477-0895	Success 1	06/23/2016 at 08:34 PM
TOTAL BARRICADE SERVICE, INC.	(805) 485-7411	Success 1	06/23/2016 at 08:34 PM
Gsj Utility Supply & Service	(888) 356-1250	Success 1	06/23/2016 at 08:34 PM
DELTA ELECTRIC	(661) 250-1060	Failure 1	
America Pacific Construction	(714) 384-3988	Success 1	06/23/2016 at 08:34 PM
Caplinger Construction Inc	(909) 880-6262	Success 1	06/23/2016 at 08:34 PM
Burke Construction	(530) 672-2411	Success 1	06/23/2016 at 08:34 PM
Pacrim Engineering	(714) 683-0460	Success 1	06/23/2016 at 08:34 PM
EAR - ENVIRONMENTAL ASSESSMENT AND REMEDATION MANAGEMENT	(951) 324-8061	Failure 1	
D C D ELECTRIC, INC.	(909) 880-1230	Failure 1	
Terradyne Lax, Inc	(949) 231-1700	Success 1	06/23/2016 at 08:34 PM
Professional Concrete Sawing Inc.	(209) 722-2227	Success 1	06/23/2016 at 08:34 PM
American Utility Products	(626) 335-9797	Success 1	06/23/2016 at 08:34 PM
BAY LINE CUTTING & CORING INC	(510) 527-0500	Failure 1	
United Traffic Services & Supply, Inc.	(818) 961-4746	Success 1	06/23/2016 at 08:34 PM
NISH-KO INC	(559) 276-5753	Success 1	06/23/2016 at 08:34 PM
DIVERSIFIED LANDSCAPE CO	(951) 245-1847	Success 1	06/23/2016 at 08:34 PM

SPEEDWAY CONSTRUCTORS, INC	(619) 819-7565	Success 1	06/23/2016 at 08:35 PM
J Francis Company	(951) 776-9174	Success 1	06/23/2016 at 08:35 PM
Hustler's Hauling & Backhoe Service, Inc	(661) 326-0524	Success 1	06/23/2016 at 08:35 PM
DESTINATION ENTERPRISES INC	(310) 439-2655	Failure 1	
ARIZONA CIVIL CONSTRUCTORS, INC.	(702) 366-1257	Success 1	06/23/2016 at 08:35 PM
Glow Electrical, Inc.	(310) 318-5285	Success 1	06/23/2016 at 08:35 PM
A S CONTRACTORS, INC.	(209) 966-2643	Success 1	06/23/2016 at 08:35 PM
PK CONSTRUCTION	(626) 486-4152	Failure 1	
DELTECH ENGINEERING, INC	(714) 384-4594	Success 1	06/23/2016 at 08:35 PM
G & F Concrete Cutting, Inc.	(888) 624-4361	Success 1	06/23/2016 at 08:35 PM
Adanta, Inc	(707) 736-8368	Failure 1	
Advanced Geosolutions, Inc	(310) 796-9001	Success 1	06/23/2016 at 08:35 PM
Bert W Salas, Inc.	(619) 258-3515	Success 1	06/23/2016 at 08:35 PM
S.C. YAMAMOTO, INC.	(562) 690-1540	Success 1	06/23/2016 at 08:41 PM
G Sosa Construction, Inc	(805) 934-3609	Success 1	06/23/2016 at 08:35 PM
Habitat West, Inc.	(760) 735-9351	Success 1	06/23/2016 at 08:35 PM
SHARIDEN DESIGN ASPHALT, INC	(619) 445-3642	Success 1	06/23/2016 at 08:35 PM
FLORES CONSTRUCTION, INC.	(909) 597-8100	Success 1	06/23/2016 at 08:35 PM
Hard Hat Sweeping Inc	(562) 945-8399	Success 1	06/23/2016 at 08:35 PM
Payco Specialties, Incorporated	(619) 427-1620	Failure 1	
Pvf Sales	(562) 623-0909	Success 1	06/23/2016 at 08:35 PM
Pal Security Systems, Inc.	(310) 695-7599	Success 1	06/23/2016 at 08:35 PM
REBEL CONCRETE BREAKING SERVICE	(323) 563-8311	Failure 1	
ALL IN ONE ELECTRIC	(661) 255-0443	Success 1	06/23/2016 at 08:35 PM
	(949) 380-		

GOLDEN SUN CONSTRUCTION, INC	9707	Failure	1	
Kato Landscape Incorporated	(714) 963-6424	Success	1	06/23/2016 at 08:35 PM
Far East Landscape & Maintenance, Inc.	(661) 297-6282	Success	1	06/23/2016 at 08:35 PM
Rock Structures Construction Company	(951) 278-2802	Success	1	06/23/2016 at 08:35 PM
Cablemasters	(310) 783-0082	Success	1	06/23/2016 at 08:35 PM
MASKELL PIPE & SUPPLY INC	(909) 574-8663	Success	1	06/23/2016 at 08:35 PM
Black Gold Industries	(805) 981-0105	Success	1	06/23/2016 at 08:35 PM
Lovex General Engineering Corporation	(760) 249-6616	Failure	1	
CALIFORNIA GRINDING SPECIALTIES, INC. DBA AUSTIN ENTERPRISE	(661) 589-9509	Success	1	06/23/2016 at 08:36 PM
VRPA TECHNOLOGIES	(559) 271-1269	Success	1	06/23/2016 at 08:36 PM
Sampo Engineering, Inc.	(760) 436-0659	Success	1	06/23/2016 at 08:41 PM
Rupert Construction Supply, Llc	(916) 673-9737	Success	1	06/23/2016 at 08:41 PM
HERCON COMPANY, INC.	(949) 766-6768	Failure	1	
Cadit Company	(817) 430-0409	Success	1	06/23/2016 at 08:41 PM
WALLACE STRUCTURES	(707) 768-3386	Success	1	06/23/2016 at 08:41 PM
ARAMEXX GROUP, INC. DBA ARAMEXX CONSTRUCTION	(909) 591-4569	Success	1	06/23/2016 at 08:41 PM
Cali Concrete	(661) 398-1382	Success	1	06/23/2016 at 08:41 PM
PM LANDSCAPING	(619) 795-2831	Success	1	06/23/2016 at 08:41 PM
E. JASPER WRKG. (DEMO) & TRKG	(323) 754-8558	Failure	1	
Westpower, Inc	(510) 848-0504	Failure	1	
Triumph Geo-synthetics, inc.	(714) 237-1549	Success	1	06/23/2016 at 08:41 PM
AD IMPROVEMENTS, INC.	(562) 803-4791	Success	1	06/23/2016 at 08:41 PM
Harrell Electric	(951) 787-8193	Success	1	06/23/2016 at 08:41 PM
Treesmith Enterprises, Inc	(714) 996-6057	Success	1	06/23/2016 at 08:42 PM
FLASH TRAFFIC, INC.	(661) 262-	Failure	1	

FRANCIES ELECTRIC, INC.	6009 (661) 325-0634	Failure 1	
INTEG ENTERPRISES, LLC	(888) 333-3994	Success 1	06/23/2016 at 08:42 PM
A B S L Construction	(510) 727-0910	Success 1	06/23/2016 at 08:42 PM
Matzenauer Electric, Inc	(619) 390-4559	Success 1	06/23/2016 at 08:42 PM
CONTERA CONSTRUCTION CORPORATION	(951) 695-2800	Failure 1	
WEST PACIFIC ELECTRIC COMPANY	(559) 924-4826	Success 1	06/23/2016 at 08:42 PM
Leinaia's Transportation	(661) 266-9104	Success 1	06/23/2016 at 08:42 PM
ALL PETRO RESOURCES	(818) 578-8995	Success 1	06/23/2016 at 08:42 PM

Company Name: Adh Technical Services, Inc.

Address: 3065 Porter Street, Suite 101
Soquel, CA, 95073

Phone: (831) 477-2003, **Fax:** (831) 477-0895

Work Categories:

FEASIBILITY STUDIES; CONSULTANT, ENVIRONMENTAL; ENVIRONMENTAL ENGINEER;
SAFETY STUDIES; Environmental - Water Quality; Environmental-Regulatory; SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 11/30/16 1:10pm - Not bidding. Hung up before I got her name
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: TOTAL BARRICADE SERVICE, INC.

Address: 701 E. VENTURA BLVD.
OXNARD, CA, 93036

Phone: (805) 485-0345, **Fax:** (805) 485-7411

Work Categories:

Construction Area Signs, All Other Support Services, 561990

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 11/30/16 1:14pm - Rosa says not bidding.
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Gsj Utility Supply & Service

Address: 15051 Leffingwell Road,
Whittier, CA, 90604

Phone: (562) 404-1113, **Fax:** (888) 356-1250

Work Categories:

PIPE SUPPLIER; Draining Systems Supplier; ELECTRICAL & SIGNALS SUPPLIER; WHOLESALE
BROKER OF CONSTRUCTION MATERIALS; GENERAL INDUSTRIAL MACHINERY; ELECTRIC
LIGHTING & WIRING EQUIPMENT; MISC ELECTRICAL EQUIPMENT & SUPPLIES; HARDWARE,
PLUMBING & HEATING EQU

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 11/30/16 1:11pm - Sandy will look at it & email me to let me
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: DELTA ELECTRIC
Address: 17007 STRAWBERRY PINE CT.
Santa Clarita, CA, 91387
Phone: (323) 816-0508, **Fax:** (661) 250-1060
Work Categories:
ELECTRICAL

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 1:34PM - left message
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: America Pacific Construction
Address: 201 Laurel Ave. #13
Brea, CA, 92821
Phone: (559) 577-9999, **Fax:** (714) 384-3988
Work Categories:

Asphalt Concrete, Contractor Highway Roads Asphalt Paving Concrete Drainage Landscape 721410 -
Highway And Road Construction Services 721411 - Infrastructure Building And Surfacing And Paving
Services 721515 - Electrical System Services 721519 - Masonry A

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 1:30PM - 11M
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Caplinger Construction Inc
Address: 15924 North Cajon Blvd.
Devore Heights, CA, 92407
Phone: (909) 880-6200, **Fax:** (909) 880-6262
Work Categories:

Structure Backfill, Structure Excavation, 238910, Site Preparation Contractors, Clearing & Grubbing,
Demolition, Roadway Excavation, Ditches Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 1:37PM - 11M
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Burke Construction

Address: Po Box 921

Shingle Springs, CA, 95682

Phone: (530) 676-1009, **Fax:** (530) 672-2411

Work Categories:

Structure Excavation, General Hazardous Broker Excavation Utilities 251727 - Environmental Control Systems 711228 - Well Monitoring Services 711412 - Well Site Restoration 721110 - Single Family Dwelling Construction Services 721539 - Building Site Prepar

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Not Scope

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Pacrim Engineering

Address: 233 W. Cerritos Avenue,

Anaheim, CA, 92805

Phone: (714) 683-0470, **Fax:** (714) 683-0460

Work Categories:

Engineering - Structural, Pacrim Engineering Offers Its Clients Exceptional, Value-added Professional Engineering Consulting Services. Its Valued Clientele Includes Private Property Developers/investors, Public Municipalities, Transportation Agencies, Edu

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Not Scope

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: EAR - ENVIRONMENTAL ASSESSMENT AND REMEDIATION MANAGEMENT

Address: 4097 TRAIL CREEK ROAD

Riverside, CA, 92505

Phone: (951) 324-8060, **Fax:** (951) 324-8061

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; BUILDING CONSTRUCTION; DEMOLITION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 1:40 - Not bidding per Javi.

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: D C D ELECTRIC, INC.
Address: 6464 N. BEECHWOOD
SAN BERNARDINO, CA, 92407
Phone: (909) 806-0494, **Fax:** (909) 880-1230
Work Categories:

Electric Services, Electrical Contractors, 238210

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/10 2:39pm-11M

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Terradyne Lax, Inc
Address: 24881 Alicia Pky, Ste. E 327
Laguna Hills, CA, 92653
Phone: (949) 389-0678, **Fax:** (949) 231-1700
Work Categories:

ENGINEERING; CONSULTANT, ENVIRONMENTAL; CONSULTANT, ENGINEERING; MATERIALS TESTING SERVICES; SAFETY STUDIES; SWPPP Planning; LABORATORY TESTING AND ANALYSIS; ENVIRONMENTAL QUALITY;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/10 2:40-11M

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Professional Concrete Sawing Inc.
Address: P.o. Box 3348
Merced, CA, 95344
Phone: (209) 722-2226, **Fax:** (209) 722-2227
Work Categories:

C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C9980 DEMOLITION; D06 Concrete Related Services;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: out of area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: American Utility Products

Address: 1557 Canyon Meadows Lane
Glendora, CA, 91740

Phone: (626) 335-2753, **Fax:** (626) 335-9797

Work Categories:

PIPE SUPPLIER; SIGN STRUCTURE; MISC NONMETALLIC MINERAL PRODUCTS; IRON & STEEL
FOUNDRIES; MISC DURABLE GOODS; COMMODITY CONTRACTS BROKERS, DEALERS;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/10 2:40-11m

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: BAY LINE CUTTING & CORING INC

Address: 1635 4TH STREET
BERKELEY, CA, 94710

Phone: (510) 527-1000, **Fax:** (510) 527-0500

Work Categories:

MODIFY BRIDGE ITEM; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS;
CONCRETE STRUCTURE; MINOR CONCRETE STRUCTURE; CONCRETE SURFACE FINISH;
CONCRETE OVERLAY, DRILL & BOND; CORE CONCRETE - REPAIR BRIDGE DECK; JOINT SEAL -
WATER STOP; SAW CUTTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: out of area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: United Traffic Services & Supply, Inc.

Address: 15131 Clark Avenue
City Of Industry, CA, 91745

Phone: (626) 961-5736, **Fax:** (818) 961-4746

Work Categories:

Demolition, 238990, All Other Specialty Trade Contractors, Sign Structure, Clearing & Grubbing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 2:42 1/1M

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: NISH-KO INC

Address: 713 N VALENTINE
FRESNO, CA, 93706

Phone: (559) 275-6653, **Fax:** (559) 276-5753

Work Categories:

Landscape Counseling & Planning, Lawn & Garden Service, Ornamental Shrub & Tree Services, Landscaping, Landscape & Irrigation Construction, Landscape Planting, Irrigation Renovation/repairs, Trenching, grading
701717 - Irrigation 721413 - Athletic And Recre

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Out of area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: DIVERSIFIED LANDSCAPE CO

Address: 21730 BUNDY CANYON ROAD
WILDOMAR, CA, 92595

Phone: (951) 245-1686, **Fax:** (951) 245-1847

Work Categories:

C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C2065 IRRIGATION SYSTEM; C5100 CONCRETE STRUCTURE; C5110 CONCRETE SURFACE FINISH; C7200 ROCK SLOPE PROTECTION; C7215 CONCRETED-ROCK SLOPE PROTECTION; C7301 CO

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 2:42pm - yes they are if there is mulch

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: SPEEDWAY CONSTRUCTORS, INC

Address: 2565 CHALCEDONY ST

San Diego, CA, 92109

Phone: (619) 819-7565, **Fax:** (619) 819-7565

Work Categories:

Construction Management - Commercial and Institutional Building Construction; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Construction; BUILDING CONSTRUCTION; SMALL STRUCTURES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: out of area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: J Francis Company

Address: 16197 Krameria Ave

Riverside, CA, 92504

Phone: (951) 776-9100, **Fax:** (951) 776-9174

Work Categories:

Joint Seal - Water Stop, Waterproofing, Sealants, Coatings, And Concrete Repair 721527 - Concrete Installation And Repair Services 721532 - Coating And Caulking And Weather Water And Fireproofing Services, 238990, All Other Specialty Trade Contractors, Co

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 1/30/10 2:48PM - No per Lily

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Hustler's Hauling & Backhoe Service, Inc

Address: 149 Donna Avenue

Bakersfield, CA, 93304

Phone: (661) 326-1071, **Fax:** (661) 326-0524

Work Categories:

Broker (for Fee Only), Construction Clean Up, 236115, New Single-family Housing Construction (except Operative Builders), Building Mover, Building Construction, Demolition

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: out of service area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: DESTINATION ENTERPRISES INC

Address: 11940 Hammack Street
CULVER CITY, CA, 90230

Phone: (310) 439-2655, **Fax:** (310) 439-2655

Work Categories:

Construction Management; Project Management; Project Administration; Construction Claims & Litigation
801016 - Project Management 811015 - Civil Engineering 931420 - Urban Development, Construction
Management - Highway, Street And Bridge Construction, 237

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: scope not needed

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: ARIZONA CIVIL CONSTRUCTORS, INC.

Address: 737 N. MAIN STREET
LAS VEGAS, NV, 89101

Phone: (702) 366-0567, **Fax:** (702) 366-1257

Work Categories:

PORTLAND CEMENT & CONCRETE PAVEMENT; CONCRETE STRUCTURE; LANDSCAPING
CONTRACTOR;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: out of area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Glow Electrical, Inc.

Address: 4464 W. El Segundo Blvd.
Los Angeles, CA, 90250

Phone: (310) 376-2636, **Fax:** (310) 318-5285

Work Categories:

ELECTRICAL;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/10 2:51pm - 11m

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: A S CONTRACTORS, INC.

Address: 5347 COLE ROAD
MARIPOSA, CA, 95338

Phone: (209) 742-6684, **Fax:** (209) 966-2643

Work Categories:

Rock Slope Protection, Highway, Street, And Bridge Construction, Embankment Construction, 237310, Structure Backfill, Grading, Building Construction, Subsurface Drain, Structure Excavation, Roadway Excavation, Permeable Material, Filter Fabric, Cast Iron

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: out of area

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: PK CONSTRUCTION

Address: 2502 EL SOL
Altadena, CA, 91001

Phone: (626) 773-6963, **Fax:** (626) 486-4152

Work Categories:

CONCRETE BASE; CONCRETE STRUCTURE; MINOR CONCRETE STRUCTURE;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: DELTECH ENGINEERING, INC

Address: 4913 E. GERDA DRIVE
ANAHEIM, CA, 92807

Phone: (714) 495-9755, **Fax:** (714) 384-4594

Work Categories:

ROADWAY EXCAVATION; IRRIGATION SYSTEM; PAVING ASPHALT (ASPHALT CONCRETE); FEASIBILITY STUDIES; SAFETY STUDIES; HAZARDOUS SUBSTANCE REMOVAL; ASBESTOS REMOVAL/ABATEMENT; HAZARDOUS WASTE COLLECTION AND DISPOSAL;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: G & F Concrete Cutting, Inc.

Address: 1006 E. Chestnut Avenue
Santa Ana, CA, 92711

Phone: (714) 648-0397, **Fax:** (888) 624-4361

Work Categories:

Concrete Structure, Concrete Overlay, Drill & Bond, 238910, Site Preparation Contractors, Structure Excavation, Demolition

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 3:54 pm Michael - Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Adanta, Inc

Address: 828 School Street
Napa, CA, 94559

Phone: (707) 709-8894, **Fax:** (707) 736-8368

Work Categories:

C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8793 Environmental - Environmental Impact Assessment; C8795 Environmental-Regulatory; C8851 Lead Compliance; C8852 SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 3:56 pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Advanced Geosolutions, Inc

Address: 13 ORCHARD ROAD, SUITE 105
LAKE FOREST, CA, 92630

Phone: (310) 796-9000, **Fax:** (310) 796-9001

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; FEASIBILITY STUDIES; SAFETY STUDIES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:00 pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Undercrossing To Boyle Avenue Overcrossing

Company Name: Bert W Salas, Inc.

Address: 10769 Woodside Avenue, Suite 201
Santee, CA, 92071

Phone: (619) 562-7711, **Fax:** (619) 258-3515

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; MINOR CONCRETE STRUCTURE; STEEL STRUCTURES; STEEL CRIB WALL; ALTERNATIVE PIPE CULVERT; REINFORCED CONCRETE PIPE; CORRUGATED METAL PIPE (CSP); FILTER FAB

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:03pm Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: S.C. YAMAMOTO, INC.

Address: 2031 EMERY AVENUE
LA HABRA, CA, 90631

Phone: (714) 992-5783, **Fax:** (562) 690-1540

Work Categories:

Irrigation Systems, Landscaping Services, 561730, Landscaping, Tree Services, Landscape & Horticultural Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:06pm Cliff - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: G Sosa Construction, Inc

Address: 2880 Santa Maria Way, Suite D3
Santa Maria, CA, 93455

Phone: (805) 934-3606, **Fax:** (805) 934-3609

Work Categories:

Clearing & Grubbing, Steel Crib Wall, 237310, Highway, Street, And Bridge Construction, Structure Excavation, Steel Structures, Roadway Excavation, Structure Backfill, Ditches Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:07pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Habitat West, Inc.

Address: 2067 Wineridge Place, Suite B
Escondido, CA, 92029

Phone: (760) 735-9378, **Fax:** (760) 735-9351

Work Categories:

Develop Water Supply, Business Administration, 561730, Landscaping Services, Irrigation Systems, Clearing & Grubbing, Disinfecting And Pest Control, Consultant, Non Engineering

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: *6/30/16 Pauline - Not Bidding 4:13 pm*

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: SHARIDEN DESIGN ASPHALT, INC

Address: 1456 FOSS LANE
Alpine, CA, 91901

Phone: (619) 445-3611, **Fax:** (619) 445-3642

Work Categories:

LANDSCAPING CONTRACTOR

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: *6/30/16 4:14 pm Kat - Not Bidding*

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: FLORES CONSTRUCTION, INC.

Address: 1819 LARK ELLEN AVE
WEST COVINA, CA, 91791

Phone: (909) 322-9240, **Fax:** (909) 597-8100

Work Categories:

DEVELOP WATER SUPPLY; IRRIGATION SYSTEM; CONSULTANT, NON ENGINEERING; CONSTRUCTION MANAGEMENT; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Construction; Construction Management - Water

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:20pm No Answer - Left Message
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Hard Hat Sweeping Inc
Address: 13328 Hadley Street
Whittier,CA, 90601
Phone: (562) 298-7956, **Fax:** (562) 945-8399
Work Categories:

Misc Business Services, 488490, Other Support Activities For Road Transportation, Street Sweeping Truck,
Misc Personal Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:23pm Jeanne - Not Bidding
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Payco Specialties, Incorporated
Address: 120 NORTH SECOND AVE.
Chula Vista,CA, 91910
Phone: (619) 422-9204, **Fax:** (619) 427-1620
Work Categories:

TRAFFIC CONTROL SYSTEM; SIGN STRUCTURE; ROADSIDE SIGN; OBJECT MARKER;
THERMOPLASTIC TRAFFIC STRIPING & MARKING; PAINTED TRAFFIC STRIPING & MARKING;
PAVEMENT MARKING; SANDBLASTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:27pm No Answer - Left Message
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Pvf Sales
Address: 13707 Borate St.
Santa Fe Springs,CA, 90670
Phone: (562) 623-9999, **Fax:** (562) 623-0909
Work Categories:

Pipe, Wholesale Distributors Of All Types Pipe, Valves And Fittings, Steam Specialty Products, Pipe Support,

Fittings Flanges Valves,gruvlok,anvil,nibco,pvc, Stainless Steel, Copper 232416 - Metal Cutting Tools 271316 - Air Fittings And Connectors 313113

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:29pm Tina - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Pal Security Systems, Inc.

Address: 7406 Denrock

Los Angeles,CA, 90045

Phone: (310) 877-3618, **Fax:** (310) 695-7599

Work Categories:

Electric Lighting & Wiring Equipment, 238210, Electrical Contractors, Electric Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30/16 4:31pm Pal - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: REBEL CONCRETE BREAKING SERVICE

Address: 1618 E. 87 PL.

Los Angeles,CA, 90002

Phone: (323) 574-9774, **Fax:** (323) 563-8311

Work Categories:

C1940 DITCHES EXCAVATION; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C9980 DEMOLITION; C9981 BUILDING MOVER; C12 Earthwork and Paving Contractor; C21 Building Moving / Demolition Contractor;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:03pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: ALL IN ONE ELECTRIC

Address: 24740 MEADVIEW AVENUE

Newhall,CA, 91321

Phone: (661) 255-5315, **Fax:** (661) 255-0443

Work Categories:

ELECTRICAL; MISC ELECTRICAL EQUIPMENT & SUPPLIES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:05pm No Answer-Left message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: GOLDEN SUN CONSTRUCTION, INC

Address: 25371 MUSTANG DRIVE

LAGUNA HILLS, CA, 92653

Phone: (949) 380-9797, **Fax:** (949) 380-9707

Work Categories:

REMOVE BRIDGE ITEM; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; EMBANKMENT CONSTRUCTION; IRRIGATION SYSTEM; FINISHING ROADWAY; AGGREGATE BASE; CEMENT TREATED BASE; PLACE ASPHALT CONCRETE DIKE & MISC; JACKED WELDED STEEL PIPE;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:08pm Matt - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Kato Landscape Incorporated

Address: 18182 Bushard St

Fountain Valley, CA, 92708

Phone: (714) 963-4615, **Fax:** (714) 963-6424

Work Categories:

Landscape & Horticultural Services, Landscaping/irrigation Services 701717 - Irrigation, Soil Amendments, 561730, Landscaping Services, Irrigation System, Highway Planting

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:10pm Going to call back

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Far East Landscape & Maintenance, Inc.

Address: 27118 Colebrook Place

Valencia, CA, 91395

Phone: (661) 297-0918, **Fax:** (661) 297-6282

Work Categories:

Landscaping & Nursery, General Building Contractor Landscaping Home Improvement Certification
Landscape Maintenance Tree Trimming Irrigation 101615 - Trees And Shrubs 101616 - Floral Plants 101618 -
Non Flowering Plants 501218 - Aquatic Plants 701115 - Pl

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:13pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Rock Structures Construction Company

Address: 11126 Silverton Ct.

Corona, CA, 92881

Phone: (951) 371-1112, **Fax:** (951) 278-2802

Work Categories:

Construction Equipment Rental, 212312, Crushed And Broken Limestone Mining And Quarrying, Roadway
Excavation, Structure Excavation, Demolition, Clearing & Grubbing, Structure Backfill, Heavy Equipment
Rental, Ditches Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:16pm Tony - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Cablemasters

Address: 2281 W. 205th Street Suite 101

Torrance, CA, 90501

Phone: (310) 783-0081, **Fax:** (310) 783-0082

Work Categories:

Electrical, Installation Of Data And Phone Cabling. Category 5e Category6 Category7 And Fiber Optics.
Including Security Surveillance Sumitomo Air Blown Fiber. Cmas 3-05-70-2163c Wireless Networks Wiring
Security Surveillance Cameras Computers Networking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:17pm Danny - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: MASKELL PIPE & SUPPLY INC

Address: 8604 COTTONWOOD AVE
FONTANA, CA, 92335

Phone: (909) 574-8662, **Fax:** (909) 574-8663

Work Categories:

Construction Equipment Rental, Fabricated Pipe And Pipe Fitting Manufacturing, Fabricated Metal Products, 332996, Pipe Supplier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:23pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Black Gold Industries

Address: 527 N. Rice Avenue
Oxnard, CA, 93030

Phone: (805) 981-4616, **Fax:** (805) 981-0105

Work Categories:

Recycling, Hazardous Substance Removal, 562910, Remediation Services, Right Of Way Engineer, Ditches Excavation, Clearing & Grubbing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:25pm No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Lovex General Engineering Corporation

Address: Po Box 1968
Wrightwood, CA, 92397

Phone: (760) 249-5428, **Fax:** (760) 249-6616

Work Categories:

Steel Structures, Ditches Excavation, 238990, All Other Specialty Trade Contractors, Structure Excavation, Clearing & Grubbing, Steel Crib Wall, Structure Backfill, Roadway Excavation, Construction Management

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:28pm No Answer - No Voicemail

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: CALIFORNIA GRINDING SPECIALTIES, INC. DBA AUSTIN ENTERPRISE

Address: 13421 Snow Road
Bakersfield, CA, 93314

Phone: (661) 589-1001, **Fax:** (661) 589-9509

Work Categories:

CONSTRUCTION AREA SIGNS; RESET, ADJUST ROADWAY ITEMS; ROADWAY EXCAVATION;
SEAL COAT; PORTLAND CEMENT & CONCRETE PAVEMENT; CLEAN & SEAL PAVEMENT
JOINTS - ROUT & SEAL CRACKS; PAVEMENT SUBSEALING & JACKING; GROOVE & GRIND
PAVEMENT; CONCRETE STRUCTURE; CONCRE

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/1/16 2:32pm Debby - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: VRPA TECHNOLOGIES

Address: 4630 W. JENNIFER, SUITE 105
FRESNO, CA, 93722

Phone: (559) 271-1200, **Fax:** (559) 271-1269

Work Categories:

Traffic Management / Operations, Other Scientific And Technical Consulting Services, Traffic Count, 541690,
Consultant, Non Engineering, Environmental Quality

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 9:59am No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Sampo Engineering, Inc.

Address: 1034 Second Street
Encinitas, CA, 92075

Phone: (760) 436-0660, **Fax:** (760) 436-0659

Work Categories:

Irrigation Systems, Subdividers & Developers, 541330, Engineering Services, Water Supply, Land Surveying,
Drafting, Land Surveyor, Civil Engineering

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:02am Deb - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Rupert Construction Supply, Llc

Address: 12405 GOLD FLAKE CT.

Rancho Cordova, CA, 95762

Phone: (925) 229-5577, **Fax:** (916) 673-9737

Work Categories:

STEEL SOLDIER PILES; TIMBER LAGGING; PIPE SUPPLIER; BUILDING MATERIAL SUPPLIER;
BRIDGE DECK MATERIALS SUPPLIERS; JOINT SEAL - WATER STOP;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:04 am Karen - Send her an email

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: HERCON COMPANY, INC.

Address: 30211 AVENIDA DE LAS BANDERAS, STE 200

RANCHO SANTA MARGARI, CA, 92688

Phone: (949) 766-6770, **Fax:** (949) 766-6768

Work Categories:

Asbestos-cement Sewer Pipe, Water And Sewer Line And Related Structures Construction, 237110, Structure
Excavation, Develop Water Supply, Electrical, Sewer Manhole

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:24 am No Answer - Voicemail is full. Could not leave

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - a message

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Cadit Company

Address: One Cypress

Trophy Club, TX, 76262

Phone: (817) 430-4409, **Fax:** (817) 430-0409

Work Categories:

Steel, Pipe Supplier, 237310, Highway, Street, And Bridge Construction, Steel Supplier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:27 am No Answer - Left message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: WALLACE STRUCTURES

Address: PO BOX 629

FORTUNA, CA, 95540

Phone: (707) 834-4992, **Fax:** (707) 768-3386

Work Categories:

General Building Contractor General Engineering Contractor Wetland Construction , Construction Management, 237110, Water And Sewer Line And Related Structures Construction, Structure Excavation, Construction Management - Other Heavy And Civil Construction

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:28am No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: ARAMEXX GROUP, INC. DBA ARAMEXX CONSTRUCTION

Address: 13040 SMOKETREE PLACE

Chino, CA, 91710

Phone: (909) 746-8066, **Fax:** (909) 591-4569

Work Categories:

C9867 LANDSCAPING CONTRACTOR; E4940 WATER SUPPLY;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:31am Santos - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Cali Concrete

Address: 117 Mugsy Avenue

Bakersfield, CA, 93307

Phone: (661) 398-8143, **Fax:** (661) 398-1382

Work Categories:

Concrete Curb & Sidewalk - Misc, 238110, Poured Concrete Foundation And Structure Contractors, Concrete Surface Finish, Minor Concrete Structure

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:33am No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Undercrossing To Boyle Avenue Overcrossing

Company Name: PM LANDSCAPING

Address: po box 153381

SAN DIEGO,CA, 92195

Phone: (619) 212-0359, **Fax:** (619) 795-2831

Work Categories:

Landscape Construction, Landscape Maintenance, Irrigation Install 721029 - Facility Maintenance And Repair Services 761115 - General Building And Office Cleaning And Maintenance Services, Landscaping Contractor, 561730, Landscaping Services 721029 - Facil

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:36am Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: E. JASPER WRKG. (DEMO) & TRKG

Address: 9326 S. VERMONT AVE.

Los Angeles,CA, 90044

Phone: (323) 754-9877, **Fax:** (323) 754-8558

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; BOTTOM DUMP TRUCKING; FLAT BED TRUCKING; TRUCKER; DEMOLITION

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:37am No Answer - Left Message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Westpower, Inc

Address: 3055 ALVARADO ST, SUITE 117

SAN LEANDRO,CA, 94577

Phone: (510) 848-0505, **Fax:** (510) 848-0504

Work Categories:

Combination Utility Services, 238210, Electrical Contractors, Consultant, Engineering, Electric Services, Residential Electrical

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:39am Alex - Not Bidding

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Triumph Geo-synthetics,inc.

Address: 1140 N. Armando St.

Anaheim,CA, 92806

Phone: (714) 237-1550, **Fax:** (714) 237-1549

Work Categories:

Transportation Equipment & Supplies, Geotextiles, Paving Fabric, Geogrid, Soil Stabilization, Erosion Control Material And Mats, Wattles, Sediment Control, Filtration Fabric, Hercusheild, Hdpe Liner, Hydromulch, Trm, Erosion Control Blanket, Swppps, Const

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:45 am Ron - Bidding. Sending Quote Today or Tomorrow

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: AD IMPROVEMENTS, INC.

Address: 15068 ROSECRANS AVE. #140

LA MIRADA,CA, 90241

Phone: (562) 572-3177, **Fax:** (562) 803-4791

Work Categories:

SOIL PREPARATION SERVICES; BUILDING CONSTRUCTION; DEMOLITION

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:47 am Left a message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Harrell Electric

Address: 5427 Via Alberca

Riverside,CA, 92507

Phone: (951) 787-0390, **Fax:** (951) 787-8193

Work Categories:

Electrical, Building Construction, 238210, Electrical Contractors, Electrical Engineers

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:54 am No Answer - Left message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Treesmith Enterprises, Inc

Address: 1551 N. Miller St

Anaheim, CA, 92806

Phone: (714) 996-6037, **Fax:** (714) 996-6057

Work Categories:

Clearing & Grubbing, Tree Trimming, Tree Removal 101520 - Tree And Shrub Seeds And Cuttings 101615 - Trees And Shrubs 701115 - Plants And Ornamental Trees, Landscaping, Tree Services, 561730, Landscaping Services, Landscape & Horticultural Services 101520

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 10:56 am Not Sure - will call back

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: FLASH TRAFFIC, INC.

Address: 28420 N. HERRERA STREET

VALENCIA, CA, 91354

Phone: (661) 262-6003, **Fax:** (661) 262-6009

Work Categories:

Construction Area Signs, All Other Support Services, Traffic Count, 561990, Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 11:00 am No Answer - Left a message

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: FRANCIES ELECTRIC, INC.

Address: 3420 RIO GRANDE

BAKERSFIELD, CA, 93313

Phone: (661) 809-4175, **Fax:** (661) 325-0634

Work Categories:

Electrical Repair Shops, Electrical Contractors, Combination Utility Services, 238210, Electric Services, Residential Electrical, Carpentry, Building Construction

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5/16 11:01am No Answer - Left a message
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: INTEG ENTERPRISES, LLC

Address: PO BOX 71355

BAKERSFIELD, CA, 93387

Phone: (888) 505-8987, **Fax:** (888) 333-3994

Work Categories:

Construction Management - Institutional Building Construction, Administrative Management And General
Management Consulting Services, Construction Management - Water And Sewer Line And Related Structure
Construction, 541611, Construction Management - Highw

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: PHONE # NOT IN SERVICE 10:19am
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: A B S L Construction

Address: 29334 Pacific Street

Hayward, CA, 94544

Phone: (510) 727-0900, **Fax:** (510) 727-0910

Work Categories:

Â TRAFFIC CONTROL SYSTEM; RESET, ADJUST ROADWAY ITEMS; PLANE ASPHALT
CONCRETE; CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; STRUCTURE
EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; GROOVE & GRIND PAVEMENT;
MINOR CONCRETE STRUCTURE; ERECT PRECAST

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: ~~PHONE~~ No Bid per Darrel 10:20am
Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: Matzenauer Electric, Inc

Address: 12115 Lakeside Ave

Lakeside, CA, 92040

Phone: (619) 390-4570, **Fax:** (619) 390-4559

Work Categories:

Residential Electrical, 238210, Electrical Contractors, Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: No Answer / No Voice Mail / Service 10:23am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: CONTERA CONSTRUCTION CORPORATION

Address: 28545 Old Town Front Street #201

TEMECULA,CA, 92590

Phone: (951) 695-2800, **Fax:** (951) 695-2800

Work Categories:

Highway And Roadway Grading Excavation Services Borrow And Soil Fill Dirt, Sand And Gravel 111115 - Dirt And Soil 111117 - Sand 721410 - Highway And Road Construction Services, Ditches Excavation, 238910, Site Preparation Contractors, Structure Backfill,

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: No Bid per Crystal 10:25am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: WEST PACIFIC ELECTRIC COMPANY

Address: 20071 W GLENDALE AVENUE

Lemoore,CA, 93245

Phone: (559) 924-6422, **Fax:** (559) 924-4826

Work Categories:

SIGNAL & LIGHTING; LIGHTING; MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; Commercial Electrical; ELECTRIC SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: No Answer / LEFT A MESSAGE 10:28am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Leinaia's Transportation

Address: 36232 43rd Street East

Palmdale,CA, 93552

Phone: (661) 618-2752, **Fax:** (661) 266-9104

Work Categories:

Trucker, Truck Broker, 484110, General Freight Trucking, Local

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10:31 am No Bid PER LANAYA

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: ALL PETRO RESOURCES

Address: 18149 LULL STREET,
RESEDA, CA, 91335

Phone: (818) 442-8449, **Fax:** (818) 578-8995

Work Categories:

Consultant, Non Engineering, Petroleum And Petroleum Products Merchant Wholesalers (except Bulk Stations And Terminals), Petroleum & Coal Products Manufacturing, 424720, Traffic Management / Operations, Petroleum, Oil, Lubricants Supplier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10:33 am No Bid per Arturo No Bid ITEMS Referent

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Affidavit of Fax Solicitation

The undersigned employee of Compliance News Publishing, located in the City of Long Beach, County of Los Angeles, and the State of California, declares that bid solicitation letters have been faxed to the following 200 firms listed below at 08:13PM on 06/23/2016. I am over the age of 18 years and a citizen of the United States. I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California.

Henry Sprague III

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: BLAIR CHURCH & FLYNN CONSULTING ENGINEERS

Address: 451 CLOVIS AVE STE 200

CLOVIS,CA, 93612

Phone: (559) 326-1400, **Fax:** (559) 326-1500

Work Categories:

Civil Engineering Surveying Design Planning Infrastructure Development Education Public Works Flood Control Landscape Architecture Recycled Water Consulting 701715 - Development 811015 - Civil Engineering, Construction Management - Water And Sewer Line An

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:06

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Watercourse Engineering Inc

Address: 424 2nd Street, Suite B

Davis,CA, 95616

Phone: (530) 750-3072, **Fax:** (530) 750-3074

Work Categories:

Environmental Engineer, Engineering Services Water Quality Modeling Modelling Temperature Monitoring River Stream Lake Reservoir 601042 - Water Testing And Conservation And Ecology 771217 - Water Pollution 811015 - Civil Engineering 831015 - Water And Sew

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:10

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Forster Company, Inc.

Address: 10828 Lou Dillon Avenue

Los Angeles,CA, 90059

Phone: (323) 569-0217, **Fax:** (323) 569-0200

Work Categories:

Building Inspection Services; CONSTRUCTION MANAGEMENT; Construction Management - Commercial

and Institutional Building Construction; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Constr

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:11

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: BA, INC.

Address: 800 W. SIXTH ST. #400

Los Angeles, CA, 90017

Phone: (213) 622-2100, **Fax:** (213) 622-7330

Work Categories:

CONSULTANT, NON ENGINEERING; ENGINEERING; DRAFTING; Construction Management - Water and Sewer Line and Related Structure Construction; WATER SUPPLY; SEWERAGE SYSTEMS; IRRIGATION SYSTEMS;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:12

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: MV CONSTRUCTION, INC.

Address: PO Box 1575

ATWATER, CA, 95301

Phone: (209) 756-5936, **Fax:** (559) 357-0851

Work Categories:

ROADWAY EXCAVATION; GRADING; AGGREGATE BASE; ASPHALT CONCRETE; MINOR CONCRETE STRUCTURE

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:15

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: DREAMBUILDER CONSTRUCTION CORP

Address: 1324 E LAWSON LN.

Placentia, CA, 92870

Phone: (714) 646-3697, **Fax:** (714) 646-3698

Work Categories:

C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C2065 IRRIGATION SYSTEM; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONC

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:16

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: CALIAGUA INC

Address: 15148 SIERRA BONITA LN
CHINO, CA, 91710

Phone: (909) 393-9398, **Fax:** (909) 597-5167

Work Categories:

General Engineering, General Building Contractor, Boiler, Hot Water, Steam Fitting, Plumbing, Irrigation Systems, 237110, Water And Sewer Line And Related Structures Construction, Heating & Air Conditioning, Sewerage Systems, Water Supply

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:17

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Eagle Engineering And Construction, Inc

Address: 1175 Palomar Drive
Redwood City, CA, 94062

Phone: (650) 367-8000, **Fax:** (650) 367-8282

Work Categories:

Electric Services, 237990, Other Heavy And Civil Engineering Construction, Telegraph & Other Communications, Engines & Turbines, Demolition, Heating & Air Conditioning, Residential Electrical, Pumping Plant Electrical Equipment, Steel Structures, Structur

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 3:18

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Vsce Inc

Address: 827 Broadway Avenue, Suite 340
Oakland, CA, 94607

Phone: (510) 835-5001, **Fax:** (510) 899-0799

Work Categories:

Feasibility Studies, Construction Management Engineering Services Management Consulting Public Relations
801015 - Business And Corporate Management Consultation Services 801016 - Project Management 811015 -
Civil Engineering 811022 - Transportation Engine

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 4:08

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: VALVERDE CONSTRUCTION INC

Address: PO Box 3223

SANTA FE SPRINGS, CA, 90670

Phone: (562) 906-1826, **Fax:** (562) 906-1918

Work Categories:

Underground Utilities Water Sewer Storm Drain Pipeline 781021 - Pipeline Services 831015 - Water And
Sewer Utilities, Ditches Excavation, 237110, Water And Sewer Line And Related Structures Construction,
Structure Backfill, Roadway Excavation, Asbestos-ce

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 4:19

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Company Name: G Crew, The

Address: 116 N. Maryland Ave Suite #130

Glendale, CA, 91206

Phone: (818) 240-4157, **Fax:** (818) 240-8616

Work Categories:

Management Information Systems, Inspection, Construction Management Snd Project Support Services
781416 - Inspection 801015 - Business And Corporate Management Consultation Services 801016 - Project
Management 801117 - Personnel Recruitment 801615 - Manag

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 4:21

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Undercrossing To Boyle Avenue Overcrossing

Company Name: Cindy Bales Engineering, Inc.

Address: 1828 Shady Lane

Big Bear City, CA, 92314

Phone: (909) 585-1557, **Fax:** (909) 752-7090

Work Categories:

Electrical, Residential Electrical, 238210, Electrical Contractors, Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 4:22

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: BWW AND COMPANY

Address: 301 9th Street, Suite 100

REDLANDS, CA, 92374

Phone: (909) 268-8516, **Fax:** (909) 435-0392

Work Categories:

Concrete, Retaining Walls, Fence Work, Gates, Doors, Windows, Drywall, Utility Lines, Dirt Work, Foundations, Driveways, Walkways, Patios, 721015 - Building Maintenance And Repair Services 721029 - Facility Maintenance And Repair Services 721033 - Infrast

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 6/30 4:24

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Elite Companies Us, Inc

Address: 15321 La Salle Lane

Huntington Beach, CA, 92647

Phone: (714) 716-6196, **Fax:** (714) 908-0337

Work Categories:

Construction Management - Other Heavy And Civil Construction, Construction Management - Highway, Street And Bridge Construction, 237310, Highway, Street, And Bridge Construction

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:00

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West

Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: C G O CONSTRUCTION COMPANY

Address: 3100 EAST CEDAR STREET #14
ONTARIO, CA, 91761

Phone: (909) 930-5501, **Fax:** (909) 930-5503

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; STEEL STRUCTURES; STEEL CRIB WALL; CONSULTANT, NON ENGINEERING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:01

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Interwest Pacific, Ltd.

Address: 990 Highland Dr. Ste. 212f
Solana Beach, CA, 92075

Phone: (858) 259-2062, **Fax:** (858) 345-3737

Work Categories:

Ditches Excavation, Structure Backfill, 237310, Highway, Street, And Bridge Construction, Demolition, Structure Excavation, Steel Crib Wall, Clearing & Grubbing, Steel Structures, Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:02

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: SO. CAL TRAFFIC INC

Address: 1358 LA MIRADA DRIVE
SAN MARCOS, CA, 92078

Phone: (858) 720-0179, **Fax:** (858) 793-4495

Work Categories:

CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; Traffic Management / Operations;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:03

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: C.W. CROSSER CONSTRUCTION, INC

Address: 1250 N. LAKEVIEW AVE, SUITE J
ANAHEIM, CA, 92807

Phone: (714) 693-9800, **Fax:** (714) 693-0800

Work Categories:

PLANE ASPHALT CONCRETE; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Construction; Construction Management - Power and Communication Line and Related Structure Construction;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:06

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: L.d. Strobel Co., Inc.

Address: 1022 Shary Circle, Unit 9
Concord, CA, 94518

Phone: (925) 686-3241, **Fax:** (925) 686-3350

Work Categories:

COMMUNICATIONS SERVICES; ELECTRIC SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:07

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: JI Storm Water Consultants, Inc

Address: 1720 Bridgehampton Place
El Cajon, CA, 92019

Phone: (619) 938-2420, **Fax:** (619) 334-6750

Work Categories:

Consultant, Preparation Of Storm Water Pollution Prevention Plans (swppps), Storm Water Management Plans, Swppp Auditing, Swppp Implementation, Erosion Control Plans, Swppp Training, Biological Monitoring, Environmental Permit Processing, Post-const O&m.,

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:06

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: BANAGA CONSTRUCTION, INC

Address: 1264 STAGECOACH TRAIL LOOP
CHULA VISTA, CA, 91915

Phone: (619) 922-8570, **Fax:** (619) 737-9199

Work Categories:

Ditches Excavation, Highway, Street, And Bridge Construction, Structure Excavation, 237310, Pavement Reinforcing Fabric, Clearing & Grubbing, Roadway Excavation, Develop Water Supply, Plane Asphalt Concrete, Structure Backfill, Grading

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:19

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: E E Electric, Inc

Address: 11127 Calabash Avenue
Fontana, CA, 92337

Phone: (909) 829-7818, **Fax:** (909) 829-0118

Work Categories:

Residential Electrical, High Voltage Electrical Utilities Utilitypoles Removal Cables Conversions Streetlights Maintenance Vaults Underground Overhead Meters Inspections 831018 - Electric Utilities, Traffic Control System, 237130, Power And Communication

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:21

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Traffic Loops Crackfilling, Inc

Address: 1915 W Ball Rd.
Anaheim, CA, 92804

Phone: (714) 520-4026, **Fax:** (714) 520-4027

Work Categories:

C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; C8501 PAVEMENT MARKING; C8608 DETECTOR; C8611 RAMP METERING SYSTEM; C8903 ELECTRICAL; C9858 RESIDENTIAL ELECTRICAL;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:21

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: LANDSCAPE SUPPORT SERVICES

Address: 15491 Del Gado Dr
SANTA CLARITA, CA, 91403

Phone: (818) 430-6116, **Fax:** (661) 554-0109

Work Categories: 818 475 0680 Rojas

Blower Truck Mulch Installation, Pneumatic, Terraseeding, Soil Preparation, Top Soil, Green Roof, Forest Floor Mulch, Wood Chip Mulch, Compost Blanket, 111217 - Forestry Byproducts 701315 - Land And Soil Protection, Temporary Erosion Control, 424910, Farm

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:23

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Nor-cal Pump & Well Drilling, Inc.

Address: 1325 Barry Road
Yuba City, CA, 95993

Phone: (530) 674-5861, **Fax:** (530) 674-1525

Work Categories:

Structure Excavation, Water Well Drilling Well Destruction Well Development Test Hole Drilling Dewatering Deep Well Turbine Pump Installation 201115 - Drilling And Exploration Equipment 201116 - Drilling And Operation Machinery 201117 - Drilling And Opera

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:25

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Alert-o-lite, Inc

Address: P.o. Box 12224
Fresno,CA, 93777

Phone: (559) 453-2474, **Fax:** (559) 453-3250

Work Categories:

Roadside Sign, Sign Installation, Emergency Equipment, Supplies And Services, Traffic Control, Construction Equipment Rental, Construction Equipment Sales, Construction Equipment Service, Vehicle Graphics, Safety Supplies, Safety Equipment, Work Zone Safe

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:28

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: ANTHONY'S GRADING & PAVING

Address: 10769 WOODSIDE AVENUE SUITE 209
SANTEE,CA, 92071

Phone: (619) 334-6167, **Fax:** (619) 749-3973

Work Categories:

C1575 REMOVE BRIDGE ITEM; C1601 CLEARING & GRUBBING; C1801 DUST PALLIATIVE; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1925 SHAPED BEDDING; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C1970 EMBANKMENT CONSTRUCTION; C1980

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:30

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: EPIC PEST CONTROL & LANDSCAPE SERVICES, INC

Address: 7614 LEMON AVENUE
LEMON GROVE,CA, 91945

Phone: (619) 466-3033, **Fax:** (619) 474-9538

Work Categories:

LANDSCAPE & HORTICULTURAL SERVICES; SOIL AMENDMENTS; TEMPORARY FENCING; EXTERMINATORS; LANDSCAPING CONTRACTOR; SERVICES TO BUILDINGS; DISINFECTING AND PEST CONTROL;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:31

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: V A P Construction Inc
Address: 16425 Illusion Way
La Mirada, CA, 90638
Phone: (714) 253-3270, **Fax:** (714) 253-3391

Work Categories:

C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C2065 IRRIGATION SYSTEM; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONC)

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:32

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Martini Drilling Corp.
Address: 10893 Portal Drive
Los Alamitos, CA, 90720
Phone: (714) 715-2715, **Fax:** (714) 229-1681

Work Categories:

Structure Excavation, Soil Testing, Environmental And Geotechnical Drilling, Soil Boring, Hollow Stem Auger, Rotary, Probing Services, Direct Push, Cme-75 Diesel Ht Drilling Rig, Geoprobe 6600, Small Diameter Water And Vapor Wells And Monitoring, Site Pre

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:33

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Williams Concrete Engineering
Address: 2920 Cedar Ave
Morro Bay, CA, 93442
Phone: (805) 778-4807, **Fax:** (805) 772-8070

Work Categories:

Concrete & Cement, Grading, 237310, Highway, Street, And Bridge Construction, Concrete Surface Finish, Minor Concrete Structure

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:35

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Contech Concrete Techniques, Inc

Address: 4687 E. Cortland Avenue
Fresno, CA, 93726

Phone: (559) 251-8818, **Fax:** (559) 251-8821

Work Categories:

Concrete Structure, Joint Seal - Water Stop, 238110, Poured Concrete Foundation And Structure Contractors, Reinforcing Steel, Minor Concrete Structure, Concrete Curb & Sidewalk - Misc, Reinforced Concrete Crib Wall

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:40

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: SO CAL CONSTRUCTION & CONSULTING SERVICES, INC.

Address: 1030 KNOLL PARK LANE
FALLBROOK, CA, 92028

Phone: (760) 723-8907, **Fax:** (760) 723-2736

Work Categories:

Clay Sewer Pipe, Site Preparation Contractors, Structure Excavation, 238910, Construction Management, Clearing & Grubbing, Plastic Pipe, Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:43

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: CONTRACTOR SERVICES GROUP, INC.

Address: 3960 INDUSTRIAL BLVD SUITE 500
West Sacramento, CA, 95691

Phone: (916) 371-7303, **Fax:** (866) 366-6646

Work Categories:

ROADWAY EXCAVATION; GRADING; SHAPED BEDDING; STRUCTURE BACKFILL; DITCHES EXCAVATION; EMBANKMENT CONSTRUCTION; CONSULTANT, NON ENGINEERING; BUSINESS ADMINISTRATION; Construction Management - Other Heavy and Civil Construction;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:43

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: QUANTUM CONSTRUCTION COMPANY

Address: 6083 NORTH FIGARDEN DRIVE # 140

Fresno,CA, 93722

Phone: (559) 431-7940, **Fax:** (559) 431-7940

Work Categories:

MINOR CONCRETE STRUCTURE; CONCRETE CURB & SIDEWALK - MISC; CONSULTANT, NON ENGINEERING; CONSULTANT, PROJECT MANAGEMENT/ BUSINESS ADMIN; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Cons

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:44

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: CT CONCRETE CUTTING, INC.

Address: 26341 Jefferson Ave

MURRIETA,CA, 92562

Phone: (951) 698-7745, **Fax:** (951) 698-0795

Work Categories:

Sba 8(a)site Preparation Concrete Cutting Core Drilling Asphalt Grinding Paving Grading Excavation Demolition Underground Utilities Street & Highway Construction Curb & Gutter 221016 - Paving Equipment 221017 - Heavy Equipment Components 221019 - Building

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:48

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: YBANAG REALTY & DEVELOPMENT CORP

Address: 4293 N. WEBSTER AVENUE

PERRIS,CA, 92571

Phone: (626) 322-5546, **Fax:** (951) 657-1993

Work Categories:

ROADWAY EXCAVATION; FINISHING ROADWAY; CONCRETE BASE; ASPHALT CONCRETE;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:50

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: ASHOONA LANDSCAPE

Address: 1248 WEST SIXTH STREET

SANTA ANA, CA, 92703

Phone: (714) 290-3339, **Fax:** (714) 852-3725

Work Categories:

HIGHWAY PLANTING; IRRIGATION SYSTEM; JOINT SEAL - WATER STOP; SYNTHETIC PRODUCTS INSTALLATION; LANDSCAPING CONTRACTOR;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:56

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Rd Construction

Address: 1026 Meadow View Court

Corona, CA, 92880

Phone: (951) 279-5020, **Fax:** (951) 279-5020

Work Categories:

Minor Concrete Structure, Highway Rehab Or Repair Highway New Construction 721410 - Highway And Road Construction Services, Concrete Overlay, Drill & Bond, 238110, Poured Concrete Foundation And Structure Contractors, Concrete Surface Finish, Highway Reha

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:57

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Acme Safety & Supply Corp

Address: 1616 WEST AVE

National City, CA, 91950

Phone: (619) 474-4978, **Fax:** (619) 542-0763

Work Categories:

SAFETY SUPPLIER; PAINT SUPPLIER; GUARD RAILINGS & BARRIERS SUPPLIER; PAVEMENT MARKERS SUPPLIER; TOOLS Supplier; Traffic Striping, Marking and Traffic Control Materials Supplier; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; CONSTRUCTION EQUIPMENT RENTA

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:58

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: L & L BRIDGES

Address: 6748 RUTGERS DRIVE
SEBASTOPOL, CA, 95472

Phone: (707) 478-6205, **Fax:** (509) 559-7300

Work Categories:

TRAFFIC ENGINEER; ENGINEERING; Building Inspection Services; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Construction;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 11:59

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Barnes Electric

Address: 8626 Artesia Blvd., #42
Bellflower, CA, 90706

Phone: (562) 833-5372, **Fax:** (562) 790-8522

Work Categories:

Electrical, 238210, Electrical Contractors

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/5 12:00

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: CINDY TRUMP INC DBA LINDY'S COLD PLANING

Address: 625 S. Mountain View

La Habra, CA, 90631

Phone: (562) 697-2286, **Fax:** (562) 697-2039

Work Categories:

PLANE ASPHALT CONCRETE; ROADWAY EXCAVATION; FINISHING ROADWAY; LIME TREATMENT; ASPHALT CONCRETE; PAVING ASPHALT (ASPHALT CONCRETE); RECYCLE, RECLAIM ASPHALT CONCRETE; GROOVE & GRIND PAVEMENT; CONSTRUCTION CLEAN UP; CUTTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:30

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

To call back in hr.

Company Name: Mcc Equipment Rentals, Inc.

Address: 32389 Dunlap Boulevard

Yucaipa, CA, 92399

Phone: (909) 795-9300, **Fax:** (909) 795-7308

Work Categories:

Sewer Connection, Junction Chamber, 237110, Water And Sewer Line And Related Structures Construction, Corrugated Steel Pipe Inlet & Riser, Plastic Pipe, Subsurface Drain, Corrugated Metal Pipe (csp), Cast Iron Sewer Pipe, Asbestos-cement Sewer Pipe, Debris

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:31

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Not Bidding

Company Name: Rbt Electric

Address: 741 East Ball Road

ANAHEIM, CA, 92805

Phone: (800) 661-5006, **Fax:** (800) 659-9196

Work Categories:

Electrical Sub-Contractor Electrical Contractor Lighting Construction Electrical Service Electrical New Builds Solar Microwave Antenna fiber optic telecommunications cabling C-10 antenna sites cellular Tower; A - General Engineering B - General Building C

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:34

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

voice mail

Company Name: MACKENZIE ELECTRIC, INC.

Address: 7933 PALM AVENUE

Highland, CA, 92346

Phone: (909) 862-9906, **Fax:** (909) 862-9907

Work Categories:

C8903 ELECTRICAL; E4910 ELECTRIC SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:35

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Not Bidding

Company Name: Jungle Nursery, Inc., The

Address: 1900 Sawtelle Blvd.

Los Angeles, CA, 90025

Phone: (310) 235-2875, **Fax:** (310) 388-5783

Work Categories:

Landscape & Horticultural Services, Landscape, Irrigation, Planting, Tree Trimming, Tree Removal, Brush Clearance, Erosion Control, Storm Water, Drainage, Hillside Stabilization, Hydro Seeding, Landscape Design, Excavation, Walkways, Sidewalks, Drainage 1

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:40

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

voicemail

Company Name: Tri Span, Inc.

Address: 591 W. Explorer Street

Brea, CA, 92821

Phone: (714) 257-9680, **Fax:** (714) 257-9681

Work Categories:

Demolition, 236220, Commercial And Institutional Building Construction, Hazardous Substance Removal, Structure Excavation, Roadway Excavation, Ditches Excavation, Asbestos Removal/abatement, Structure Backfill, Clearing & Grubbing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:42

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West

Not Bidding

Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Barraza & Sons Heavy Equipments

Address: 1545 S. Sydney Drive
Commerce,,CA, 90040

Phone: (323) 981-9190, **Fax:** (323) 981-9193

Work Categories:

Roadway Excavation, Grading, 238910, Site Preparation Contractors, Demolition, Structure Excavation, Ditches Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:45

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Not Bidding

Company Name: Terra West, Inc

Address: 1061 Tierra Del Rey, Ste 204
Chula Vista,CA, 91910

Phone: (619) 591-1007, **Fax:** (619) 568-3475

Work Categories:

Erosion Control, Erosion Control, Sediment Control, Swppp, Wpcp, Water Quality, Storm Drain, Highway, Roadway, Slope Stabilization, Storm Sewer, Fiber Rolls, Silt Fence, Sewer, Water, Culvert, Pipe, Stabilized Construction Entrance, Hydroseed 701315 - Lan

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:51

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

voice mail

Company Name: COOKS AND SON INC.

Address: 4134 Odie Lane
SANTA MARIA,CA, 93455

Phone: (805) 934-2705, **Fax:** (805) 937-5473

Work Categories:

CLEARING & GRUBBING; DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; GRADING; DITCHES EXCAVATION; AGGREGATE SUBBASE; AGGREGATE BASE; PLACE ASPHALT CONCRETE DIKE & MISC;

Phone Solicitation Information

7/6 9:53

voicemail

Date/s-Time/s Solicited by Phone: _____

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Alameda Construction Services, Inc.

Address: 2528 East 125th Street

Compton, CA, 90222

Phone: (310) 635-3277, **Fax:** (310) 635-0562

Work Categories:

MODIFY BRIDGE ITEM; CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; PORTLAND CEMENT & CONCRETE PAVEMENT; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; AIR CONDITIONING/SHEET METAL; HEATING; BUILDING CONSTRUCTION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:55

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Not Bidding

Company Name: International Environmental Corp.

Address: 13432 Wentworth St.

Arleta, CA, 91331

Phone: (818) 892-9341, **Fax:** (818) 997-0938

Work Categories:

LANDSCAPE & HORTICULTURAL SERVICES; Landscaping, Tree Services; LANDSCAPING CONTRACTOR;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:56

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Voice mail Full

Company Name: SAN JOAQUIN VALLEY CONSTRUCTION GROUP, LLC

Address: P.O. BOX 2506

Bakersfield, CA, 93303

Phone: (661) 747-1465, **Fax:** (661) 323-9287

Work Categories:

ROADWAY EXCAVATION; PLASTIC PIPE; CLAY SEWER PIPE; CAST IRON SEWER PIPE;
CONSULTANT, NON ENGINEERING; BUSINESS ADMINISTRATION; PUBLIC RELATIONS;
CONSULTANT, PROJECT MANAGEMENT/ BUSINESS ADMIN; Building Inspection Services;
CONSTRUCTION MANAGEMENT; Constru

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 9:58

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Not Bidding

Company Name: TRAFFIC ENFORCEMENT SOLUTIONS

Address: 213 Warwick
CLOVIS, CA, 93619

Phone: (559) 392-6050, **Fax:** (559) 323-4269

Work Categories:

Portable Traffic/Law Enforcement Equipment Video Monitoring Systems Radar-speed Trailer Sign Trailers
Lighting Arrow Boards Portable Surveillance Traffic Data Collector Variable Message Signs 461515 - Crowd
Control Equipment 461516 - Security And Control

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 10:00

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

voicemail

Company Name: E-nor Innovations Inc.

Address: 16213 Illinois Avenue
PARAMOUNT, CA, 90723

Phone: (310) 513-6209, **Fax:** (310) 513-6299

Work Categories:

CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; CONSULTANT, NON
ENGINEERING; DRAFTING; BROKER; ENVIRONMENTAL QUALITY;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 10:01

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

Bidding

Company Name: Quality Hydroseeding & Restoration

Address: 2017 Orange Ave
Ramona, CA, 92065

Phone: (760) 789-8040, **Fax:** (760) 789-5168

Work Categories:

Landscaping & Nursery, Erosion Control, 561730, Landscaping Services, Landscaping & Nursery Supplier, Temporary Erosion Control

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 10:07

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Still putting bid together

Company Name: MORGNER CONSTRUCTION MANAGEMENT

Address: 15260 VENTURA BLVD STE 1080
SHERMAN OAKS, CA, 91403

Phone: (818) 461-8100, **Fax:** (818) 461-8111

Work Categories:

Construction Management, Pre Construction Survey, Electrical Contracting, Security, Solar, Energy Efficiency, Transportation Engineering, Utility Coordination 801016 - Project Management 811022 - Transportation Engineering, Construction Management - Highway

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 10:20

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Bidding - will call

Company Name: TRANSTAR PIPELINE, INC

Address: 4094 TAMBOR RD
SAN DIEGO, CA, 92124

Phone: (858) 453-0744, **Fax:** (858) 453-0745

Work Categories:

Construction Management - Water And Sewer Line And Related Structure Construction, Highway, Street, And Bridge Construction, Construction Management - Highway, Street And Bridge Construction, 237310, Construction Management - Other Heavy And Civil Constr

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 7/6 10:22

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Volcemail

C. Summary of Firms Sent Bid Invitations

200 total firms were sent invitations.

Company Name: MANERI TRAFFIC CONTROL

Address: 47423 Rainbow Canyon
TEMECULA, CA, 92592

Phone: (951) 695-5104, **Fax:** (951) 695-5105

Work Categories:

Construction Area Traffic Control Systems, Construction Area Sign Installation, 561990, All Other Support Services, Traffic Count, Construction Area Signs

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 1:25 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Stephanie → Yes, will be bidding

Company Name: AGRI SERVICE

Address: 3720 OCEANIC WAY, SUITE 204
OCEANSIDE, CA, 92056

Phone: (760) 295-6255, **Fax:** (760) 295-6262

Work Categories:

Chemical & Fertilizer Minerals, Fertilizer (mixing Only) Manufacturing, Recycling, 325314, Compost Manufacturing, Misc Nonmetallic Minerals

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 1:28 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Hilda → didn't receive invitation, ask for resend & will review

Company Name: Blanco Construction

Address: 19320 DALLAS AVENUE
Riverside, CA, 92508

Phone: (951) 250-6692, **Fax:** (951) 602-2050

Work Categories:

PLANE ASPHALT CONCRETE; REMOVE BRIDGE ITEM; MODIFY BRIDGE ITEM; CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; CONCRETE STRUCTURE; CONCRETE OVERLAY, DRILL & BOND; REINFORCING STEEL

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/10/16 @ 1:35 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

- Left voicemail

Undercrossing To Boyle Avenue Overcrossing

Company Name: C.r. Gann Demolition, Inc.

Address: 31521 Park Blvd.

Nuevo, CA, 92567

Phone: (951) 940-0937, **Fax:** (951) 916-4265

Work Categories:

Demolition, General Engineering Building Moving, Wrecking Asbestos Removal Certification Hazardous Substance Removal Certification Home Improvement Certification 221015 - Earth Moving Machinery 221017 - Heavy Equipment Components 221019 - Building Constru

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 1:48 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Still under review, touch bases w/me (Ken Beck)
on project Tuesday

Company Name: Focus Point Communication

Address: 3635 Medici Lane

Inglewood, CA, 90305

Phone: (310) 692-5370, **Fax:** (310) 671-5467

Work Categories:

Electric Services, 238210, Electrical Contractors

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 1:51 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: Advantage Demolition And Grading, Inc

Address: 19819 Blythe St

Winnetka, CA, 91306

Phone: (818) 477-2074, **Fax:** (818) 882-0509

Work Categories:

Structure Backfill, 238910, Site Preparation Contractors, Ditches Excavation, Trucker, Roadway Excavation, Clearing & Grubbing, Demolition, Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 1:53 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West

- No Caltrans projects right now (Monse)

Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: ACCESS PACIFIC, INC.

Address: 28 N. MARENGO AVENUE
Pasadena, CA, 91101

Phone: (626) 792-0616, **Fax:** (626) 792-0896

Work Categories:

CONCRETE STRUCTURE; ELECTRICAL; BUILDING CONSTRUCTION; CONSTRUCTION & RELATED MACHINERY; ELECTRIC LIGHTING & WIRING EQUIPMENT;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 1:56 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Resend to email frank@accesspacificinc.com

- Abigail

↳ Sent

Company Name: U.s. Concrete Construction, Inc

Address: 30634 Hasley Cyn. Road
Castaic, CA, 91384

Phone: (661) 259-3522, **Fax:** (661) 799-1038

Work Categories:

Sound Wall (masonry Block - Concrete), Aggregate Base, 238110, Poured Concrete Foundation And Structure Contractors, Asphalt Concrete, Minor Concrete Structure, Concrete Base, Aggregate Subbase, Concrete Surface Finish, Reinforced Concrete Crib Wall, Conc

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 2:01 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Not currently bidding Caltrans Projects

- Victoria

Company Name: MEHTA MECHANICAL CO., INC. DBA MMC INC.

Address: 5901 FRESCA DRIVE
La Palma, CA, 90623

Phone: (714) 521-2022, **Fax:** (714) 521-2440

Work Categories:

ENGINEERING; WATER SUPPLY; SEWERAGE SYSTEMS; IRRIGATION SYSTEMS

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 2:03 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Not bidding project, busy right now

- Jay

Company Name: Pelesa Inc.

Address: 1153 Green Street

Glendale, CA, 91205

Phone: (818) 247-5163, **Fax:** (818) 247-8760

Work Categories:

Ditches Excavation, Clearing & Grubbing, 237110, Water And Sewer Line And Related Structures

Construction, Reinforced Concrete Sewer Pipe, Structure Excavation, Structure Backfill, Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 2:07 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Undercrossing To Boyle Avenue Overcrossing

- Not bidding

- Debbie

Company Name: Global Road Sealing, Inc

Address: 10832 Dorothy Ave

Garden Grove, CA, 92843

Phone: (714) 893-0845, **Fax:** (714) 893-0945

Work Categories:

Pavement Subsealing & Jacking, Residential Electrical, 238910, Site Preparation Contractors, Demolition,

Detector, Seal Coat, Structure Excavation, Traffic Control System, Ramp Metering System, Pavement

Marking, Ditches Excavation, Structure Backfill, Roa

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 2:56 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid

Undercrossing To Boyle Avenue Overcrossing

- Not bidding

- Tri

Company Name: Cecilia's Safety Service, Inc.

Address: 751 Seabright Lane

Solana Beach, CA, 92075

Phone: (858) 720-0179, **Fax:** (858) 793-4495

Work Categories:

Traffic Control System, We Provide Traffic Control Services To Union Contractors. Traffic Control Labor On City Streets As Well As Freeway/highways. 461615 - Traffic Control 551217 - Signage, Traffic Control Rental Equipment Traffic Control Plans Traffic

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:00 PM

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Yes, bidding
- Crystal

Company Name: Kellie Avila Construction Services

Address: 13020 Atascadero Road
Atascadero, CA, 93422

Phone: (805) 610-9965, **Fax:** (805) 462-8630

Work Categories:

SAFETY SUPPLIER; LANDSCAPING MATERIAL SUPPLIER; PIPE SUPPLIER; FENCING SUPPLIER; GUARD RAILINGS & BARRIERS SUPPLIER; PAVEMENT MARKERS SUPPLIER; BUILDING MATERIAL SUPPLIER; Traffic Striping, Marking and Traffic Control Materials Supplier; CONSTRUCTION AREA

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 7:05 PM

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Mailbox full, [redacted]
-

Company Name: ONE TIME UTILITY SALES, INC

Address: 501 GARFIELD STREET
SANTA ANA, CA, 92701

Phone: (714) 953-5700, **Fax:** (714) 953-5720

Work Categories:

C0670 PIPE SUPPLIER; C0686 ELECTRICAL & SIGNALS SUPPLIER;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 7:12 PM

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Spoke to Daniela, gave her contact info & will call back w/ response

Company Name: BROOKLYN SWEEPS, INC

Address: 1164 E. OAKLAWN DRIVE
Terrell, TX, 75160

Phone: (214) 552-4439, **Fax:** (469) 728-7487

Work Categories:

STREET SWEEPING TRUCK;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:25 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: BONITA PIPELINE, INC

Address: 2209 HIGHLAND AVE
NATIONAL CITY, CA, 91950

Phone: (619) 434-9801, **Fax:** (619) 434-9802

Work Categories:

DEVELOP WATER SUPPLY; CORRUGATED METAL PIPE (CSP); WATER SUPPLY; IRRIGATION SYSTEMS;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:27 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Not on bid list, so NOT bidding

- Denise

Company Name: DISABLED AMERICAN VETERAN ENTERPRISES TRUCKING & SWEEPING, INC

Address: 5633 N. Fig Garden Dr #109
Fresno, CA, 93706

Phone: (559) 370-5756, **Fax:** (559) 374-6470

Work Categories:

PETROLEUM, OIL, LUBRICANTS SUPPLIER; SAND & GRAVEL SUPPLIER; ASPHALT SUPPLIER; REINFORCING BAR SECTION SUPPLIER; STEEL SUPPLIER; LUMBER SUPPLIER; PIPE SUPPLIER; Draining Systems Supplier; Storm Water Systems Supplier; GUARD RAILINGS & BARRIERS SUPPLIER; B

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:30 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid

- Shaun

Company Name: CONSULTANT ENGINEERING, INC.

Address: 10625 N. 25TH AVENUE, STE 200
Phoenix, AZ, 85029

Phone: (602) 866-5090, **Fax:** (602) 866-5085

Work Categories:

ENGINEERING; CONSULTANT, ENGINEERING; CIVIL ENGINEERING; CONSTRUCTION ENGINEERING & INSPECTION SERVICES; Computer-aided Design & DRAFTING (CADD); CONSTRUCTION MANAGEMENT; Construction Management - Commercial and Institutional Building Construction; Constr

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:33 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Alyssa Collie → left voicemail

Company Name: Verduzco Electric, Inc.

Address: 829 W. Compton Blvd.

Compton, CA, 90220

Phone: (310) 886-3068, **Fax:** (310) 886-3958

Work Categories:

Residential Electrical, Traffic Control System, 238210, Electrical Contractors

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:15 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No Caltrans projects, Not Bidding
- Bertha

Company Name: Power-tech Engineers, Inc.

Address: 355 S. Lemon Ave., Ste. A

Walnut, CA, 91789

Phone: (909) 595-5314, **Fax:** (909) 595-5314

Work Categories:

Engineering, Power-tech Engineers, Inc. (ptei) Is A Multi-disciplinary Engineering Company Providing Services Mainly In The Area Of Power Generation, Transmission, Substations, And Distribution. It Is Mainly Comprised Of Mature Professionals In The Electr

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:37 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail, Maria Hernandez

Company Name: Force Traffic Control, Inc.

Address: Po Box 1107
Exeter, CA, 93221

Phone: (559) 594-1062, **Fax:** (559) 594-1056

Work Categories:

Traffic Control System, Temporary Road Work Traffic Control Services And Devices. Permanent Traffic Control Structures I.e., roadside Signs And Markers 461615 - Traffic Control, 238990, All Other Specialty Trade Contractors

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:40 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No Bid

- Vern

Company Name: Jp Electric Company

Address: 1614 1/2 N. Harvard Avenue
Los Angeles, CA, 90027

Phone: (323) 661-8605, **Fax:** (323) 662-4924

Work Categories:

Combination Utility Services, Electrical, 238210, Electrical Contractors, Electric Services, Electric Lighting & Wiring Equipment, Residential Electrical

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:42 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: Ship-dts

Address: 440 W. Sierra Madre Ave.
Glendora, CA, 91741

Phone: (626) 818-7402, **Fax:** (626) 605-5023

Work Categories:

Truck Broker, General Contracting, Tenant Improvement, Trucking, Demolition, Site Improvement, Interior Renovations, Painting And Wall Coverings, Electrical, Maintenance Operations, Nationwide Trucking, Local Trucking, Flatbeds, Flooring Installations 301

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:45 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Bianca, left voicemail

Company Name: BEST LANDSCAPING

Address: 551 E. EDNA PLACE, SUITE B
COVINA, CA, 91723

Phone: (626) 914-7500, **Fax:** (626) 914-7550

Work Categories:

LANDSCAPING CONTRACTOR;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:49 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: GREEN CLEAN WATER AND WASTE SERVICES, INC.

Address: 5790 Miramar Rd., Ste. 206

SAN DIEGO, CA, 92121

Phone: (619) 562-2202, **Fax:** (619) 562-2311

Work Categories:

Water Removal Water Management Storm Water Contaminates Sludge Industrial Waste Removal Storm Water
Hazardous Non Hazardous Water Vacuum Traffic Control Safety Signs Ventilation For Confined Space Entry
Mucking Vault Cleaning Pre Fielding Treatment And Di

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:57 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

- No bid, not bidding on anything right now

- Tina

Company Name: Exbon Development, Inc.

Address: 13432 Aclare Street,

Cerritos, CA, 90703

Phone: (714) 539-2222, **Fax:** (562) 777-1888

Work Categories:

REMOVE BRIDGE ITEM; DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; GRADING;
STRUCTURE EXCAVATION; DITCHES EXCAVATION; IRRIGATION SYSTEM; ENGINEERING;
BUILDING CONSTRUCTION; CARPENTRY; ROOFING; ADDITIONS, ALTERATIONS OR REPAIRS;
WATER SUPPLY;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 3:59 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -
Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West
Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid
Undercrossing To Boyle Avenue Overcrossing

- Not bidding on this one

- Todd

- Todd

- No Bid

Company Name: Buena Vista Landscape, Inc

Address: 1472 N HARDING ST.

ORANGE, CA, 92867

Phone: (714) 771-2563, **Fax:** (714) 771-2569

Work Categories:

CONSTRUCTION STAKING SUPPLIER; CLEARING & GRUBBING; DITCHES EXCAVATION; HIGHWAY PLANTING; SOIL AMENDMENTS;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:03 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

- VM

Company Name: A.C. PAVING COMPANY

Address: 12623 IMPERIAL HIGHWAY #209

Santa Fe Springs, CA, 90670

Phone: (562) 868-5070, **Fax:** (562) 868-5075

Work Categories:

C1531 PLANE ASPHALT CONCRETE; C2201 FINISHING ROADWAY; C2602 AGGREGATE BASE; C2700 CEMENT TREATED BASE; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C7200 ROCK SLOPE PROTECTION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:07 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- "Up to us," mentions that he has a "unique" certification/approval, will send documents to Janell → let her know

→ manufacturing = 100% full order

- Tony

Company Name: Metco

Address: 2165 Francisco Boulevard, #ai

San Rafael, CA, 94901

Phone: (415) 455-9922, **Fax:** (415) 455-9960

Work Categories:

Electrical, Electrical Goods, 238210, Electrical Contractors, Residential Electrical, Telephone Communications, Management & Public Relations, Consultant, Non Engineering, Computer Equipment & Supplies, Civil Engineering, Computer Programming, Computer &

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:17 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 -

Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: QUALITY EQUIPMENT RENTAL

Address: 13940 ROSE AVENUE
FONTANA, CA, 92337

Phone: (909) 276-5582, **Fax:** (888) 839-9857

Work Categories:

Misc Equipment Rental & Leasing, Other Commercial And Industrial Machinery And Equipment Rental And Leasing, 532490, Construction Area Signs

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:26 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Still under review, will email to us if yes

- Couldn't get name, lots of background noise

Company Name: GATES ENTERPRISES, INC

Address: 714 W. OLYMPIC BLVD. STE 703
LOS ANGELES, CA, 90015

Phone: (714) 382-6707, **Fax:** (714) 382-6708

Work Categories:

Consultant, Non Engineering, Construction, Mining, And Forestry Machinery And Equipment Rental And Leasing, 532412, Paving Asphalt (asphalt Concrete), Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:28 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Said she needs to ask her boss

- Didn't leave name

Company Name: Dillard Environmental Services

Address: 3120 Camino Diablo Rd
Byron, CA, 94514

Phone: (925) 634-6850, **Fax:** (925) 634-0874

Work Categories:

Demolition, Haz And Non-haz Remediation, Management, Collection, Packaging, Transportation, Disposal, Spill Response; Trucking; Equipment Includes Semi End Dumps, Semi Bottom Dumps, Super Dumps, Vacuum Trucks, Rolloffs, Vans, Loaders, Trucking 111115 - D

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:32 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No Bid

- Karen

Company Name: ALBERT WILSON & ASSOCIATES

Address: 7866 HENBANE STREET
RANCHO CUCAMONGA, CA, 91739

Phone: (909) 483-4876, **Fax:** (909) 989-1576

Work Categories:

C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1210 Traffic Count; C8703 TRAFFIC ENGINEER; C8773 Construction Management - Highway, Street and Bridge Construction; C9802 BUILDING CONSTRUCTION; A General Engineering Contractor; C31 Constru

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:35 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left Voicemail

Company Name: UNITED COM

Address: 14750 BRIERWOOD DRIVE
CHINO HILLS, CA, 91709

Phone: (714) 394-8012, **Fax:** (909) 606-0786

Work Categories:

Communications Equipment, Electrical Contractors, 238210

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:40 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left Voicemail

- VM

Company Name: Eric's Backhoe Service

Address: 4780 Mary Hill Road
Acton, CA, 93510

Phone: (661) 269-2222, **Fax:** (661) 269-2222

Work Categories:

Heavy Equipment Rental, Clearing & Grubbing, 238910, Site Preparation Contractors, Construction Clean Up, Construction Equipment Rental

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 06/30/16 @ 4:43 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left message

Company Name: C S International

Address: 1691 Glen Oaks Drive

Reno, NV, 89523

Phone: (775) 746-3662, **Fax:** (775) 746-3661

Work Categories:

Management Information Systems, Business Administration, 541618, Other Management Consulting Services, Electric Services, Consultant, Non Engineering, Combination Utility Services, Management & Public Relations

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:18 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left Message

- Left message

Company Name: Wreco

Address: 1243 Alpine Road Suite 108

Walnut Creek, CA, 94596

Phone: (925) 941-0017, **Fax:** (925) 941-0018

Work Categories:

LANDSCAPE & HORTICULTURAL SERVICES; SAFETY SUPPLIER; CONSULTANT, NON ENGINEERING; BUSINESS ADMINISTRATION; MANAGEMENT INFORMATION SYSTEMS; TRAFFIC ENGINEER; ARCHITECT; DESIGN; DESIGN BRIDGES; FEASIBILITY STUDIES; ENGINEERING; CONSULTANT, ENGINEERING; ARCH

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:20 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid

- Brecken

Company Name: Vt Electric, Inc.

Address: 10825 VERNON AVE

ONTARIO, CA, 91762

Phone: (909) 985-1755, **Fax:** (909) 985-8186

Work Categories:

Traffic Control System, 238210, Electrical Contractors, Commercial Electrical, Residential Electrical

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:22 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid, no electrical work

- Tam

Company Name: Watercounts

Address: 806 Brookwood Way

Chico, CA, 95926

Phone: (530) 864-2454, **Fax:** (530) 893-0115

Work Categories:

Consultant, Consultant, Non Engineering, 221310, Water Supply And Irrigation Systems

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:24 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: GOLDEN ARROW ENGINEERING, INC

Address: 1960 CHICAGO AVENUE, SUITE D-13

RIVERSIDE, CA, 92507

Phone: (951) 722-0845, **Fax:** (951) 686-2473

Work Categories:

Additions, Alterations Or Repairs, New Single-family Housing Construction (except Operative Builders), Minor Concrete Structure, 236115, Prestressing Concrete Cast-in-place, Building Construction, Concrete Surface Finish

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:27 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Not doing bids

- Didn't leave name

Company Name: Interior Demolition Inc

Address: 2621 Honolulu Ave

Montrose, CA, 91020

Phone: (818) 249-4932, **Fax:** (818) 249-4937

Work Categories:

Demolition, Structure Backfill, 238910, Site Preparation Contractors, Roadway Excavation, Clearing & Grubbing, Ditches Excavation, Grading, Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/25/16 @ 10:28 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Haven't had time to look @ scope of work, follow up tomorrow

- Yuri

Company Name: JAHN ENGINEERING

Address: 32 WEST SOUTHWOOD DRIVE
WOODLAND, CA, 95695

Phone: (916) 599-2379, **Fax:** (916) 596-4075

Work Categories:

CIVIL ENGINEERING; SWPPP Planning

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/25/16 @ 10:33 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: NEW WEST LANDSCAPING

Address: 1019 W. 133RD ST.
GARDENA, CA, 90247

Phone: (310) 617-9667, **Fax:** (310) 769-6614

Work Categories:

Plumbing & Heating, Except Electric, Landscaping Services, Heating & Air Conditioning, 561730, Landscaping Contractor

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/25/16 @ 10:36 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid

- Keith

Company Name: PTS SOLUTIONS, INC.

Address: 12426 1/2 GLADSTONE AVENUE
LOS ANGELES, CA, 91342

Phone: (213) 422-8415, **Fax:** (818) 364-8086

Work Categories:

ELECTRICAL; ELECTRIC SERVICES; SECURITY SYSTEMS SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:39 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid
- Jaime Martinez

Company Name: RAMCO GENERAL ENGINEERING CONTRACTOR

Address: 10545 DALE ROAD

AGUA DULCE, CA, 91390

Phone: (818) 272-4221, **Fax:** (661) 268-7353

Work Categories:

Structure Backfill, Highway, Street, And Bridge Construction, Small Structures, 237310, Building Construction, Concrete Barrier, Concrete Curb & Sidewalk - Misc, Demolition, Dust Palliative, Carpentry, Embankment Construction, Ditches Excavation, Structur

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:41 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: COASTAL GARDENS LANDSCAPE, INC

Address: 444 E. MARIPOSA STREET

ALTADENA, CA, 91001

Phone: (626) 818-2847, **Fax:** (626) 798-4425

Work Categories:

Landscaping Contractor, Landscaping Services, 561730

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:44 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid
- Mark

Company Name: Full Traffic Maintenance, Inc.

Address: 217 LEWIS COURT

CORONA, CA, 92882

Phone: (951) 520-9990, **Fax:** (951) 520-9980

Work Categories:

C0612 SAFETY SUPPLIER; C1200 CONSTRUCTION AREA SIGNS; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:45 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Yes, sent it out already

- Jessica

Company Name: HOFER CORPORATION

Address: 5662 OTAY VALLEY ROAD
San Diego, CA, 92154

Phone: (619) 661-6053, **Fax:** (619) 661-6054

Work Categories:

CLEARING & GRUBBING; DUST PALLIATIVE; ROADWAY EXCAVATION; STRUCTURE EXCAVATION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:52 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Will get a call back w/ response

Company Name: ANIL VERMA ASSOCIATES, INC

Address: 444 S. FLOWER STREET, SUITE 1688
Los Angeles, CA, 90071

Phone: (213) 624-6908, **Fax:** (213) 624-1188

Work Categories:

FEASIBILITY STUDIES; ENGINEERING; SAFETY STUDIES; Construction Management - Commercial and Institutional Building Construction; Construction Management - Institutional Building Construction; Construction Management - Highway, Street and Bridge Constructio

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 10:57 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Check front office, will follow up

- Jim Keenan

Company Name: K R C Safety Co. Inc.

Address: 6084 West Hurley
Visalia, CA, 93291

Phone: (559) 732-0393, **Fax:** (559) 732-2684

Work Categories:

Construction Equipment Rental, General Engineering 461615 - Traffic Control 551217 - Signage, Trucker, 238990, All Other Specialty Trade Contractors, Flat Bed Trucking, Sign Structure, Temporary Erosion Control, Reset, Adjust Roadway Items, Construction A

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 11:05 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Still undecided, will send it over if yes
- Cache

Company Name: Mastek Inc

Address: 1644 S. Adalia Ave
Hacienda Heights, CA, 91745

Phone: (626) 723-4986, **Fax:** (626) 737-6015

Work Categories:

Electric Services, 541330, Engineering Services, Electrical Engineers

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 11:07 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Mailbox full, cannot receive message

Company Name: A R ELECTRIC, INC.

Address: 718 E. EDNA PLACE SUITE D
COVINA, CA, 91723

Phone: (626) 628-4891, **Fax:** (626) 859-7733

Work Categories:

Electrical, Electrical Contractors, 238210

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 11:10 am

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Resend to Alexa, get response alex@areinc.co
- Alexa

Company Name: Jesmar Construction

Address: 2528 North Oakmount Avenue
Santa Ana, CA, 92706
Phone: (714) 972-2665, **Fax:** (714) 972-9331

Work Categories:

DIRECTIONAL BORING/DRILLING; WATER SUPPLY; IRRIGATION SYSTEMS;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 2:55 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid, company is Non-union

- Martha

- No bid,

- Martha

Company Name: LA FIRMA INC.

Address: 715 RIDGE ROAD
NIPOMO, CA, 93444

Phone: (805) 748-8576, **Fax:** (805) 929-0501

Work Categories:

Erosion Control, All Other Specialty Trade Contractors, 238990, Consultant, Non Engineering, Swppp Planning, Hydroseeding

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 2:56 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: CMC TRAFFIC CONTROL SPECIALIST

Address: 3450- 3rd Street Unit 3G
SAN FRANCISCO, CA, 94124

Phone: (415) 206-1700, **Fax:** (415) 206-1711

Work Categories:

C1201 TRAFFIC CONTROL SYSTEM; A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:02 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid

- Derek

Company Name: HEIR & SON CONSTRUCTION, INC

Address: 1180 SANBORN ROAD
YUBA CITY, CA, 95993
Phone: (530) 415-4777, **Fax:** (916) 463-9041

Work Categories:

CONSTRUCTION AREA SIGNS; TRAFFIC FLAGGERS; ROADWAY EXCAVATION; FINISHING ROADWAY; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; GROOVE & GRIND PAVEMENT; CONCRETE SURFACE FINISH; CONCRETE OVERLAY, DRILL & BOND;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:04 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

- VM

Company Name: Kern County Custom Concrete

Address: 4916 College Ave
Bakersfield, CA, 93306

Phone: (661) 872-4602, **Fax:** (661) 325-5590

Work Categories:

Steel Structures, Concrete Curb & Sidewalk - Misc, 238990, All Other Specialty Trade Contractors, Concrete Barrier, Reinforced Concrete Crib Wall, Minor Concrete Structure, Steel Crib Wall, Concrete Surface Finish, Prestressing Concrete Cast-in-place, Cas

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:12 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: GEN CON ENVIRO SVC GROUP

Address: 8828 JUNIPER ST
Apple Valley, CA, 92394

Phone: (626) 255-8755, **Fax:** (760) 241-8420

Work Categories:

GRADING; BUILDING CONSTRUCTION; SMALL STRUCTURES; ADDITIONS, ALTERATIONS OR REPAIRS; ASBESTOS REMOVAL/ABATEMENT; CONSTRUCTION CLEAN UP; DEMOLITION; BUILDING MOVER;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:13 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Would like a resend to genconenviro@verizon.net

- Jerry

genconenviro@verizon.net
Jerry

Company Name: Industrial Battery Services

Address: 673 Erlandson Street
Richmond, CA, 94804

Phone: (510) 222-7719, **Fax:** (510) 412-5988

Work Categories:

Residential Electrical, Auto Service, 238210, Electrical Contractors, Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:30 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: NATURAL INVESTIGATIONS COMPANY, INCORPORATED

Address: 6124 SHADOW LANE
CITRUS HEIGHTS, CA, 95621

Phone: (916) 765-9381, **Fax:** (916) 848-3511

Work Categories:

CONSULTANT, NON ENGINEERING; CONSULTANT, ENVIRONMENTAL; Environmental - Biological Studies; ARCHEOLOGY & ARCHAEOLOGICAL SURVEY REPORT; SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:31 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No Bid

- Cindy

Company Name: MC CULLOUGH CONSTRUCTION INC

Address: 57 ALDERGROVE ROAD
Arcata, CA, 95521

Phone: (707) 825-1014, **Fax:** (707) 825-1769

Work Categories:

SAND & GRAVEL; TRAFFIC CONTROL SYSTEM; REMOVE BRIDGE ITEM; MODIFY BRIDGE ITEM; CLEARING & GRUBBING; DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; STEEL STRUCTURES; STEEL CRIB WALL; CONSTRUCTION EQU

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:33 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid

- Chelsea

No bid
Chelsea

Company Name: Santa Clarita Valley Electric

Address: 31243 Vadito Place

Castaic, CA, 91384

Phone: (661) 775-3946, **Fax:** (661) 775-1535

Work Categories:

Residential Electrical, Electrical General Electrical Power Temporary Power Electrical Repair Design Build Lighting Retrofit Lamp Ballast Repair Panel Upgrades High Voltage Electrical Material Electrical Supplies Electrical Equipment Generator Substation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:34 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left voicemail

Company Name: Ac-dc Electric

Address: 13326 Yucatan Place

Cerritos, CA, 90703

Phone: (562) 926-5737, **Fax:** (562) 926-4311

Work Categories:

Combination Utility Services, 238210, Electrical Contractors, Residential Electrical, Electric Services, Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:37 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Left info for project, will follow up w/response

- Kevin

Company Name: Rudy's Landscape & Irrigation Design

Address: 607 Vineland

Bakersfield, CA, 93313

Phone: (661) 325-3596, **Fax:** (661) 322-7854

Work Categories:

Hydroseeding, Erosion Control, 561730, Landscaping Services, Highway Planting, Irrigation System, Soil Preparation Services, Soil Amendments, Landscaping & Nursery Supplier, Landscape & Horticultural Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:42 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West

- No response, no voicemail option

Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Company Name: Sam's Equipment & Supplies

Address: 5656 Columbia Dr S.

Fresno, CA, 93727

Phone: (559) 252-0354, **Fax:** (559) 251-1119

Work Categories:

LANDSCAPING & NURSERY SUPPLIER; PIPE SUPPLIER; GUARD RAILINGS & BARRIERS SUPPLIER; ELECTRICAL & SIGNALS SUPPLIER; MISC DURABLE GOODS; MISC BUSINESS SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:45 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- Bidding, sending quote tomorrow

- Gabriel

Company Name: G & M Backhoe Service, Inc

Address: 4235 Walnut Ave

Chino, CA, 91710

Phone: (909) 464-1417, **Fax:** (909) 465-1936

Work Categories:

Ditches Excavation, 238990, All Other Specialty Trade Contractors

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:50 pm

Person Contacted and Comments for Solicitation: 07-288204 CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

- No bid, non-union

- Laurie

- No bid

- Laurie

Company Name: Fine Grade Equipment, Inc.

Address: 41729 Cielo Vista Dr

Palmdale, CA, 93551

Phone: (661) 949-8788, **Fax:** (661) 722-8900

Work Categories:

Grading, Excavation Work And Paving 721411 - Infrastructure Building And Surfacing And Paving Services, 237310, Highway, Street, And Bridge Construction, Roadway Excavation, Heavy Equipment Rental, Paving Asphalt (asphalt Concrete)

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 07/05/16 @ 3:52 pm

- No bid

- Patty

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
http://www.griffithcompany.net

INVITATION TO BID

June 23, 2016
TOTAL BARRICADE SERVICE, INC.
701 E. VENTURA BLVD.
OXNARD, CA, 93036

NOT BIDDING

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>**INVITATION TO BID**

June 23, 2016

MANERI TRAFFIC CONTROL

47423 Rainbow Canyon

TEMECULA, CA, 92592

We are seeking certified and qualified DBE (DBE GOAL: 11%) subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: TRAFFIC CONTROL + C.A.S.

We cannot participate in the contract

MANERIA MANERI
Print Name of Business Owner

Maneria Maneri
Signature

Date: 6/22/16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Full Traffic Maintenance, Inc.
217 LEWIS COURT
CORONA, CA, 92882

We are seeking certified and qualified DBE (DBE GOAL: 11%) subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Traffic Control and CAS

We cannot participate in the contract

Sammy Salgado
Print Name of Business Owner

[Signature]
Signature

Date: 6-23-16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>**INVITATION TO BID**

June 23, 2016

Santa Clarita Valley Electric

31243 Vadito Place

Castaic, CA, 91384

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Ryan McAlister
Print Name of Business Owner

M. McAlister
Signature

Date: 6/25/14

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Need to get DIR #

Patrick Maul
Print Name of Business Owner

Patrick Maul
Signature

Date: 6-24-16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016

CALIFORNIA GRINDING SPECIALTIES, INC. DBA AUSTIN ENTERPRISE
13421 Snow Road
Bakersfield, CA, 93314

We are seeking certified and qualified DBE (DBE GOAL: 11%) subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>**INVITATION TO BID**

June 23, 2016

CT CONCRETE CUTTING, INC.

26341 Jefferson Ave

MURRIETA, CA, 92562

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

CHRIS TUMPKINS
Print Name of Business Owner

Janell Carlson
Signature

Date: JUNE 23, 2016

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Scott Hofer
Print Name of Business Owner


Signature

Date: 6.23.16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Triumph Geo-synthetics, inc.
1140 N. Armando St.
Anaheim, CA, 92806

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Vendor

We cannot participate in the contract

Cissy McCaa
Print Name of Business Owner

Signature

Date: 6/23/16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

Griffith Company (Brea)

3050 E. Birch Street
Brea, CA 92821
Telephone: (714) 984-5500
Fax: (714) 854-7843
<http://www.griffithcompany.net>

INVITATION TO BID

June 23, 2016
Jl Storm Water Consultants, Inc
1720 Bridgehampton Place
El Cajon, CA, 92019

We are seeking certified and qualified DBE (DBE GOAL: 11%) subcontractors and/or suppliers for:

Project: [REDACTED]
[REDACTED] West of Boyle Avenue
[REDACTED]

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA
Bid Due Date: 07/07/16 at 02:00 PM PST
Solicitation Number: 07-288204
Contact: Janell Carlson

Quotes are needed for:
[REDACTED] CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM,
JOB SITE MANAGEMENT, [REDACTED] RAIN
EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, [REDACTED]
[REDACTED] TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET
PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY
CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION
FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2)
(AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE
CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT
(GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK,
WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE
EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE
CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18
STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION
CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL
PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW
PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER
SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE,
3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40)
(SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE
(SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL
VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS,
MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK
SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS
CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS
DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.


Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: SWPPP

We cannot participate in the contract

Jane Ledford
Print Name of Business Owner


Signature

Date: 6/29/16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843



1016 Broadway, Suite C, El Cajon, California 92021
P 619.938.2420 F 619.334.8750

State Certified SB/DBE/WBE/UDBE
DBE/UDBE Certification Number 37409
DIR No. 1000036291
www.jlstormwater.com

June 29, 2016

**RE: CALTRANS NO. 07-288204 FOR CONSTRUCTION ON STATE HIGHWAY IN LOS ANGELES COUNTY IN LOS ANGELES AND EAST LOS ANGELES ON ROUTE 60 FROM 0.1 MILE WEST OF BOYLE AVENUE UNDERCROSSING TO EASTERN AVENUE OVERCROSSING AND ON ROUTE 5 FROM EUCLID UNDERCROSSING TO BOYLE AVENUE OVERCROSSING
BIDS OPEN 7/07/2016**

JL StormWater Consultants, Inc. is a State Certified SBE/DBE/WBE/UDBE. We have certified professionals who bring 30 years of experience, including former *California Regional Water Quality Control Board* and the *U.S. Army Corps of Engineers* employees. We are trained in *Wetlands Delineation, Title 22 Hazardous Waste Management*, and in *air quality* requirements by the *San Joaquin Valley Air Pollution Control District* and the *South Coast Air Quality Management District*.

JL StormWater Consultants, Inc's staff holds the following certifications:

- Certified Professionals in Storm Water Quality (CPSWQ)
- Qualified SWPPP Develop (QSD)
- Qualified SWPPP Practitioner (QSP)
- Trainer of Record for the QSD/QSP Certifications
- Trainer of Record for the Industrial Storm Water Permit (QISP, CGL)
- CDPH Lead Inspector/Risk Assessor
- AIHA—P.I.H.

BID ITEMS:

01—070030 Prepare Lead Compliance Plan	\$1,700.00
05—130300 Prepare Risk Level 2 Storm Water Pollution Prevention Plan	\$3,250.00
05—130300 Amend Storm Water Pollution Prevention Plan	\$500.00/Amendment
08—130330 Prepare Storm Water Annual Report.....	\$1,500.00/Report

This Bid is good for 90 days from the date of this document.

Assumptions:

This scope assumes the project is a Risk Level 2.

Exclusions:

Engineering calculations and design (including preparing storm water run-on Q's), sizing of temporary desilt basins, site inspection and monitoring services, storm water sampling and analysis, pH and Turbidity testing of storm water runoff, biological and site monitoring. These services may be available for an extra cost but were not included in the Proposal items listed above.

If additional insurance is required **including but not limited** to a Waiver of Subrogation it can be obtained for an additional fee. If a bond is required it can be provided for an additional fee.

Jane Ledford
Principal

**CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE**

JL STORM WATER CONSULTANTS, INC

PMB 127, 2650 JAMACHA RD., STE 147
EL CAJON, CA 92019

Owner: JANE LEDFORD
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code
* 541620 Environmental Consulting Services

Work Category Code(s)

C8700 CONSULTANT, NON ENGINEERING

Licenses

CALIFORNIA UNIFIED CERTIFICATION PROGRAM

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1821 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number: 37409

Jennifer Salais
UCP OFFICER

August 9, 2011

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Part 21 and 26.



Fax Transmittal

To Janey Carlson
Office Griffith Company (Brea)
From JL Stormwater Consultants, Inc
Date 6/29/16
Time 8:59 am
Job Number _____
Receiving Fax No. 714 854 7843

Pages to follow, including cover sheet 5

JL StormWater Consultants, Inc. Fax No (619) 334-6750

Comments:

Bid for Caltrans 07-288204

cc:

**Griffith Company (Brea)**

3050 E. Birch Street

Brea, CA 92821

Telephone: (714) 984-5500

Fax: (714) 854-7843

<http://www.griffithcompany.net>**INVITATION TO BID**

June 23, 2016

MASKELL PIPE & SUPPLY INC

8604 COTTONWOOD AVE

FONTANA, CA, 92335

We are seeking certified and qualified **DBE (DBE GOAL: 11%)** subcontractors and/or suppliers for:

Project: CALTRANS Contract No. 07-288204 - Construction In Los Angeles County In Los Angeles And East Los Angeles On Route 60 From 0.1 Mile West Of Boyle Avenue Undercrossing To Eastern Avenue Overcrossing And On Route 5 From Euclid Undercrossing To Boyle Avenue Overcrossing

Location: In Los Angeles County In Los Angeles And East Los Angeles, CA

Bid Due Date: 07/07/16 at 02:00 PM PST

Solicitation Number: 07-288204

Contact: Janell Carlson

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, JOB SITE MANAGEMENT, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN, STORM WATER SAMPLING AND ANALYSIS, STORM WATER ANNUAL REPORT, TEMPORARY HYDRAULIC MULCH, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, STREET SWEEPING LS LUMP SUM, TEMPORARY CONCRETE WASHOUT, REMOVE IRRIGATION FACILITY, SALVAGE IRRIGATION FACILITY, REMOVE CONCRETE (CURB AND GUTTER), ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD), DITCH EXCAVATION, IMPORTED BORROW, ROADSIDE CLEARING, SLOW-RELEASE FERTILIZER, PLANT (GROUP H), PLANT (GROUP A), PLANT (GROUP U), MAINTAIN EXISTING PLANTED AREAS, PLANT ESTABLISHMENT WORK, WOOD MULCH, CHECK AND TEST EXISTING IRRIGATION FACILITIES, OPERATE EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, 2" REMOTE CONTROL VALVE, 16-18 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 24-32 STATION IRRIGATION CONTROLLER (WALL MOUNTED), 2" COPPER PIPE (SUPPLY LINE), 4" GALVANIZED STEEL PIPE (SUPPLY LINE), IRRIGATION CONTROLLER ENCLOSURE CABINET, 2" BACKFLOW PREVENTER ASSEMBLY, 3" BACKFLOW PREVENTER ASSEMBLY, FLOW SENSOR, RISER SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), BALL VALVE, 10" WELDED STEEL PIPE CONDUIT, COMPOST, INCORPORATE MATERIALS, MINOR CONCRETE (MINOR STRUCTURE), SMALL-ROCK SLOPE PROTECTION, ROCK SLOPE PROTECTION FABRIC (CLASS 8), MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, ELECTRIC SERVICE FOR IRRIGATION

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact:

Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.


Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner



Signature

Date: 7-1-16

Please fax return this form by Jul 07, 2016
with a copy of your certification to Janell Carlson at (714) 854-7843

(CLASS 315) (SUPPLY LINE), BALL VALVE, EROSION CONTROL (BONDED FIBER MATRIX), CLASS 2 AGGREGATE BASE, ROADSIDE PAVING (MISCELLANEOUS AREAS), MOBILIZATION .

Griffith Company will assist in obtaining bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance in services. Plans and specs are available for review in our office. Please call for an appointment. 100% bonding may be required. Subcontractors must have a current contractor's license, DIR Registration Number, effective insurance and will be required to sign the standard Griffith Company agreement.

Griffith Company is an equal opportunity employer.

If you have any questions or if you are interested in bidding this project please contact: Janell Carlson at 714-984-5500 or fax your bid to 714-854-7843.

If you have any questions please do not hesitate to contact us.

Participation Response Form

() We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Traffic Control

We cannot participate in the contract out of our area

Candace Friedman
Print Name of Business Owner

[Signature]
Signature

Date: 5/27/16

Please fax return this form by Jun 09, 2016 with a copy of your certification to Janell Carlson at (714) 854-0228

3rd



CORPORATE OFFICE
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-9754

CENTRAL REGION
1128 Carrier Parkway Ave.
Bakersfield, CA 93308
[661] 392-6640
Fax [661] 393-9525

SOUTHERN REGION
12200 Bloomfield Ave.
Santa Fe Springs, CA 90670
[562] 929-1128
Fax [562] 864-8970

STRUCTURE DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-0227

UNDERGROUND DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-0226

LANDSCAPE DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-7843

CONCRETE DIVISION
12200 Bloomfield Ave.
Santa Fe Springs, CA 90670
[562] 929-1128
Fax [562] 864-8970

MATERIALS DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-0229

www.griffithcompany.net

CA Contractors
License #88

NV Contractors
License #78889

AZ Contractors
License #292209

TABLE OF CONTENTS

TAB 1: CALTRANS FORMS FOR DBE

TAB 2: ADS AND SCOPE OF WORK MADE AVAILABLE FOR DBE'S

TAB 3: INVITATION TO BIDS AND FAX CONFIRMATION LOG

TAB 4: PHONE LOG AND INVITATION RESPONSES



07-13-16P12:56 RCVD 07



Caltrans[®]

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

FORMS FOR BID

FOR CONSTRUCTION ON STATE HIGHWAY IN LOS ANGELES COUNTY IN LOS ANGELES AND EAST LOS ANGELES ON ROUTE 60 FROM 0.1 MILE WEST OF BOYLE AVENUE UNDERCROSSING TO EASTERN AVENUE OVERCROSSING AND ON ROUTE 5 FROM EUCLID UNDERCROSSING TO BOYLE AVENUE OVERCROSSING

In District 07 On Route 5,60

Under

Notice to Bidders and Special Provisions dated May 31, 2016

Standard Specifications dated 2010

Project plans approved January 4, 2016

Standard Plans dated 2010

Applicable to

Electronic *Bid* book dated May 31, 2016

Identified by

Contract No. 07-288204

07-LA-5,60-16.0/16.8 & 0.1/R3.1

Project ID 0700021023

Federal-Aid Project

ACNHP-X037(191)E

Bids open Thursday, July 7, 2016

Dated May 31, 2016
AADD



GRIFFITH
COMPANY

CORPORATE OFFICE
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-9754

CENTRAL REGION
1128 Carrier Parkway Ave.
Bakersfield, CA 93308
[661] 392-6640
Fax [661] 393-9525

SOUTHERN REGION
12200 Bloomfield Ave.
Santa Fe Springs, CA 90670
[562] 929-1128
Fax [562] 864-8970

STRUCTURE DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-0227

UNDERGROUND DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-0226

LANDSCAPE DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-7843

CONCRETE DIVISION
12200 Bloomfield Ave.
Santa Fe Springs, CA 90670
[562] 929-1128
Fax [562] 864-8970

MATERIALS DIVISION
3050 E. Birch Street
Brea, CA 92821
[714] 984-5500
Fax [714] 854-0229

www.griffithcompany.net

CA Contractors
License #88

NV Contractors
License #78889

AZ Contractors
License #292209



**GRIFFITH COMPANY
DBE COMMITMENT
AND GOOD FAITH
EFFORT
DOCUMENTATION
FOR CALTRANS
CONTRACT 07-288204
BID OPENING: 7/7/16,
2PM**