

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY 711



*Flex your power!
Be energy efficient!*

October 7, 2010

02-Sis-5-2.7/R11.4
02-3E0004
Project ID 0200020031

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SISKIYOU COUNTY IN AND NEAR DUNSMUIR FROM SACRAMENTO RIVER BRIDGE OVERHEAD TO 0.3 MILE NORTH OF LASSEN LANE OVERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, November 9, 2010.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions, and the Bid book.

Project Plan Sheets 2 and 21 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

Project Plan Sheet 2A is added. A copy of the added sheet is attached for addition to the project plans.

In the Special Provisions, Section 10-1.20A, "REPLACE ASPHALT CONCRETE SURFACING," is added as attached.

In the Bid book, in the "Bid Item List," Items 7, 8, 12, 13, and 15 are revised, and Item 23 is added as attached.

To Bid book holders:

Replace the entire "Bid Item List" in the Bid book with the attached revised Bid Item List. The revised Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 3
Page 2
October 7, 2010

02-Sis-5-2.7/R11.4
02-3E0004
Project ID 0200020031

This addendum and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/02/02-3E0004

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



JOHN BULINSKI
District Director

Attachments

10-1.20A REPLACE ASPHALT CONCRETE SURFACING

GENERAL

Summary

This work includes removing existing asphalt concrete surfacing and underlying base and replacing with hot mix asphalt (HMA). The Engineer determines the exact limits of replaced asphalt concrete surfacing.

MATERIALS

HMA Type A and tack coat must comply with the specifications in Section 39-1.02, "Materials" of the Standard Specifications.

The grade of asphalt binder mixed with aggregate for HMA must be PG70-10.

The aggregate for HMA must comply with the 3/4-inch grading.

CONSTRUCTION

Pave replacement HMA under Section 39-3, "Method," of the Standard Specifications.

Replace asphalt concrete in a lane before the lane is specified to be opened to public traffic under "Maintaining Traffic" of these special provisions.

Before removing asphalt concrete, outline the replacement area and cut neat lines with a saw or grind to full depth of the existing asphalt concrete. Do not damage asphalt concrete and base remaining in place.

Dispose of removed material under Section 7-1.13, "Disposal of Material Outside the Highway Right of Way," of the Standard Specifications.

If base is excavated beyond the specified plane, replace it with HMA at your expense.

MEASUREMENT AND PAYMENT

The Engineer measures replace asphalt concrete surfacing based on the specified dimensions and any adjustments ordered.

The contract price paid per cubic yard for replace asphalt concrete surfacing includes full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in replacing asphalt concrete surfacing including tack coat, complete in place as shown on the plans, as specified in the Standard Specifications and the special provisions, and as directed by the Engineer.

You may request the Engineer's approval to leave rejected replacement HMA in place. If the Engineer approves, you must accept a reduction in the payment for the rejected replacement HMA.

**BID ITEM LIST
02-3E0004**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
1	074016	CONSTRUCTION SITE MANAGEMENT	LS	LUMP SUM	LUMP SUM	
2	074017	PREPARE WATER POLLUTION CONTROL PROGRAM	LS	LUMP SUM	LUMP SUM	
3	120090	CONSTRUCTION AREA SIGNS	LS	LUMP SUM	LUMP SUM	
4	120100	TRAFFIC CONTROL SYSTEM	LS	LUMP SUM	LUMP SUM	
5	128650	PORTABLE CHANGEABLE MESSAGE SIGN	LS	LUMP SUM	LUMP SUM	
6	150715	REMOVE THERMOPLASTIC PAVEMENT MARKING	SQFT	780		
7	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	185,000		
8	190101	ROADWAY EXCAVATION	CY	156		
9	190110	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
10	260201	CLASS 2 AGGREGATE BASE	CY	14		
11	290301	CEMENT TREATED PERMEABLE BASE	CY	13		
12	390131	HOT MIX ASPHALT	TON	24,900		
13	394050	RUMBLE STRIP	STA	930		
14	394060	DATA CORE	LS	LUMP SUM	LUMP SUM	
15	397005	TACK COAT	TON	87		
16	681103	3" PLASTIC PIPE (EDGE DRAIN)	LF	60		
17	681107	3" PLASTIC PIPE (EDGE DRAIN OUTLET)	LF	45		
18	840515	THERMOPLASTIC PAVEMENT MARKING	SQFT	810		
19	840560	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)	LF	227,000		
20	850122	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)	EA	4,790		

BID ITEM LIST
02-3E0004

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	860090	MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	LS	LUMP SUM	LUMP SUM	
22	860930	TRAFFIC MONITORING STATION	LS	LUMP SUM	LUMP SUM	
23	390095	REPLACE ASPHALT CONCRETE SURFACING	CY	250		

TOTAL BID:

\$ _____