

DEPARTMENT OF TRANSPORTATION
 DIVISION OF ENGINEERING SERVICES
 OFFICE ENGINEER, MS 43
 1727 30TH STREET
 P.O. BOX 168041
 SACRAMENTO, CA 95816-8041
 FAX (916) 227-6214
 TTY 711



*Flex your power!
 Be energy efficient!*

September 30, 2010

03-Yol-80-0.2/5.7
 03-0F7004
 Project ID 0300000101
 ACHSIM-0802(358)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN YOLO COUNTY IN AND NEAR DAVIS FROM RICHARDS BOULEVARD OVERCROSSING TO 0.1 MILE WEST OF YOLO CAUSEWAY (WEST).

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, November 10, 2010. The original bid opening date was previously postponed indefinitely under Addendum No. 1 dated September 3, 2010.

This addendum is being issued to set a new bid opening date as shown herein, revise the Project Plans, the Notice to Bidders and Special Provisions and the Federal Minimum Wages with Modification Number 7 dated 09/24/10.

Project Plan Sheet 2 is revised. A copy of the revised sheet is attached for substitution for the like-numbered sheet.

In the Special Provisions, Section 3-1.00, "CONTRACT AWARD," is added as follows:

"3-1.00 CONTRACT AWARD

If the Department awards the Contract, the award is made to the lowest responsible bidder within 60 days."

In the Special Provisions, Section 10-1.11, "COOPERATION," the following row is added to the table as follows:

03-1E1004	Yol-80-Var	In Davis and West Sacramento From Richards Boulevard OC to Reed Avenue OC	Gore Paving
-----------	------------	--	-------------

In the Special Provisions, Section 10-1.26, "EXISTING HIGHWAY FACILITIES," subsection "RECONSTRUCT THREE BEAM BARRIER," is revised as attached.

Addendum No. 2
Page 2
September 30, 2010

03-Yol-80-0.2/5.7
03-0F7004
Project ID 0300000101
ACHSIM-0802(358)E

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum, attachments and the modified wage rates are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/03/03-0F7004

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



JODY JONES
District Director
For AADD projects from Districts 3

RECONSTRUCT THRIE BEAM BARRIER

Existing thrie beam barrier, where shown on the plans to be reconstructed, shall be reconstructed.

Cable anchor assemblies or terminal anchor assemblies, including concrete anchors and steel foundation tubes, shall be completely removed and disposed of.

New blocks and hardware shall be furnished and used to reconstruct thrie beam barrier. New blocks shall be plastic.

When the spacing between the existing bolt pattern must be varied to match current bolt spacing standards, the steel post may be modified in the field, subject to approval by the Engineer. Damaged galvanizing shall be repaired as specified in Section 75-1.05, "Galvanizing."

Posts, blocks, and other components of the removed thrie beam barrier, including terminal sections, that are not used in the reconstruction work shall be disposed of.

Existing Oleanders shall be trimmed as directed by the Engineer to clear the work area. Trimmings shall be disposed of as provided in Section 7-1.13, "Disposal of Material Outside the Highway Right of Way," of the Standard Specifications.

Full compensation for furnishing and installing new blocks and hardware; for connecting reconstructed thrie beam barrier to existing structures, other flat concrete surfaces or terminal systems; and for removing and disposing of anchor assemblies shall be considered as included in the contract price paid per linear foot for reconstruct thrie beam barrier (steel post) and no separate payment will be made therefor.